

Michael Anastassiades, Edward Barber &  
Jay Osgerby, Mario Bellini, Ronan & Erwan  
Bouroullec, Achille Castiglioni, Pier Giacomo  
Castiglioni, Antonio Citterio, Rodolfo Dordoni,  
Formafantasma, Ron Gilad, Johanna Grawunder,  
Konstantin Grcic, Joris Laarman, Piero Lissoni,  
Jasper Morrison, Nendo, Paolo Rizzatto, Nicoletta  
Rossi & Guido Bianchi, Gino Sarfatti, Tobia Scarpa,  
Philippe Starck, Patricia Urquiola, Vincent Van  
Duysen, Marcel Wanders

DECORATIVE COLLECTION

2021

FLOS

DECORATIVE COLLECTION  
2021

FLOS

# NEW 2021



Bellhop Floor  
P. 150



Caule 1 - Caule 1 Nest  
P. 415



Caule 2 - Caule 2 Nest  
P. 415



Caule 3 - Caule 3 Nest  
P. 415




Caule 3 - Caule 3 Nest  
P. 415



Caule 4  
P. 415



Caule 5  
P. 415



Coordinates Wall  
P. 350



In Vitro Unplugged  
P. 56, 416



Kap Surface Round  
P. 346

Kap Surface Square  
P. 346



In Vitro Ceiling  
P. 344, 416



Kap Surface Square  
P. 346



In Vitro Wall  
P. 344, 416



Mile Wall 1 Down  
P. 418



In Vitro Suspension  
P. 231, 416



Mile Wall 1 Up  
P. 418



Kap Surface Round  
P. 346



Mile Wall 2 Down  
P. 418






Mile Wall 2 Up  
P. 418




Superline  
P. 234

Thin Led  
P. 348



Wireline  
P. 218

## NEW COLORS 2021




Anodized Green, Anodized Grey, Anodized Natural

Anodized Green, Anodized Grey, Anodized Natural

Aim  
P. 318

Aim Small  
P. 318



Green/Red

Green/Red

Smithfield C & C PRO  
P. 378

Smithfield S & S PRO  
P. 331



Orange  
Snoopy  
P. 118



Patricia Urquiola

CHASEN, CAULE, FLAUTA, SERENA, TATOU

Photo by Stefano Galuzzi



Jasper Morrison

GLO-BALL, SMITHFIELD, SUPERLOON


Photo by Timm Reutert



Tobia Scarpa

ARIETTE, BIAGIO, FANTASMA,  
FOGLIO

Courtesy of Tobia Scarpa



Antonio Citterio

CLESSIDRA, KELVIN LED,  
KELVIN EDGE, MILE, ONTHEROCKS

Courtesy of Antonio Citterio





Ronan & Erwan Bouroullec

AIM, BELT

Photo by Philippe Jarrigeon




Nicoletta Rossi and Guido Bianchi

IPNOS

Photo by Maki Ochoa


Courtesy of Rodolfo Dordoni



Rodolfo Dordoni

POCHETTE, RAY





Achille Castiglioni

AOY, DIABOLO, FRISBI, FUCSIA, LAMPADINA,  
PARENTESI, STYLOS, TARAXACUM 88

Photo by Maria Mulas



Philippe Starck

BIBLIOTHEQUE NATIONALE, BON JOUR,  
BON JOUR VERSAILLES, FORT KNOX, GUNS, KTRIBE, LA PLUS BELLE,  
MISS K, MISSI SISSI, ROMEO, ROSY ANGELIS, SUPERARCHIMON

Courtesy of Philippe Starck



Photo by Luciano Ferri

Achille & Pier Giacomo Castiglioni

ARCO, BULBO57, GATTO, LUMINATOR, SNOOPY,  
SPLÜGEN BRÄU, TACCIA, TARAXACUM,  
TOIO, VISCONTEA





Johanna Grawunder

WAN

Courtesy Designer's Gallery Köln



Konstantin Grcic

MAYDAY, NOCTAMBULE, OK

Photo by Frank Hulsbörger



Photo by Giovanni Gastel

Courtesy of Marcel Wanders



Marcel Wanders


**CHRYSALIS,  
SKYGARDEN, ZEPPELIN**




Vincent Van Duysen

INFRA-STRUCTURE EPISODE 2, OBLIQUE

Photo by Jan Verlinde







Formafantasma

WIRELINE, WIRERING

Courtesy of Formafantasma



Nendo

GAKU, SAWARU

Photo by Andreas Larsson





Paolo Rizzatto

265

Photo by Santi Caleca



Joris Laarman

NEBULA

Courtesy of Joris Laarman Lab



Photo by Monica Castiglioni



Ron Gilad

2620, GOLDMAN




Photo by Frank Hülsbömer

Michael Anastassiades

ARRANGEMENTS, CAPTAIN FLINT, COORDINATES, COPYCAT  
IC LIGHTS, LAST ORDER, OVERLAP, STRING LIGHTS

# TABLE LAMPS

Collezione di lampade da tavolo



Aoy  
P. 142



Bellhop  
P. 76



Biagio  
P. 136



Bon jour  
P. 90



Bon jour unplugged  
P. 94



Bon jour Versailles  
P. 86



Bon jour Versailles  
small  
P. 86



Chiara Table  
P. 58



Copycat  
P. 103



Gaku  
P. 80



Gatto  
P. 112



Mini Glo-Ball Table  
P. 132



Glo-Ball Basic  
P. 132



Glo-Ball Table  
P. 132



Goldman  
P. 116



Guns - Bedside Gun  
P. 134



Guns - Table Gun  
P. 134



IC Table 1 High  
P. 99



IC Table 1 Low  
P. 99



IC Table 2  
P. 99

INDEX





In Vitro Unplugged  
P. 56



Minikelvin Led  
P. 126



Kelvin Edge  
P. 128



Kelvin Led  
P. 127



KTribe Table  
P. 122

# FLOOR LAMPS

Collezione di lampade da terra



Lampadina  
P. 104



Last Order  
P. 62



Mayday  
P. 74



Miss K  
P. 144



Miss Sissi  
P. 139



Arco  
P. 182



Bellhop Floor  
P. 150



Bibliotheque  
Nationale  
P. 198



Captain Flint  
P. 187



Chiara Floor  
P. 160



Oblique  
P. 68



Ray Table  
P. 120



Romeo Moon Table  
P. 123



Romeo Soft Table  
P. 123



Serena  
P. 84



Chrysalis  
P. 197



Coordinates Floor  
P. 156



Fantasma Piccolo  
P. 196



Glo-Ball Floor  
P. 194



Guns - Lounge Gun  
P. 188



Snoopy  
P. 118



Spun Light Table  
P. 140



Tab Table  
P. 114



Taccia - Taccia small  
P. 108



Tatou Table  
P. 125



IC Floor  
P. 178



Kelvin Led Floor  
P. 205



Ktribe Floor  
P. 200



Luminator  
P. 213



Noctambule Floor  
P. 168



Ray Floor  
P. 190



Romeo Moon Floor  
P. 208



Romeo Soft Floor  
P. 208



Rosy Angelis  
P. 207



Sawaru  
P. 165

INDEX

INDEX



Spun Light Floor  
P. 204



Stylos  
P. 186



Superarchimoon  
P. 210



Superloon  
P. 175



Tab Floor  
P. 192



Frisbi  
P. 306



Fucsia  
P. 300



Glo-Ball Suspension  
P. 326



IC Suspension  
P. 288



In Vitro Suspension  
P. 231



Tatou Floor  
P. 180



Toio Limited Edition  
P. 203



Toio  
P. 202



Infra-Structure  
Episode 2  
P. 254



Ktribe Suspension  
P. 339



Nebula  
P. 314



Noctambule  
P. 275



Ok  
P. 296

## SUSPENSION LAMPS

Collezione di lampade a sospensione



Overlap  
P. 272



Parentesi  
P. 328



Ray Suspension  
P. 302



Romeo Babe S  
P. 308



Romeo Moon S  
P. 309



2097  
P. 264



2097/18  
P. 262



2620  
P. 325



Arrangements  
P. 266



Skygarden Small  
P. 227



Skygarden  
P. 304




Smithfield  
Suspension  
P. 331



Splügen Bräu  
P. 298



String Lights Cone  
P. 283



Belt  
P. 245



Bulbo57  
P. 258



Chasen  
P. 316



Coordinates  
Suspension  
P. 236



Diabolo  
P. 250



String Lights Sphere  
P. 283



Superline  
P. 234



Taraxacum  
P. 310



Taraxacum 88  
Suspension  
P. 290



Tatou Suspension  
P. 295



Viscontea  
P. 312



Wan Suspension  
P. 303



Wireline  
P. 218



Zeppelin  
P. 336



IC Ceiling/Wall  
Double  
P. 365



In Vitro Ceiling  
P. 344



In Vitro Wall  
P. 344



Kap Surface Round  
P. 346



Kap Surface Square  
P. 346

# WALL & CEILING LAMPS

Collezione di lampade da parete e soffitto



Ktribe Wall  
P. 400



La Plus Belle  
P. 368



Ontherocks  
P. 389



Pochette  
P. 398



Romeo Babe Wall  
P. 401



265  
P. 385



Ariette  
P. 395




Mini Button  
P. 402



Button  
P. 403



Clara  
P. 390



Skygarden Recessed  
P. 397



Smithfield Ceiling  
P. 378



Taraxacum 88  
Ceiling/Wall  
P. 392



Thin Led  
P. 348w




Tight Light  
P. 388



Clessidra  
P. 380



Coordinates  
Wall  
P. 350



Coordinates  
Ceiling  
P. 354



Flauta  
P. 360



Foglio  
P. 404



Wan Ceiling/Wall  
P. 396



Wirering  
P. 374



Abajourd'hui  
P. 406



Soft Spun  
P. 408



Fort Knox Wall  
P. 382



Mini Glo-Ball  
Ceiling/Wall  
P. 386



Glo-Ball Ceiling  
P. 386



Glo-Ball Wall  
P. 386



IC Ceiling/Wall  
P. 366

INDEX

INDEX

# OUTDOOR/INDOOR LAMPS

Collezione di lampade da esterno/interno



Camouflage  
P. 436



Captain Flint  
Outdoor  
P. 429



Caule  
P. 415



Clessidra  
P. 444



Flauta Outdoor  
P. 421



IC Wall Outdoor  
P. 426



IC Floor Outdoor  
P. 427



In Vitro Ceiling  
P. 416



In Vitro Wall  
P. 416



In Vitro Suspension  
P. 416



In Vitro Unplugged  
P. 416



Ipnos  
P. 435



Ktribe Outdoor  
P. 438



Last Order  
P. 424



Mile Wall  
P. 418



My Way  
P. 430



Real Matter  
P. 432



Romeo Outdoor  
P. 441



Superarchimoon  
Outdoor  
P. 442

# INDEX BY FAMILY

Indice prodotti per famiglia



P. 123



P. 210



P. 310



P. 403



P. 212



P. 132



P. 132



P. 196



P. 328



P. 486



P. 487



P. 486



P. 229, 306



P. 399



P. 114



P. 123



P. 210



P. 311



P. 310



P. 403



P. 194



P. 99



P. 99



P. 99



P. 180



P. 120



P. 192



P. 304




P. 144



P. 122



P. 290



P. 368



P. 367



P. 134



P. 190



P. 122



P. 200



P. 200



P. 341



P. 402



P. 140




P. 206



P. 112



P. 274



P. 312

INDEX

INDEX



P. 314



P. 338



P. 338



P. 408



P. 410



P. 356



P. 356



P. 356



P. 356



P. 356



P. 292



P. 394




P. 125




P. 182



P. 297



P. 356



P. 356



P. 356



P. 356



P. 356



P. 333



P. 380




P. 126



P. 127



P. 128



P. 356



P. 238



P. 238



P. 238



P. 238



P. 207



P. 305



P. 398



P. 90



P. 94



P. 238



P. 238



P. 238



P. 238



P. 238



P. 86



P. 86



P. 58



P. 162



P. 356



P. 158



P. 350



P. 277



P. 277



P. 277



P. 277



P. 170



P. 170



P. 170



P. 170



P. 440



P. 443



P. 444



P. 428



P. 429

«Reputation is a bit like a table: one or two marks  
and everyone notices: a whole host of scratches  
and it all blends in» — *Alain de Botton*

## **TABLE LAMPS**



NEW

**IN VITRO UNPLUGGED**

NEW COLORS

**SNOOPY**

NEW

# IN VITRO UNPLUGGED



In Vitro Unplugged, 2021





# CHIARA



Mario Bellini, 2020





Nel 1969, l'architetto italiano Mario Bellini ha presentato per la prima volta Chiara, una lampada da terra realizzata da un unico "foglio" piatto ripiegato su se stesso, come un lucido mantello di acciaio inossidabile. Cinquant'anni dopo il suo lancio, Flos riedita questo prodotto iconico in svariate dimensioni e finiture.

In 1969, Italian architect Mario Bellini debuted Chiara, a flat-packable floor lamp for Flos that wore a shiny cloak of stainless steel. Fifty years after its introduction, Flos is reissuing the icon in a range of sizes and finishes.





Last Order è erede della lampada da tavolo originariamente progettata per il nuovo ristorante Four Seasons di New York, dopo il suo trasferimento e riapertura nel 2018 con gli interni disegnati dall'architetto di San Paolo Isay Weinfeld.

Last Order is a continuation of the table light that was originally designed for the new Four Seasons restaurant in New York City, which relocated and opened in 2018 with the interiors designed by São Paulo-based architect Isay Weinfeld.



# LAST ORDER




TABLE

Technical info p. 504

LAST ORDER

Michael Anastassiades, 2020



**3H CHARGING TIME**

**6-24H BATTERY LIFE**

Il tempo necessario per caricare completamente il dispositivo è di 3 ore (500 cicli di carica garantiti). Con il dispositivo acceso a un'intensità del 100%, l'autonomia senza fili è di 6 ore (si possono superare le 24 ore di autonomia riducendo l'intensità). Dopo 6 ore, l'intensità diminuisce automaticamente del 20% e la necessità di ricarica viene indicata con un LED (L) che lampeggia ad alta frequenza (ogni 0,2 secondi) fino a che non si collega il dispositivo a una presa elettrica o fino al completo esaurimento della batteria.

The time required to completely charge the device is 3 hours (500 charging cycles guaranteed). With the device turned on at 100% intensity, the cordless autonomy is 6 hours (more than 24 hours of autonomy can be achieved by reducing the intensity). After 6 hours, the intensity automatically decreases to 20% and the need to recharge is indicated: the LED indicator (L) blinks at high-frequency (every 0.2 seconds) until the device is plugged in to charge or the battery is completely discharged.









# OBLIQUE



Vincent Van Duysen, 2020







**INTEGRATED  
WIRELESS  
CHARGING SYSTEM**



**ALWAYS FEATURES  
A USB-C PORT  
INTEGRATED**

Il cuore di questa lampada è il frutto di una vera e propria sfida tecnologica concepita da Luke Smith-Wightman e Flos Architectural. Racchiusi in uno spessore di soli 5 millimetri LED e lenti sono in grado di generare un fascio di luce estremamente potente e controllato.

The heart of this lamp is the result of a real technological challenge conceived by Luke Smith-Wightman and Flos Architectural. The LEDs and lenses can generate an extremely powerful and controlled light beam from the inside of a just 5 mm thick space.







## MAYDAY



In alto: K. Grcic con Mayday. La lampada riceve il prestigioso Compasso d'Oro nel 2001. A sinistra: Lampada adatta a molteplici usi e collocazioni: può essere posizionata su un tavolo, collocata a terra o sospesa, grazie alla pratica maniglia che assolve anche la funzione di avvolgicavo.

Top: K. Grcic with Mayday, the lamp that received the coveted Compasso d'Oro award in 2001. Left: It is a lamp suited to multiple uses and settings. With its practical handle that also acts as a cable winder, it can be placed on a table, on the floor or suspended.

Konstantin Grcic, 2000





NEW COLORS



# BELLHOP

TABLE

Technical info p.455


BELLHOP

Edward Barber & Jay Osgerby, 2018



"Bellhop è nata come lampada da tavolo disegnata per il nuovo Design Museum di Londra. Una lampada da tavolo che offre la massima flessibilità di utilizzo, essendo senza fili. Bellhop proietta un cono di luce d'atmosfera. Il modello wireless è come una candela dei giorni nostri."  
 - E. Barber & J. Osgerby

"The Bellhop began when we designed a table lamp for the new London Design Museum. The table top Bellhop gives the user ultimate flexibility as a portable lamp. Bellhop casts an atmospheric pool of light and the portable version is like a modern day candle."  
 - E. Barber & J. Osgerby









# GAKU



Nendo, 2018




**INDUCTION RECHARGEABLE LAMP.  
6 TO 48 HOURS AUTONOMY**



**WIRELESS INDUCTIVE CHARGING**

Una lampada a sospensione, ad altezza regolabile, è appesa all'interno di una cornice, mentre la versione wireless presenta una piastra di ricarica a induzione che alimenta una lampada a luminescenza. Normalmente appoggiata alla superficie di ricarica, la lampada può essere portata liberamente altrove, dove serve la luce.

An adjustable-height pendant lamp hangs down inside a frame, while a wireless version features non-contact charging functionality to power a luminescent lamp. Normally laying on the charging dock, the lamp can be moved around freely when lighting is needed elsewhere.





## SERENA



Patricia Urquiola, 2015





## BON JOUR VERSAILLES



Philippe Starck, 2017





Erede della lampada "Bon Jour", nata dalla collaborazione tra Flos e Starck, e del candeliere "Versailles" creato da Baccarat, la collezione Bon Jour Versailles - composta da due modelli, disponibili in cristallo o polimetilmetacrilato - rivela linee senza tempo, di ineffabile leggerezza ed empirica modernità, che evocano la memoria collettiva del passato, del presente e del futuro.

The heir to an earlier "Bon Jour" lamps collaboration between Flos and Starck and to the "Versailles" candle-holder created by Baccarat, the Bon Jour Versailles collection, with two models available in crystal or polymethylmethacrylate, reveals timeless lines with unfailing lightness and empirical modernity that evoke our collective memory of the past, of the present and the future.





LE  
CRISTAL  
EST:°



- L'INTELLIGENCE DE LA NATURE
- UN MYSTERE
- ISSU DU HAZARD ET DE LA NECESSITE'
- INULTE PAR LA NATURE IL Y A PLUS OU MOINS 100,000 ANS
- NE DANS LE FEU
- UN LIQUIDE
- TRANSPARENT
- TRES FRAGILE'
- CHER
- MOULABLE PAR GRAVITE'
- POLISSABLE'
- ARISTOCRATIQUE
- SOUVENT IMPARFAIT
- INALTERABLE
- EMPIRIQUE
- RARE
- NOBLE
- MAGIQUE

LE  
POLYMETACRYLATE DE METHYLE  
EST:



- L'INTELLIGENCE DE L'HOMME
- UNE INVENTION
- ISSU DE LA RECHERCHE CHIMIQUE
- DECOUVERT PAR FITTIG ET PAUL EN 1877
- NE DANS LA CHALEUR
- UN POLYMERE
- TRANSPARENT
- TRES SOLIDE
- ABORDABLE
- INJECTABLE
- POUSSABLE
- DEMOCRATIQUE
- TOUJOURS PARFAIT
- INDESTRUCTIBLE
- THEORIQUE
- INFINI
- NOBLE
- MAGIQUE

PH.S

②

*Baccarat*

FLOS



# BON JOUR

TABLE

Technical info p.456

BON JOUR

Philippe Starck, 2015



In alto: La rivoluzionaria tecnologia Edge Lighting si unisce al concetto di "dematerializzazione" intrinseco nel prodotto. Essa sfrutta al massimo le potenzialità del LED e con uno spessore minimo garantisce una luce perfettamente uniforme, un elevato comfort visivo, massima performance ed efficienza.

A destra: L'esclusivo design minimale del dimmer integrato, garantisce il massimo controllo sull'intensità luminosa con un click.

Top: The revolutionary Edge Lighting technology is combined with the "dematerialisation" concept intrinsic in the product. This makes full use of the LED's potentialities and with a minimum thickness guarantees a perfectly uniform light, a high visual comfort, maximum performance and efficiency.

Right: The exclusive minimalist design of the integrated dimmer guarantees maximum control of the light intensity with one click.





3H CHARGING TIME



6-24H BATTERY LIFE



ACCESSORIZE IT!

La funzione "portable/cordless" è garantita dalla ricarica con l'alimentatore incluso e dall'interfaccia MicroUSB-C di nuova generazione, per un'autonomia di 6/24 ore, a seconda dell'intensità luminosa di utilizzo.

The "portable/cordless" function is guaranteed by the recharge with the adaptor included and by the latest-generation MicroUSB-C interface, for 6/24 hours lighting life, depending on the light emission intensity.

Sensore ottico posizionato sulla base che garantisce la funzione dimmer 4-step.

Optical switch sensor on the base that provide 4-step dimming function.



## BON JOUR UNPLUGGED



Philippe Starck, 2015





# IC



Michael Anastassiades, 2014







# COPYCAT



Michael Anastassiades, 2015



# LAMPADINA



Achille Castiglioni, 1972



BLACK



ORANGE



WHITE



GREEN



TURQUOISE



LILAC









Photo by Zoë Ghermer



I fratelli Achille e Pier Giacomo Castiglioni avevano ideato l'iconico riflettore a coppa in materia plastica trasparente. L'idea fu abbandonata per le deformazioni generate su di esso dal calore della sorgente luminosa a incandescenza. Il prototipo fu quindi sviluppato e prodotto da Flos nel 1962 con la celebre ed imponente coppa in vetro soffiato. Grazie all'uso di una innovativa sorgente luminosa a LED è oggi possibile editare Taccia in una nuova versione con diffusore in plastica trasparente, esattamente fedele all'idea originale.

In the Castiglioni brothers' original design, the iconic bowl reflector was made of transparent plastic. This idea was discarded though because the heat emitted by the incandescent light source deformed the plastic material. The prototype was then developed and produced by Flos in 1962, with its famous big blown glass bowl. Thanks to the use of a cutting-edge LED light source is now possible to edit a new version of Taccia with a transparent plastic diffuser that is accurately faithful to the original concept.



Courtesy of Fondazione Achille Castiglioni

## TACCIA AND TACCIA SMALL



Achille & Pier Giacomo Castiglioni, 1962



## GATTO




Achille and Pier Giacomo Castiglioni, 1960



# TAB



Edward Barber & Jay Osgerby, 2011



# GOLDMAN



Ron Gilad, 2013

NEW COLOR



Snoopy, l'iconica lampada da tavolo disegnata nel 1967 dal genio di Achille e Pier Giacomo Castiglioni, si arricchisce di una nuova finitura per il suo inconfondibile riflettore: ai classici nero e verde si affianca il colore arancio, lo stesso che si ritrova in altri prodotti iconici dei Castiglioni, frutto di un attento studio dell'uso cromatico nel design industriale.

Snoopy, the iconic table lamp designed in 1967 by Achille and Pier Giacomo Castiglioni, is enriched with a new finish for its unmistakable reflector. The classic black and green are joined by orange, the same hue found in other iconic products by the Castiglioni brothers, the fruit of a careful study of the use of colour in industrial design.

## SNOOPY



Achille & Pier Giacomo Castiglioni, 1967



# RAY



Rodolfo Dordoni, 2007



# KTRIBE



Philippe Starck, 2007

# ROMEO SOFT & MOON



Philippe Starck, 1998

# TATOU



Photo by Zoë Ghermer

Patricia Urquiola, 2012

# MINIKELVIN LED



Antonio Citterio, 2011

# KELVIN LED



Antonio Citterio assistant Toan Nguyen, 2009



## KELVIN EDGE




Antonio Citterio, 2015





La superficie della testa è caratterizzata dalla presenza del sensore Soft Touch che permette di selezionare sia l'intensità luminosa desiderata che la temperatura colore, a seconda delle esigenze, con un solo gesto naturale ed intuitivo. La nuova Kelvin Edge include l'esclusiva tecnologia Edge Lighting, una rivoluzione nell'innovazione LED, che unisce le migliori performance in efficienza, intensità di luce e ampiezza di emissione, ad una perfetta omogeneità e al massimo comfort visivo.

On the surface of the head there is a Soft Touch sensor with which it is possible to select both the desired intensity and the colour temperature, depending on the requirements, with a single, natural and intuitive action. The new Kelvin Edge includes the exclusive Edge Lighting technology, a revolution in LED innovation, which combines the best efficiency, light intensity and emission magnitude performances with perfect homogeneousness and maximum visual comfort.



THERE IS NO MORE DOUBLE SHADOW.  
ALL NICE AND CLEAN

# GLO-BALL



Jasper Morrison, 1998/2009





## BEDSIDE & TABLE GUN



il 20% del fatturato proveniente dalla vendita della Collezione Guns viene devoluto all'Associazione Fratelli dell'Uomo. Riconosciuta dal Ministro degli Esteri Italiano, è stata lanciata in Italia nel 1969 e fa parte del Gruppo Frères des hommes. L'organizzazione supporta progetti ed iniziative, principalmente in America Latina e Africa, legate alla distribuzione di cibo, la protezione dell'ambiente e tutela dei beni comuni, l'economia responsabile, la sanità pubblica, le migrazioni e il co-sviluppo. Dal 2019 Fratelli dell'Uomo non esiste più come entità indipendente, ma è stata invece integrata in Amref.

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. From 2019, Fratelli dell'Uomo no longer exists as an independent entity, but instead it has been integrated into Amref.

Philippe Starck, 2005



Lavorazione artigianale del corpo della lampada Biagio, un unico blocco di marmo bianco Statuario di Carrara.

The body of the Biagio lamp is hand crafted from a single block of white Carrara statuary marble.

## BIAGIO



Photo by Zoë Ghermer

Tobia Scarpa, 1968



# MISS SISSI



Philippe Starck, 1991



## SPUN LIGHT



Sebastian Wrong, 2003





Allestimento di A. Castiglioni per la vetrina del negozio Flos di Corso Monforte, Milano, Natale 1975.

A. Castiglioni's window dressing for the Flos store in Corso Monforte, Milan, Christmas 1975.

# AOY



Achille Castiglioni, 1975

# MISS K



Philippe Starck, 2003







«You can't put your feet on the ground  
until you've touched the sky» — *Paul Auster*

## **FLOOR LAMPS**

NEW

**BELLHOP FLOOR**

Edward Barber e Jay Osgerby con  
la lampada da terra Bellhop Floor, in  
rosso mattone.

Edward Barber and Jay Osgerby  
with the floor lamp Bellhop Floor in  
brick red.



NEW

## BELLHOP FLOOR



Edward Barber & Jay Osgerby, 2021





PABLO DI PRIMA

17.11.2020  
7064 - 13

FLOS









Lampada da terra della Collezione Coordinates, composta da una semplice base rotonda e da due barre luminose verticali. In fase di montaggio, queste ultime possono essere ruotate di 90° e bloccate sull'apertura desiderata del fascio di luce.

Floor lamp model from Coordinates Family, featuring a simple round base and two lighting bars, which can be set at the preferred beam angle during assembly.



## COORDINATES



Michael Anastassiades, 2020





# CHIARA



Mario Bellini, 1969/2020



“Un giorno ero nel mio studio e mi è venuto in mente che si sarebbe potuto utilizzare la luce nel modo in cui si manifesta nel nostro ambiente e nel nostro paesaggio, mai diretta, ma spesso attraversata dalle nubi o riflessa dagli oggetti, dai muri e dalle superfici. Quindi anziché dire “disegniamo una lampada” mi sono detto “disegniamo un apparato che sia in grado di prendere la luce da una sorgente artificiale e rifletterla nell’ambiente con una certa intelligenza e grazia”... Ho preso una forbice, un grande foglio di cartoncino e ho iniziato a tagliare qualche cosa che potesse diventare un cilindro con alla sommità un cappello più largo che, ricongiunto sul lato destro e sinistro, avrebbe potuto servire da riflettore della sorgente di luce ospitata nella base.”  
- Mario Bellini

“One day in my studio it came to me that we could use light the way it manifests in our surroundings and our landscapes—never directly, but often through clouds or reflected off objects, walls, and surfaces. And so, instead of saying ‘let’s design a lamp’, I said, ‘let’s design an apparatus that can take light from an artificial source and send it back into our surroundings with a certain intelligence and grace’... I took some scissors, a big piece of card, and I started to cut out something that could be made into a cylinder with a wide hat on top that, when joined on the right and left-hand side, would act as a reflector of the light source housed in the base.”  
- Mario Bellini

# SAWARU



Nendo, 2018



25 DEGREES



40 DEGREES



60 DEGREES

Una luce che consiste in due cilindri indipendenti che si toccano in direzione perpendicolare. Uno ha il ruolo di fonte luminosa, mentre l'altro serve da base. L'angolazione del proiettore può essere regolata su tre posizioni: 25, 40 e 60 gradi, inserendo un perno fissato sulla base. Le diverse funzioni sono rese possibili grazie all'esclusione di elementi superflui e alla semplificazione della forma.

A light consisting of two independent cylinders touching each other in a perpendicular direction. One plays the role of a light source, while the other acts as a base. Its projection angle can be adjusted in three stages of 25, 40 or 60 degrees, by inserting the pin attached to the base. Various functions are made possible by doing away with excess elements and creating a simple form.



TUNABLE LIGHT TEMPERATURE

DIMMABLE LIGHT INTENSITY







# NOCTAMBULE



Konstantin Greic, 2018



L'accurata tecnologia LED che accende le lampade è integrata in modo discreto nelle giunzioni tra i moduli in vetro. Quasi impercettibile, ma pronta ad attivarsi al calar della notte.

The carefully calibrated LED technology which powers the lamps is discretely integrated into the junctions between the glass modules. Almost absent, but ready to be activated at any (night-)time.

Noctambule: il nottambulo,  
o animale notturno. Quasi  
invisibile di giorno, ma dedito  
ad affascinanti attività di notte.  
Un'analogia perfetta.

Noctambule: the night owl or  
reveller. Mostly invisible during  
the day, but coming to glamorous  
activity at night-time. The  
analogy is fitting.




# SUPERLOON



Jasper Morrison, 2015






La superficie luminosa, perfettamente omogenea e d'ispirazione "lunare", è frutto della rivoluzionaria tecnologia Edge Lighting, che unisce massime performance, efficienza e comfort visivo. Il prodotto include la funzione Dim-to-Warm: scendendo di intensità, la luce passa da un tonalità di bianco più fredda ad uno spettro più caldo, come nelle affezionate lampade a filamento.

The light surface, perfectly homogeneous and "moon-inspired", is the result of the revolutionary Edge Lighting technology, which combines maximum performance, efficiency and visual comfort. The product includes the Dim-to-Warm function: as the intensity decreases the light goes from a colder blue tone to a warmer spectrum, like in the well-loved filament lamps.

Nello stelo è incluso il sensore Soft Touch che reinventa l'interazione con il prodotto. Esso garantisce un controllo fluido e preciso del flusso luminoso con un semplice e naturale tocco della mano.

The stem includes the Soft Touch sensor, which reinvents interaction with the product. This guarantees a fluid and precise control of the light flow with a simple and natural touch of the hand.





IC



Michael Anastassiades, 2014

Il corpo illuminante è formato da quattro elementi identici intrecciati tra loro a formare una calotta unita, ispirati alle classiche armature giapponesi antiche. Il nome Tatou deriva dal francese e significa armadillo.

The luminaire is made up of four identical intertwined elements which form a unified dome, drawing its inspiration from ancient Japanese armour. The name Tatou is French for armadillo.



# TATOU



Patricia Urquiola, 2012




Photo by Zoë Ghermer



# ARCO



Achille & Pier Giacomo Castiglioni, 1962



"Pensavamo a una lampada che proiettasse la luce sul tavolo: ce ne erano già ma bisognava girarci dietro. Perché lasciasse spazio attorno al tavolo la base doveva essere lontana almeno due metri. Così nacque l'idea dell'arco."  
 - A. Castiglioni, intervista per Ottagono, 1970

"We were thinking about a lamp that shines light onto a table. They already existed, but you had to walk round them. To leave enough space around the table, the base had to be at least two meters away. Which was how the idea for Arco came into being."  
 - A. Castiglioni interviewed for Ottagono, 1970



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casali

# STYLOS



Achille Castiglioni, 1984

# CAPTAIN FLINT



Michael Anastassiades, 2015

## LOUNGE GUN



Philippe Starck, 2005



il 20% del fatturato proveniente dalla vendita della Collezione Guns viene devoluto all'Associazione Fratelli dell'Uomo. Riconosciuta dal Ministro degli Esteri Italiano, è stata lanciata in Italia nel 1969 e fa parte del Gruppo Frères des hommes. L'organizzazione supporta progetti ed iniziative, principalmente in America Latina e Africa, legate alla distribuzione di cibo, la protezione dell'ambiente e tutela dei beni comuni, l'economia responsabile, la sanità pubblica, le migrazioni e il co-sviluppo. Dal 2019 Fratelli dell'Uomo non esiste più come entità indipendente, ma è stata invece integrata in Amref.

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. From 2019, Fratelli dell'Uomo no longer exists as an independent entity, but instead it has been integrated into Amref.



# RAY



Rodolfo Dordoni, 2006




# TAB



Edward Barber & Jay Osgerby, 2011





## GLO-BALL



Jasper Morrison, 1998

# FANTASMA PICCOLO



Tobia Scarpa, 1961

# CHRYSALIS



Marcel Wanders, 2011



# BIBLIOTHEQUE NATIONALE



Philippe Starck, 2013

Come un vero e proprio prodotto hi-tech  
Bibliothèque Nationale è dotata di presa USB -  
posizionata sulla base -  
che permette la ricarica  
dei più comuni smart-  
phone.

Like the hi-tech product  
it is, Bibliothèque  
Nationale is fitted with a  
USB port, placed on the  
base, for recharging the  
most common brands  
of smartphone.







Philippe Starck, 2007




KTRIBE

KTRIBE

Technical info p. 501

FLOOR

# TOIO



Achille & Pier Giacomo Castiglioni, 1962

Photo by Zoë Ghermer

# TOIO LIMITED EDITION





# SPUN LIGHT



Sebastian Wrong, 2003

# KELVIN LED



Antonio Citterio, 2011

# ROSY ANGELIS



Philippe Starck, 1994





## ROMEO MOON & SOFT



Philippe Starck, 1998



# SUPERARCHIMON



Philippe Starck, 2000

# LUMINATOR



Achille & Pier Giacomo Castiglioni, 1954

«At rest, however, in the middle of everything  
is the sun. For, in this most beautiful temple, who  
would place this lamp in another or better position  
than that from which it can light up the whole thing  
at the same time?» — *Nicolaus Copernicus*

## **SUSPENSION LAMPS**



NEW

**IN VITRO,  
SKYGARDEN SMALL,  
WIRELINE, SUPERLINE**

NEW COLORS

**AIM, SMITHFIELD**



NEW  
**WIRELIN**

SUSPENSION

Technical info p. 539

WIRELIN

Formafantasma, 2021



L'esclusivo cavo è realizzato in gomma termoplastica colorata. La composizione del polimero è perfettamente bilanciata per una sensazione morbida al tatto e la necessaria durezza per mantenere il profilo armonico e scultoreo.

The exclusive cable is made in coloured thermoplastic rubber. The polymer blend is perfectly balanced for a soft touch feeling and the necessary hardness to maintain the armonic and sculpural silhouette.

Gli elementi terminali in acciaio inox satinato, nascondono i componenti di continuità elettrica, e sono caratterizzati da una diamantatura superficiale realizzata con tecnologia CNC che ne valorizza la funzione e la raffinata estetica industriale.

The terminal elements in satin-finished stainless steel, hide the electrical continuity components, and are characterized by a surface diamond machining made by CNC, that enhances their function and the refined industrial aesthetic.







La lampada Wireline di Formafantasma è a metà tra l'espressione artistica e il design industriale. L'ultima creazione di Andrea Trimarchi e Simone Farresin per Flos rappresenta il loro ethos progettuale e i loro valori estetici, dove la funzionalità incontra la sorpresa. È un pezzo che ben rappresenta l'universo dello studio, dove il design, la responsabilità sociale e l'ecologia entrano in collisione.

Formafantasma's Wireline sits somewhere between artistic expression and industrial design. Andrea Trimarchi and Simone Farresin's latest creation for Flos represents their design ethos and aesthetic values, where functionality meets the unexpected. It's a piece that neatly fits within the studio's universe, where design, social responsibility and ecology collide.





NEW

# SKYGARDEN SMALL




Marcel Wanders, 2020





Skygarden Small, in finitura ruggine, di Marcel Wanders Studio. Dettaglio della parte interna in gesso.

Skygarden Small, in rusty brown finish, by Marcel Wanders Studio. Detail of the cast plaster interior.



NEW

# IN VITRO



Philippe Starck, 2020









Il profilo superiore dell'apparecchio è stato sviluppato in combinazione con la lente per evitare che la luce indiretta lo colpisca causando sgradevoli fenomeni di abbagliamento alla vista.

The upper profile of the luminaire has been developed in combination with the lens to prevent indirect light from hitting it, which would cause an unpleasant glare to the eye.

L'installazione a soffitto avviene tramite un sistema di aggancio rapido ad incasso brevettato che consente di regolare la lunghezza dei cavi in fase di montaggio.

The ceiling installation is carried out by means of a patented recessing system for quick adjustment that allows you to adjust the cables length during the installation.



NEW  
SUPERLINE



Flos Architectural, 2020

SUSPENSION

Technical Info p. 533

SUPERLINE



# COORDINATES


SUSPENSION

Technical info p. 469-471

COORDINATES

Michael Anastassiades, 2020






"Coordinates è un sistema di illuminazione composto da barre luminose orizzontali e verticali che formano strutture reticolari di varia complessità. Il sistema può essere facilmente adattato a seconda della diversa tipologia e grandezza degli ambienti."

"Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. The system can be easily adapted for different environments of varying scale."  
- Michael Anastassiades









“Questo progetto è nato dall'evoluzione di un'importante realizzazione di luci custom installate nella dining room principale dello storico ristorante Four Seasons di New York, riaperto nel 2018 dopo un cambio di sede, con gli interni disegnati dall'architetto paulista Isay Weinfeld.”

- Michael Anastassiades

“This design evolved from a commission for the feature lighting of the main dining area at New York City's historic Four Seasons restaurant, which relocated and reopened in 2018 with the interiors designed by São Paulo-based architect Isay Weinfeld.”

- Michael Anastassiades

La collezione offre un'ampia scelta di soluzioni preconfigurate, tra cui quattro modelli di chandelier di diverse forme e dimensioni, e tre modelli di apparecchi a soffitto in due possibili lunghezze, per adattarsi a soffitti standard o molto alti.

Coordinates comes in a broad array of set configurations, including four suspended chandeliers of different sizes and three ceiling-mounted luminaires, available in two lengths to suit both standard and high ceilings.




# BELT



Erwan & Ronan Bouroullec, 2020





Il cuoio rappresenta il cuore del progetto. Un materiale morbido e caldo che garantisce libertà nello spazio ma al tempo stesso caratterizzato da una certa rigidità che crea armonia nel risultato della composizione finale. Belt è rivestita in pregiato cuoio trattato con coloranti naturali per ottenere le tre finiture disponibili in gamma: nero, cuoio naturale e verde.

The leather is the heart of the project. A soft and warm material that guarantees freedom in the space but, at the same time, is characterized by certain rigidity. The result is a harmonious final composition. Belt is covered in fine leather, treated with natural dyes to obtain the three finishes available in the range: black, green and natural leather.









# DIABOLO



Achille Castiglioni, 1998/2020





“Mio padre era veramente un ottimo giocatore di Diabolo”, dice Giovanna Castiglioni, figlia del leggendario designer italiano Achille Castiglioni. Parla di uno dei passatempi preferiti del padre, il gioco di destrezza derivante dallo yo-yo cinese, in cui un oggetto a forma di clessidra viene fatto correre avanti e indietro su un cordino tra due bacchette. Nel 1998 l'antico numero di giocoleria è servito da ispirazione per l'ultima collaborazione di Achille con Flos: l'omonima lampada a sospensione regolabile.

‘My father was a really, really good Diabolo player’, says Giovanna Castiglioni, daughter of legendary Italian designer Achille Castiglioni. She’s discussing one of his favorite pastimes—the juggling game, derived from a Chinese yo-yo, in which an hourglass-shaped object is spun back and forth on a string between two sticks. In 1998 the age-old balancing act served as inspiration for Achille’s final collaboration with Flos—an adjustable pendant lamp with the same name.



Courtesy of Fondazione Achille Castiglioni







# INFRA-STRUCTURE EPISODE 2

SUSPENSION

Technical info p. 495-496

INFRA-STRUCTURE

Vincent Van Duysen, 2020



Essenziale struttura tubolare  
incredibilmente versatile.  
Grazie ad uno speciale sistema  
di connessione è possibile  
combinare elementi verticali e  
orizzontali tra di loro per creare  
combinazioni tridimensionali in  
infinite varianti utilizzando moduli  
lineari e geometrici.

Subtle, incredibly versatile  
tubular structure. Thanks to a  
special connection system, it is  
possible to combine vertical and  
horizontal elements to create  
three-dimensional combinations  
in infinite variations using linear  
and geometric modules.



Il progettare che equivale a scomporre e decostruire, l'osservazione dell'esistente come gesto che forgia la forma, sono solo alcuni dei comandamenti attuati dai fratelli Castiglioni.

When designing means breaking down or deconstructing, and shapes are forged through observation of what already exists - these are some of the commandments put in place by the Castiglioni brothers.



## BULBO57



Achille & Pier Giacomo Castiglioni, 1957



Bulbo è stata ideata nel 1957 per un allestimento della XI Triennale di Milano. Nel progetto dell'esposizione, quando la lampada era collegata in serie a un'altra, il suo potenziale veniva drasticamente ridotto e il filamento interno assumeva un colore rossastro, che regalava una luce calda, ambientale, di leggera intensità. Nell'edizione 2019 di Flos il filamento in tungsteno è riprodotto ma con fonte a LED, mantenendo lo stesso colore e intensità della luce esattamente come per l'originale.

Bulbo was designed for an installation at the XI Triennale in Milan in 1957. A large industrial bulb deprived of its screw cap and with a shortened neck to take the shape of a bubble, with a filament inside as the distinguishing feature. The 2019 edition by Flos reproduces the classic filament in tungsten with an LED source, preserving the same color and intensity of the light as in the original.

Achille Castiglioni nel suo studio in Piazza Castello 27, Milano. Sopra di lui è appesa una delle lampade Bulbo originali.  
(Courtesy of Fondazione Achille Castiglioni)

Achille Castiglioni in his Studio in Piazza Castello 27, Milan. Hanging on top is one of the original Bulbo lamps.  
(Courtesy of Fondazione Achille Castiglioni)





# 2097/18



Gino Sarfatti, 1958

La collezione di moderni chandelier viene arricchita dal nuovissimo modello 2097/18, che ospita 18 lampadine a LED disponibili in versione trasparente o satinata, con due diverse temperature di colore. Stesso design e fascino, in una versione più discreta.

The collection of modern chandeliers is enriched by the brand new 2097/18 model, hosting 18 LED light bulbs available in clear or frosted versions, with two different color temperatures. Same design and allure, in a more discreet version.








2097



Gino Sarfatti, 1958



MAKE YOUR ARRANGEMENTS  
[FLOS.COM/ARRANGEMENTS-CONFIGURATOR](https://www.flos.com/arrangements-configurator)

# ARRANGEMENTS



Michael Anastassiades, 2018




"Arrangements è un sistema modulare di elementi geometrici di luce che si possono combinare in modo diverso per creare composizioni multiple di singoli chandelier. Ogni modulo si fissa al precedente in modo semplice, adagiato in perfetto equilibrio, come un elemento di una catena luminosa."  
- Michael Anastassiades

"Arrangements is a modular system of geometric light elements that can be combined in different ways, creating multiple compositions into individual chandeliers. Each unit simply attaches onto the previous one as if resting, balancing perfectly as part of a glowing chain."  
- Michael Anastassiades





CUSTOM APPLICATIONS







## OVERLAP



Michael Anastassiades, 2018

# NOCTAMBULE



Konstantin Greic, 2018





La nuova collezione di lampade è realizzata in moduli di vetro soffiato, trasparenti e dunque quasi inesistenti durante il giorno. Ma se accesi nell'oscurità si trasformano in splendide lampade illuminate. I moduli in vetro a forma cilindrica sono i fondamenti della collezione.

The new collection of lamps is made of blown glass modules, which are see-through and therefore almost inexistent at day-time. But, when you switch them on in the dark, they transform into gorgeous, illuminated lamps. The cylindrical glass modules set the basic grammar of the collection.

Il modulo singolo è una lanterna. Diversi moduli sovrapposti creano una colonna di luce, o un chandelier per il vano delle scale. Altri elementi come la cupola in vetro o la testa a forma di cono consentono ulteriori performance come una piantana e una sospensione.

The single module is a lantern. Several modules stacked on top of each other create a light column, or suspended chandelier inside a stair well. Extra elements such as a glass dome or cone shaped head allow for added performance such as a floorstanding uplighter and pendant.











# STRING LIGHT

SUSPENSION

Technical info p. 531-532

STRING LIGHT

Photo by Zoë Ghermer

Michael Anastassiades, 2014

"Quando viaggio in treno, osservo sempre quei cavi elettrici fuori dal finestrino. E' così bello e poetico il modo in cui collegano i tralicci gli uni agli altri e, al contempo, spezzano il paesaggio. Volevo tradurre tutto ciò in architettura d'interni"  
- M. Anastasiades

"When I sit on a train travelling, I always see these strings of electricity out of the window. It's so beautiful and poetic the way they connect the pylons but at the same time they divide the landscape. I wanted to translate this into interior architecture."  
- M. Anastasiades









Michael Anastassiades, 2014

# TARAXACUM 88



Photo by Zoë Ghermer

Achille Castiglioni, 1988





A. Castiglioni esamina il primo prototipo di Taraxacum 88 nel suo Studio di Piazza Castello a Milano.

A. Castiglioni examines the first prototype of Taraxacum 88 in his Piazza Castello Studio in Milan.





# TATOU



Patricia Urquiola, 2012



OK



Photo by Zoë Ghermer

Konstantin Grcic, 2014

# SPLÜGEN BRÄU



Achille & Pier Giacomo Castiglioni, 1961

La lampada Splügen Bräu, disegnata dai fratelli Castiglioni per illuminare l'omonima birreria-ristorante di Milano.

The Splügen Bräu lamp designed by the Castiglioni brothers to light the restaurant and beer house of the same name in Milan.



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casati



# FUCSIA



Achille Castiglioni, 1996




# RAY



Rodolfo Dordoni, 2007

# WAN



Johanna Grawunder, 2006

"Nella mia casa precedente c'era un fantastico soffitto antico intonacato. L'ho chiamato il mio Giardino sul tetto [...] Mi piaceva così tanto che quando mi trasferii, non riuscii a separarmene. Dovevo trovare il modo di portarlo nella nuova casa." - M. Wanders

"In my previous home there was a fantastic antique plaster ceiling. I called it my garden on the roof [...] I liked it so much that when I moved I couldn't live without it and had to find a way to transfer it to my new home." - M. Wanders



# SKYGARDEN



Photo by Zoë Ghermer

Marcel Wanders, 2007





A. Castiglioni lavora illuminato dalla lampada Frisbi: un disco che appare sospeso a mezz'aria, acceso dalla luce riflessa da una piccola cupola cromata.

A. Castiglioni at work under the Frisbi lamp: a disk that seems to hang in mid-air, lit by the light reflected from a small chrome-plated dome.

## FRISBI



Achille Castiglioni, 1978

# ROMEO BABE



Philippe Starck, 1997

# ROMEO MOON




Philippe Starck, 1996

Taraxacum è tra le prime lampade realizzate in cocoon, un materiale plastico ottenuto spruzzando una resina, utilizzato in origine dall' Esercito Americano come materiale protettivo di imballaggio.

Taraxacum is one of the first lamps produced using cocoon, a plastic material obtained using a resin spray, originally used by the US Army as a protective material for packaging.


# TARAXACUM



Achille & Pier Giacomo Castiglioni, 1960



# VISCONTEA



Achille & Pier Giacomo Castiglioni, 1960

Achille e Pier Giacomo Castiglioni  
con Marcel Breuer e la lampada  
Viscontea al negozio di Gavina a  
Milano, 1962.

Achille and Pier Giacomo Castiglioni  
with Marcel Breuer and the Viscontea  
lamp at the Gavina store in Milan,  
1962.

Photo by Franco Cotti

# NEBULA



Joris Laarman, 2007

"Chasen si ispira ad un antico strumento orientale, la tradizionale frusta in bamboo per la cerimonia del tè, in cui i delicati filamenti assumono forme sempre diverse."  
- P. Urquiola

"Chasen takes its inspiration from an ancient oriental instrument, the traditional bamboo whip used during the tea ceremony, whose delicate filaments continue to change shape."  
- P. Urquiola



## CHASEN



Patricia Urquiola, 2007





NEW COLORS

## AIM &amp; AIM SMALL



Erwan &amp; Ronan Bouroullec, Aim 2021



"Con Aim abbiamo elaborato una nuova tipologia di lampada che si posiziona nello spazio in modo naturale - come farebbe una pianta - grazie ai lunghi cavi di sospensione che facilitano liberamente l'orientamento e l'altezza della luce." - R. & E. Bouroullec

"With Aim we devised a new type of lamp that stands in space in a natural way, like a plant, thanks to the long suspension wires that make it easy to direct the light and adjust its height." - R. & E. Bouroullec



Erwan & Ronan Bouroullec, 2013/2014



2620



Ron Gilad, 2013



## GLO-BALL



Jasper Morrison, 1998/2006



# PARENTESI



Achille Castiglioni and Pio Manzù, 1971



NEW COLORS

# SMITHFIELD



Jasper Morrison, 2009











M. Wanders sperimenta in modo giocoso la tecnica del cocoon, con cui è realizzata la lampada Zeppelin.

M. Wanders plays ironically with cocoon, the material from which the Zeppelin lamp is made.

# ZEPPELIN



Marcel Wanders, 2005

# KTRIBE



Philippe Starck, 2005

«I cannot help mocking our unwavering certainties. It is, for example, great fun deliberately to confuse two and three dimensions, the plane and space, or to poke fun at gravity. Are you sure that a floor cannot also be a ceiling? Are you absolutely certain that you go up when you walk up a staircase?» — *Maurits Cornelis Escher*

## **WALL & CEILING LAMPS**



NEW

**COORDINATES WALL,  
IN VITRO, KAP, MILE WALL,  
THIN LED**

NEW COLORS

**SMITHFIELD**

NEW

# IN VITRO




Philippe Starck, 2020





NEW

# KAP



Flos Architectural, 2020



NEW


## THIN LED



Flos Architectural, 2020

Profilo a parete per illuminazione indiretta. Essenziale e minimale per una perfetta integrazione nello spazio architettonico circostante. Di dimensioni ridotte, ma con un altissimo rendimento luminoso, è un apparecchio unico per un'illuminazione asimmetrica perfettamente uniforme.

Wall-mounted profile for indirect lighting. Essential and minimal for perfect integration into the surrounding architectural space. Thin, but with really high lighting performances. A unique device for even and spotless asymmetrical lighting.



Coordinates W1 (in questa pagina) e W2 (a destra), di Michael Anastassiades. Due nuovi modelli della famiglia Coordinates.

Coordinates W1 (this page) and W2 (tright), by Michael Anastassiades. Two new additions to the Coordinates family.



NEW  
COORDINATES WALL



Michael Anastassiades, 2021









## COORDINATES



Michael Anastassiades, 2020




Coordinates è una collezione di luci dal forte impatto visivo, disegnate in origine da Michael Anastassiades per il leggendario ristorante Four Seasons di New York. Caratterizzata da barre di LED lineare saldamente intrecciate, la sua forma sembra ispirarsi alla precisione matematica di una griglia cartesiana, illuminata ed estesa in brillanti volumi tridimensionali.

A dramatic lighting collection originally designed by Michael Anastassiades for New York's legendary Four Seasons restaurant, Coordinates features a series of interlocking linear LED luminaires that take their formal inspiration from the mathematical precision of the Cartesian grid, illuminated and expanded to three brilliant dimensions.







Coordinates è composta da un corpo in alluminio estruso, dalla sofisticata finitura anodizzata color champagne, e da un diffusore bianco opale in silicone platinico. Rigorosa, elegante e facilmente adattabile, questa collezione rappresenta una soluzione flessibile e allo stesso tempo formalmente impeccabile per illuminare tante diverse tipologie di ambienti, regalando il massimo impatto scenografico con un minimo tocco magico.

Coordinates is made from extruded aluminium with a sophisticated anodised champagne finish, and an opal-white platinic silicone diffuser. Exact, elegant, and easily adaptable, this collection offers a flexible yet formally rigorous solution for a diverse range of indoor environments, providing maximum impact with a minimal touch.



Le lampade a parete Flauta di Patricia Urquiola, ispirate all'organo a canne e ai dettagli delle scanalature architettoniche, rappresentano uno studio sulla consistenza e la semplicità.

Patricia Urquiola's Flauta wall lamps—inspired by organ pipes and fluted architectural details—are a study in texture and simplicity.



High-definition renderings by Pablo Limón




Patricia Urquiola, 2020


FLAUTA

Technical info p. 473-474

WALL & CEILING



High-definition renderings by Pablo Limón



In Flauta Riga, una serie di incisioni sapientemente calibrate sulla superficie tracciano un segno caratterizzato da puro rigore e riferimenti classici. La peculiarità di Flauta Spiga è invece il motivo a spina di pesce, sinonimo di eleganza e dettaglio sofisticato: un gioiello dal gusto antico e dal raffinato design contemporaneo. L'accessorio deflettore, il cui colore si abbina al corpo della lampada, si può installare sulla testa superiore o inferiore. Fissato da magneti e viti di sicurezza, crea un effetto decorativo con la luce riflessa.

In Flauta Riga, a series of skillfully calibrated etchings on the surface trace a sign characterised by pure rigour and classical references. Flauta Spiga is characterised by a herringbone pattern, a synonym of elegance and sophisticated detail: a jewel with ancient taste and a refined contemporary design.

The deflector accessory, painted to match the lamp body, can be installed on either the upper or lower head. Held in place by magnets and safety screws, it creates a decorative effect with reflected light.

## IC DOUBLE



Michael Anastassiades, 2020



Una palla opalescente, che pare voglia scivolare via, apparentemente instabile. Come se si trattasse dello strumento del numero di un giocoliere che magicamente riesce a far stare in equilibrio sfera e bastone.

An apparently unstable opalescent ball that seems to want to slide away. As a juggler who magically balances a sphere on a stick.



IC




Michael Anastassiades, 2014



## LA PLUS BELLE




Philippe Starck, 2018



Il sistema di fissaggio a parete  
permette di appendere lo specchio  
come un quadro.

The wall fixing system that allows you  
to hang the mirror like a picture.







In alto: La Plus Belle è progettata per fornire il meglio della luce. Sotto il suo diffusore in silicone ottico si nascondono LED speciali assemblati in modo molto frequente per aumentare l'uniformità di diffusione e forniscono una performance unica grazie alla combinazione eccezionale di un indice di fedeltà cromatica (CRI) pari a 95 più un indicatore di stabilità dei rossi superiore a 90 (R9>90). Inoltre, la luce di La Plus Belle è gradevole e morbida (2700K) e gestibile dal dimmer a sensore integrato nello specchio.

A destra: La cornice di La Plus Belle è realizzata in una speciale lega di alluminio che consente di ottenere colorazioni anodiche di elevatissima qualità. Le finiture disponibili si dividono in anodizzato spazzolato (oro, rame) o anodizzato lucidato (bronzo, alluminio naturale).

Top: La Plus Belle is designed to provide the best possible light. Special LEDs are hidden beneath the optical silicone diffuser, assembled in a very frequent mode to increase the uniformity of the diffusion and provide a unique performance thanks to the exceptional combination of a chromatic rendering index (CRI) of 95 plus a reds stability indicator of over 90 (R9>90). Furthermore, the light from La Plus Belle is pleasant and soft (2700K) as well as manageable by the dimmer with a sensor integrated in the mirror.

Right: The frame of La Plus Belle is made of a special aluminium alloy that provides the best possible extremely high quality anode colourations. The finishes available are brushed anodized (gold, copper) or polished anodized (bronze, natural aluminium).





## WIRERING



Formafantasma, 2018



Il cavo e l'anello possono avere diverse combinazioni di colore, scegliendo tra una gamma di tre finiture per il cavo e cinque per l'anello.

The cable and ring are available in different colour combinations. There is a range of three finishes for the cable and five for the ring.





NEW COLORS



Smithfield nei nuovi colori rosso e verde.

Smithfield with new colors red and gree.

SMITHFIELD



Jasper Morrison, 2009



## CLESSIDRA



Antonio Citterio, 2011

# FORT KNOX



Philippe Starck, 2008





265



Paolo Rizzato, 1973

La tecnica artigianale di soffiatura a bocca del vetro, con cui è realizzato il diffusore della lampada Glo-ball.

The diffuser of the Glo-ball lamp is hand blown glass.



## GLO-BALL



Jasper Morrison, 1999/2009

# TIGHT LIGHT



Piero Lissoni, 2011

# ON THEROCKS



Antonio Citterio assistant Toan Nguyen, 2003




Clara è concepita per offrire un'illuminazione diffusa e confortevole. La lampada può essere completata con un anello esterno, per ottenere un abbinamento perfetto con l'ambiente circostante.

Clara is designed to provide a comfortable and diffuse light. The lamp can be completed by an optional external ring, to perfectly match the taste of the environment.



# CLARA



Piero Lissoni, 2014

# TARAXACUM 88



Achille Castiglioni, 1988



# ARIETTE



Tobia Scarpa, 1973



# WAN

Johanna Grawunder, 2005

# SKYGARDEN RECESSED



Marcel Wanders, 2009



## POCHETTE



Rodolfo Dordoni, 2003

# KTRIBE



Philippe Starck, 2007

# ROMEO BABE



Philippe Starck, 1996/2004




# MINI BUTTON



Piero Lissoni, 2005

# BUTTON




Piero Lissoni, 2004

# FOGLIO



Tobia Scarpa, 1966





## ABAJOURD'HUI



Flos Soft Architecture



# SOFT SPUN

Grazie all'innovativo materiale composito Under Cover della versione Soft, la lampada Spun Light si integra perfettamente all'architettura degli spazi affiorando dalla parete.

Making use of the Soft version of the innovative composite material Under Cover, the Spun Light integrates seamlessly with the architecture of spaces, rising out of the surface of the wall.



Flos Soft Architecture

«To me a lush carpet of pine needles or  
spongy grass is more welcome than  
the most luxurious Persian rug» — *Helen Keller*

**OUTDOOR/INDOOR**

NEW

**CAULE, IN VITRO,  
MILE**



NEW

# CAULE




Patricia Urquiola, 2020



NEW


# IN VITRO



Edward Barber & Jay Osgerby, 2018

NEW

# MILE




Antonio Citterio, 2020




# FLAUTA



Patricia Urquiola, 2020




RIGA



SPIGA

Le versioni outdoor della lampada da parete Flauta sono disponibili nelle finiture Grigio, Antracite, Forest Green, Deep Brown, Nero e Bianco.


The outdoor versions of Flauta wall lamp are available in Grey, Anthracite, Forest Green, Deep Brown, Black and White finishes.



High-definition renderings by Pablo Limón

Le finiture verde opaco e acciaio lucido possono essere utilizzate anche in ambienti esterni.

Matt green and polished inox finishes can also be used in outdoor locations.



## LAST ORDER



Michael Anastassiades, 2020




# IC WALL OUTDOOR



Michael Anastassiades, 2020

# IC FLOOR OUTDOOR



Michael Anastassiades, 2019

# CAPTAIN FLINT OUTDOOR




Michael Anastassiades, 2019


# MY WAY




Piero Lissoni, 2017







# REAL MATTER



Piero Lissoni, 2017

Technical info p. 522-523 OUTDOOR/INDOOR

REAL MATTER

# IPNOS



Nicoletta Rossi and Guido Bianchi, 2014



## CAMOUFLAGE



Piero Lissoni, 2017



# KTRIBE OUTDOOR




Philippe Starck, 2011

La versione outdoor della celebre Ktribe, arricchita dai diffusori a intreccio, creati in esclusiva da Dedon.

The outdoor version of the famous Ktribe, embellished by interwoven diffusers, created exclusively by Dedon.



# ROMEO OUTDOOR



Philippe Starck, 2006

# SUPERARCHIMOOON OUTDOOR



Philippe Starck, 2006





# CLESSIDRA



Antonio Citterio, 2011

## **TECHNICAL INFO**



**265**  
Paolo Rizzatto, 1973  
Potenza · Power MAX 75W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 10W E27 965lm [e]

Materiali · Materials  
acciaio · steel

Peso · Weight 6,0 Kg

Finiture Finishes: bianco · white, nero · black  
Colori Colors: A0300009, A0300030

CE, IP20, RoHS

p. 385



**2097/18 CLEAR BULBS**  
Gino Sarfatti, 1958  
Potenza · Power 18 x MAX 15W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 2W E14 100lm [i]  
Supplied with 20xclear LED lamps (2xspare)

Materiali · Materials  
acciaio · steel

Peso · Weight 3,2 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero opaco · matt black  
Colori Colors: A1352057, A1352059, A1352031

CE, IP20, RoHS

p. 262



**2097/18 FROSTED BULBS**  
Gino Sarfatti, 1958  
Potenza · Power 18 x MAX 15W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 2,7W E14 150lm [i]

Materiali · Materials  
acciaio · steel

Peso · Weight 3,2 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero opaco · matt black  
Colori Colors: A1351057, A1351059, A1351031

CE, IP20, RoHS

p. 262



**2097/30 CLEAR BULBS**  
Gino Sarfatti, 1958  
Potenza · Power 30 x MAX 15W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 2W E14 100lm [i]

Materiali · Materials  
acciaio · steel

Peso · Weight 5,1 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero opaco · matt black  
Colori Colors: A1402057, A1402059, A1402031

CE, IP20, RoHS

p. 264



**2097/30 FROSTED BULBS**  
Gino Sarfatti, 1958  
Potenza · Power 30 x MAX 15W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 2,7W E14 150lm [i]


Materiali · Materials  
acciaio · steel

Peso · Weight 5,1 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero opaco · matt black  
Colori Colors: A1401057, A1401059, A1401031

CE, IP20, RoHS

p. 264



**2097/50 CLEAR BULBS**  
Gino Sarfatti, 1958  
Potenza · Power 50 x MAX 15W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 2W E14 100lm [i]

Materiali · Materials  
acciaio · steel

Peso · Weight 9,2 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero opaco · matt black  
Colori Colors: A1502057, A1502059, A1502031

CE, IP20, RoHS

p. 264



**2097/50 FROSTED BULBS**  
Gino Sarfatti, 1958  
Potenza · Power 50 x MAX 15W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 2,7W E14 150lm [i]

Materiali · Materials  
acciaio · steel

Peso · Weight 9,2 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero opaco · matt black  
Colori Colors: A1501057, A1501059, A1501031

CE, IP20, RoHS

p. 264



**2620**  
Ron Gilad, 2013  
Potenza · Power 170W  
Tensione · Voltage 120-277V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
2620 CHIP LED 170W 11760lm total  
3000K CRI85 [i]

Materiali · Materials  
alluminio, PMMA, acciaio · aluminum, PMMA, steel

ON DEMAND

Peso · Weight 18 Kg

Finiture Finishes: bianco · white  
Colori Colors: F0031009

CE, IP20, RoHS

p. 325

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**AIM SMALL**  
R. & E. Bouroullec, 2014  
Potenza · Power 12W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 LED module 12W 725lm 2700K CRI90 [i] DIMMABLE

Finiture Finishes  
bianco · white  
nero · black  
blue steel anodized  
light silver anodized  
ivy anodized

Colori Colors  
○ F0095009  
● F0095030  
● F0095023  
● F0095054  
● F0095039

ROSONE MULTIPLO / MULTIPLE ROSE  
○ F0093009  
● F0093030

DIMMABLE PARETE / WALL DIMMABLE  
RF22227

Materiali · Materials  
alluminio, PC · aluminum, PC

Peso · Weight 1,9 Kg (1 Aim small)

CE  

p. 318



**AIM SMALL CAVO SPINA/CABLE+PLUG**  
R. & E. Bouroullec, 2014  
Potenza · Power 12W  
Tensione · Voltage 230V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 LED module 12W 725lm 2700K CRI90 [i] DIMMABLE

Finiture Finishes  
bianco · white  
nero · black  
blue steel anodized  
light silver anodized  
ivy anodized

Colori Colors  
○ F0097009  
● F0097030  
● F0097023  
● F0097054  
● F0097039

Materiali · Materials  
alluminio, PC · aluminum, PC

Peso · Weight 1,9 Kg DIMMER INCLUDED

CE  

p. 318



**AIM**  
R. & E. Bouroullec, 2013  
Potenza · Power 16W  
Tensione · Voltage 220/240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 LED module 16W 895lm 2700K CRI90 [i] DIMMABLE

Finiture Finishes  
bianco · white  
nero · black  
blue steel anodized  
light silver anodized  
ivy anodized

Colori Colors  
○ F0090009  
● F0090030  
● F0090023  
● F0090054  
● F0090039

ROSONE MULTIPLO / MULTIPLE ROSE  
○ F0093009  
● F0093030


DIMMABLE PARETE / WALL DIMMABLE  
RF22227

Materiali · Materials  
alluminio, PC · aluminum, PC

Peso · Weight 3,2 Kg (1 AIM)

CE  

p. 318



**AIM CAVO SPINA/CABLE+PLUG**  
R. & E. Bouroullec, 2013  
Potenza · Power 16W  
Tensione · Voltage 230V


Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 LED module 16W 895lm 2700K CRI90 [i] DIMMABLE

Finiture Finishes  
bianco · white  
nero · black  
blue steel anodized  
light silver anodized  
ivy anodized

Colori Colors  
○ F0092009  
● F0092030  
● F0092023  
● F0092054  
● F0092039


Materiali · Materials  
alluminio, PC · aluminum, PC

Peso · Weight 3,2 Kg DIMMER INCLUDED

CE  

p. 318

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**AOY**  
Achille Castiglioni, 1975  
Potenza · Power 1 x MAX 100W + 1 x MAX 70W  
Tensione · Voltage 220-250V


Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
A+ → D LED 10W E27 965lm [e] + LED 8W E27 525lm [e]

Finiture Finishes  
opale · opal

Colori Colors  
■ F0200071

Materiali · Materials  
vetro · glass

Peso · Weight 12,1 Kg SWITCH INCLUDED

CE  

p. 142



**ARCO**  
Achille and Pier Giacomo Castiglioni, 1962  
Potenza · Power MAX 100W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
A+ → E LED 10W E27 965lm [e]

Finiture Finishes  
acciaio · steel

Colori Colors  
|| F0300000

Materiali · Materials  
marmo, acciaio inox, alluminio · marble, stainless steel, aluminum

Peso · Weight 63,8 Kg SWITCH INCLUDED

CE  

p. 182



**ARCO LED**  
Achille and Pier Giacomo Castiglioni, 1962  
Potenza · Power 28W  
Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 MULTICHIP LED 28W 1224lm 2700K CRI93 [i] DIMMABLE

Finiture Finishes  
acciaio · steel


Colori Colors  
|| F0303000

Materiali · Materials  
marmo, acciaio inox, alluminio · marble, stainless steel, aluminum

Peso · Weight 63,8 Kg DIMMER INCLUDED

CE  

p. 182



**ARIETTE 1/2**  
Tobia Scarpa, 1973  
Potenza · Power 4 x MAX 40W  
Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
A+ → E LED 10W E27 965lm [e]

Finiture Finishes  
tessuto · fabric

Colori Colors  
■ F0400009 ARIETTE 1  
■ F0500009 ARIETTE 2

Materiali · Materials  
tessuto · fabric

Peso · Weight 0,8 Kg (1) - 1 Kg (2)

CE  

p. 395

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**ARRANGEMENTS - LINE**  
 Michael Anastassiades, 2018  
 Potenza · Power 29W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 29W 1480lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Finiture Finishes nero opaco · matt black ● F0401030

Colori Colors

Il modulo Line non può essere installato singolarmente, ma necessita di una combinazione con altri elementi della famiglia - Line cannot be installed alone, it must be combined with other elements

**Materiale · Materials**  
 alluminio · aluminum

**Rosone escluso**  
 Ceiling rose excluded

Peso · Weight 0,7 Kg

CE  

p. 266



**ARRANGEMENTS - BROKEN LINE**  
 Michael Anastassiades, 2018  
 Potenza · Power 24W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 24W 1200lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Finiture Finishes nero opaco · matt black ● F0405030

Colori Colors

**Materiale · Materials**  
 alluminio · aluminum

**Rosone escluso**  
 Ceiling rose excluded

Peso · Weight 0,65 Kg

CE  

p. 266



**ARRANGEMENTS - DROP UP**  
 Michael Anastassiades, 2018  
 Potenza · Power 32W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 32W 1530lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Finiture Finishes nero opaco · matt black ● F0414030

Colori Colors

**Materiale · Materials**  
 alluminio · aluminum

**Rosone escluso**  
 Ceiling rose excluded

Peso · Weight 0,5 Kg

CE  

p. 266



**ARRANGEMENTS - DROP DOWN**  
 Michael Anastassiades, 2018  
 Potenza · Power 30W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 30W 1530lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Finiture Finishes nero opaco · matt black ● F0413030

Colori Colors

**Materiale · Materials**  
 alluminio · aluminum

**Rosone escluso**  
 Ceiling rose excluded

Peso · Weight 0,5 Kg

CE  

p. 266



**ARRANGEMENTS - SQUARE SMALL**  
 Michael Anastassiades, 2018  
 Potenza · Power 20W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 20W 883lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Finiture Finishes nero opaco · matt black ● F0410030

Colori Colors

**Materiale · Materials**  
 alluminio · aluminum

**Rosone escluso**  
 Ceiling rose excluded

Peso · Weight 0,5 Kg

CE  

p. 266



**ARRANGEMENTS - SQUARE LARGE**  
 Michael Anastassiades, 2018  
 Potenza · Power 34W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 34W 1657lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Finiture Finishes nero opaco · matt black ● F0409030

Colori Colors

**Materiale · Materials**  
 alluminio · aluminum

**Rosone escluso**  
 Ceiling rose excluded

Peso · Weight 0,7 Kg

CE  

p. 266



**ARRANGEMENTS - ROUND SMALL**  
 Michael Anastassiades, 2018  
 Potenza · Power 21W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 21W 1068lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Finiture Finishes nero opaco · matt black ● F0406030

Colori Colors

**Materiale · Materials**  
 alluminio · aluminum

**Rosone escluso**  
 Ceiling rose excluded

Peso · Weight 0,5 Kg

CE  

p. 266



**ARRANGEMENTS - ROUND MEDIUM**  
 Michael Anastassiades, 2018  
 Potenza · Power 35W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 35W 1770lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Finiture Finishes nero opaco · matt black ● F0407030

Colori Colors

**Materiale · Materials**  
 alluminio · aluminum

**Rosone escluso**  
 Ceiling rose excluded

Peso · Weight 0,8 Kg

CE  

p. 266

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



### ARRANGEMENTS - ROUND LARGE

Michael Anastassiades, 2018  
Potenza · Power 54W  
Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED FLEX STRIP LED 54W 2751lm 2700K  
NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
alluminio · aluminum


p. 266

Finiture Finishes  
nero opaco · matt black ● F0408030



Rosone escluso  
Ceiling rose excluded

Peso · Weight 1,3 Kg



### ARRANGEMENTS SMALL ROSE

#### ACCESSORI · ACCESSORIES

Tensione · Voltage 120-270V

Descrizione · Description  
Rosone dimmerabile piccolo da soffitto per  
l'installazione di combinazioni fino a max 70W ·  
Small dimmable ceiling rose for the installation of  
combinations within max 70W


Peso · Weight 1 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture Finishes  
nero · black ● F0416030



p. 266



### ARRANGEMENTS BIG ROSE

#### ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V

Descrizione · Description  
Rosone dimmerabile grande da soffitto per  
l'installazione di combinazioni fino a max 190W ·  
Big dimmable ceiling rose for the installation of  
combinations within max 190W


Peso · Weight 2,8 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture Finishes  
nero · black ● F0415030



p. 266



### ARRANGEMENTS RECESSED ROSE

#### ACCESSORI · ACCESSORIES

Tensione · Voltage 48V

Descrizione · Description  
Rosone da soffitto con alimentazione remota per  
l'installazione di combinazioni fino a max 190W ·  
Ceiling rose with remote power supply for the  
installation of combinations within max 190W


Peso · Weight 0,6 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture Finishes  
nero · black ● F0418030



p. 266



### BELLHOP BATTERY

E. Barber & J. Osgerby, 2018  
Potenza · Power 2,5W  
Tensione · Voltage 1N 5V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED 84 LED 2,5W 109lm 2700K CRI90 [i]  
NOT REPLACEABLE 6/24 HOURS BATTERY LIFE, RECHARGEABLE  
WITH MICRO-USB-C KIT

Materiali · Materials  
policarbonato · polycarbonate

p. 76

Finiture Finishes  
bianco · white ○ F1060009  
cioko ● F1060026  
grigio · grey ○ F1060020  
rosso mattone · brick red ● F1060075  
giallo · yellow ○ F1060019  
grey blue ● F1060014



Peso · Weight 0,73 Kg DIMMER INCLUDED



### BELLHOP FLOOR

E. Barber & J. Osgerby, 2021  
Potenza · Power 26W  
Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED (white body)1 COB LED 26W 1232lm  
NOT REPLACEABLE 2700K CRI90 [i] DIMMABLE  
(other colors body) 1 COB LED 26W  
1023lm 2700K CRI90 [i] DIMMABLE


Materiali · Materials  
alluminio, vetro, cemento · aluminum, glass,  
concrete

p. 150

Finiture Finishes  
grigio/bianco · grey/white ○ F1070009  
bianco/cioko · white/cioko ● F1070026  
bianco/verde · whitegreen ○ F1070039  
bianco/rosso mattone ·  
white/brick red ● F1070075



Peso · Weight 6,90 Kg DIMMER INCLUDED



### BELT


Ronan & Erwan Bouroullec, 2020  
Potenza · Power MAX 27,5W/m  
Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED TOP LED 55W 2020lm UP - 4000lm  
NOT REPLACEABLE DOWN 2700K CRI95[i] CASAMBI DIMMABLE


Materiali · Materials  
alluminio estruso rivestito in pelle naturale, policarbonato opale ·  
extruded aluminum covered in real leather, opal polycarbonate

p. 245

Finiture Finishes  
nero · black ● 03.8530.14CB  
verde · green ● 03.8530.GN.CB  
pelle naturale · natural  
leather ● 03.8530.18.CB



Peso · Weight 5 Kg REMOTE DRIVER INCLUDED



### BIAGIO

Tobia Scarpa, 1968  
Potenza · Power MAX 70W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED 10W E27 965lm [e]

Materiali · Materials  
marmo · marble

p. 136

Finiture Finishes  
marmo · marble ○ F0700000



Peso · Weight 7,5 Kg SWITCH INCLUDED

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**BIBLIOTHEQUE NATIONALE**  
Philippe Starck, 2013  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 21W E27 2452lm [e] + CHARGER USB 5VDC

Materiali · Materials  
PC, acciaio inox, metacrilato · PC, stainless steel, methacrylate

Peso · Weight 10,3 Kg DIMMER INCLUDED

Finiture Finishes  
trasparente · transparent  
argento · silver  
bronzo · bronze  
tessuto · fabric  
fumè · fumée

Colori Colors  
F1011000  
F1011004  
F1011046  
F1011007  
F1011030

p. 198



**BON JOUR**  
Philippe Starck, 2015  
Potenza · Power 13W  
Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
EDGE LIGHTING 13W 884lm 2700K CRI90 [i] DIMMABLE


Materiali · Materials  
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 2,0 Kg DIMMER INCLUDED

Finiture Finishes  
bianco · white  
cromo · chrome  
rame · copper  
cromo opaco · matt chrome

Colori Colors  
F1032009  
F1032057  
F1032015  
F1032046

p. 90



**BON JOUR ACCESSORI · ACCESSORIES**

Descrizione · Description  
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.


Materiali · Materials  
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 0,6 Kg DIMMER INCLUDED

Finiture Finishes  
giallo · yellow  
ambra · amber  
rafia · rattan  
tessuto · fabric  
trasparente · transparent  
fumè · fumée

Colori Colors  
F1033019  
F1033070  
F1033088  
F1033007  
F1033000  
F1033030

p. 90



**BON JOUR UNPLUGGED**  
Philippe Starck, 2015  
Potenza · Power 2,5W  
Tensione · Voltage 100-240V/5V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
EDGE LIGHTING 2,5W 114lm 2700K CRI 90 [i] DIMMABLE  
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT


Materiali · Materials  
alluminio, ABS, PMMA · aluminum, ABS, PMMA

Peso · Weight 0,6 Kg DIMMER INCLUDED

Finiture Finishes  
bianco · white  
cromo · chrome  
rame · copper  
cromo opaco · matt chrome

Colori Colors  
F1037009  
F1037057  
F1037015  
F1037046

p. 94



**BON JOUR UNPLUGGED ACCESSORI · ACCESSORIES**

Descrizione · Description  
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.

Materiali · Materials  
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 0,28 Kg DIMMER INCLUDED

Finiture Finishes  
giallo · yellow  
ambra · amber  
rafia · rattan  
tessuto · fabric  
trasparente · transparent  
fumè · fumée  
rosso · red

Colori Colors  
F1036019  
F1036070  
F1036088  
F1036007  
F1036000  
F1036030  
F1036035

p. 94



**BON JOUR VERSAILLES**  
Philippe Starck, 2017  
Potenza · Power 13W  
Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
EDGE LIGHTING 13W 811lm 2700K CRI90 [i] DIMMABLE


Materiali · Materials  
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 1,54 Kg DIMMER INCLUDED

Finiture Finishes  
cromo · chrome  
rame · copper

Colori Colors  
F1041057  
F1041015

p. 86



**BON JOUR VERSAILLES ACCESSORI · ACCESSORIES**

Descrizione · Description  
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.

Materiali · Materials  
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 0,28 Kg DIMMER INCLUDED

Finiture Finishes  
giallo · yellow  
ambra · amber  
rafia · rattan  
tessuto · fabric  
trasparente · transparent  
fumè · fumée

Colori Colors  
F1033019  
F1033070  
F1033088  
F1033007  
F1033000  
F1033030

p. 86



**BON JOUR VERSAILLES SMALL**  
Philippe Starck, 2017  
Potenza · Power 3,5W  
Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
EDGE LIGHTING 2,5W 208lm 2700K CRI 90 [i] DIMMABLE

Materiali · Materials  
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 0,28 Kg DIMMER INCLUDED


Finiture Finishes  
cromo · chrome  
rame · copper

Colori Colors  
F1042057  
F1042015

p. 86

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**BON JOUR VERSAILLES SMALL ACCESSORI · ACCESSORIES**

Descrizione · Description  
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.

<b>Finiture Finishes</b>	<b>Colori Colors</b>
giallo · yellow	● F1036019
ambra · amber	● F1036070
rafia · rattan	● F1036088
tessuto · fabric	● F1036007
trasparente · transparent	● F1036000
fumè · fumée	● F1036030
rosso · red	● F1036035

p. 86



**BULBO 57**

Achille and Pier Giacomo Castiglioni, 2019

Potenza · Power 6W  
Tensione · Voltage 240/24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE micro LED 6W 210-450lm 2200K CRI 95 [i]

**Materiali · Materials**  
vetro · glass

Peso · Weight 0,87 Kg

p. 258



**MINI BUTTON**

Piero Lissoni, 2005


Potenza · Power MAX 25W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE A+ → E LED 3W G9 290lm [e] o · or LED 2W G9 240lm [e]

**Materiali · Materials**  
policarbonato o vetro · polycarbonate or glass

Peso · Weight 0,3 Kg (pol.) - 0,6 Kg (vetro/glass)

p. 402



**BUTTON**

Piero Lissoni, 2004

Potenza · Power 22W + 40W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A 22W 2GX13 T5 FSC 1800lm warm white [e] + 40W 2GX13 T5 FSC 3400lm warm white [e]  
Ballast elettronico · Electronic Ballast

**Materiali · Materials**  
policarbonato · polycarbonate

Peso · Weight 2,1 Kg

p. 403

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**BUTTON HL**

Piero Lissoni, 2005

Potenza · Power 5 x MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE A++ → E LED 3W G9 290lm [e] o · or LED 2W G9 240lm [e]

**Materiali · Materials**  
vetro · glass

Peso · Weight 13,5 Kg

p. 403



**CAMOUFLAGE 140 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 8W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE MID-POWER LED 8W 786lm ≠ FIXT 474lm 2700K CRI80 24V [i]

**Materiali · Materials**  
alluminio, polycarbonato, pietra, cemento · aluminum, polycarbonate, stone, concrete

Peso · Weight 0,45 Kg

p. 436



**CAMOUFLAGE 140 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 8W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE MID-POWER LED 8W 913lm ≠ FIXT 551lm 3000K CRI80 24V [i]

**Materiali · Materials**  
alluminio, polycarbonato, pietra, cemento · aluminum, polycarbonate, stone, concrete

Peso · Weight 0,45 Kg

p. 436



**CAMOUFLAGE 140 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 8W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE MID-POWER LED 8W 960lm ≠ FIXT 579lm 4000K CRI80 24V [i]

**Materiali · Materials**  
alluminio, polycarbonato, pietra, cemento · aluminum, polycarbonate, stone, concrete

Peso · Weight 0,45 Kg

p. 436

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



### CAMOUFLAGE 240 OUTDOOR/INDOOR


Piero Lissoni, 2017  
Potenza · Power 12W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
MID-POWER LED 12W 1281lm ≠ FIXT  
773lm 2700K CRI80 220-240V [i]

Finiture Finishes	Colori Colors
cemento · concrete	● F1315089
crema d'Orcia	○ F1315090
Basaltina	● F1315087
primer	○ F1315000
bianco · white	○ F1315001
grigio · grey	● F1315006
antracite · anthracite	● F1315033
nero · black	● F1315030
deep brown	● F1315018
	● F1315012

Materiali · Materials  
alluminio, policarbonato, pietra, cemento ·  
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg



p. 436



### CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017  
Potenza · Power 12W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
MID-POWER LED 12W 1488lm ≠ FIXT  
898lm 3000K CRI80 220-240V [i]

Finiture Finishes	Colori Colors
cemento · concrete	● F1316089
crema d'Orcia	○ F1316090
Basaltina	● F1316087
primer	○ F1316000
bianco · white	○ F1316001
grigio · grey	● F1316006
antracite · anthracite	● F1316033
nero · black	● F1316030
deep brown	● F1316018
forest green	● F1311012

Materiali · Materials  
alluminio, policarbonato, pietra, cemento ·  
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg



p. 436



### CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017  
Potenza · Power 12W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
MID-POWER LED 12W 1563lm ≠ FIXT  
944lm 4000K CRI80 220-240V [i]


Finiture Finishes	Colori Colors
cemento · concrete	● F1317089
crema d'Orcia	○ F1317090
Basaltina	● F1317087
primer	○ F1317000
bianco · white	○ F1317001
grigio · grey	● F1317006
antracite · anthracite	● F1317033
nero · black	● F1317030
deep brown	● F1317018
forest green	● F1311012

Materiali · Materials  
alluminio, policarbonato, pietra, cemento ·  
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg



p. 436



### CAPTAIN FLINT

Michael Anastassiades, 2015  
Potenza · Power 20W  
Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 COB LED 20W 557lm 2700K CRI93  
[i] DIMMABLE


Finiture Finishes	Colori Colors
ottone spazzolato · brushed brass	● F1530059
antracite · anthracite	● F1530030

Materiali · Materials  
acciaio, policarbonato, marmo · steel,  
polycarbonate, marble

Peso · Weight 9 Kg DIMMER INCLUDED



p. 187



### CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019  
Potenza · Power 13W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 COB LED 13W 557lm 2700K CRI80  
[i] DIMMABLE


Finiture Finishes	Colori Colors
acciaio inox · stainless steel (occhio di pernice marble)	● F011A24F005
ottone · brass (grey lava marble)	● F011A23F059
deep brown (travertino imperiale marble)	● F011A21F018
nero · black (black lava marble)	● F011A22F030
rosso burgundy · red burgundy (black lava marble)	● F011A22F037

Materiali · Materials  
acciaio, policarbonato, alluminio, ottone, marmo ·  
steel, polycarbonate, aluminum, brass, marble

Peso · Weight 10 Kg DIMMER INCLUDED



p. 429



### CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019  
Potenza · Power 13W  
Tensione · Voltage 230-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 COB LED 20W 598lm 3000K CRI80  
[i] DIMMABLE


Finiture Finishes	Colori Colors
acciaio inox · stainless steel (occhio di pernice marble)	● F011A34F005
ottone · brass (grey lava marble)	● F011A33F059
deep brown (travertino imperiale marble)	● F011A31F018
nero · black (black lava marble)	● F011A32F030
red burgundy · red burgundy (black lava marble)	● F011A32F037

Materiali · Materials  
acciaio, policarbonato, alluminio, ottone, marmo ·  
steel, polycarbonate, aluminum, brass, marble

Peso · Weight 10 Kg



p. 429



### CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019  
Potenza · Power 13W  
Tensione · Voltage 230-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 COB LED 20W 644lm 4000K CRI80  
[i] DIMMABLE

Finiture Finishes	Colori Colors
acciaio inox · stainless steel (occhio di pernice marble)	● F011A44F005
ottone · brass (grey lava marble)	● F011A43F059
deep brown (travertino imperiale marble)	● F011A41F018
nero · black (black lava marble)	● F011A42F030
red burgundy · red burgundy (black lava marble)	● F011A42F037

Materiali · Materials  
acciaio, policarbonato, alluminio, ottone, marmo ·  
steel, polycarbonate, aluminum, brass, marble

Peso · Weight 10 Kg



p. 429



### CAULE FLOOR 1

Patricia Urquiola, 2020  
Potenza · Power 10W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 10W 447lm ≠ FIXT 282lm 2700K  
CRI80 100/240V [i]

Finiture Finishes	Colori Colors
bianco · white	○ F016M21K001
grigio · grey	● F016M21K006
antracite · anthracite	● F016M21K033
nero · black	● F016M21K030
deep brown	● F016M21K018
forest green	● F016M21K012

Materiali · Materials  
alluminio, vetro, acciaio · aluminum, glass, stain-  
less steel

Peso · Weight 5,70 Kg DIMMER INCLUDED



p. 415

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**CAULE FLOOR 1 NEST - OUTDOOR**

Patricia Urquiola, 2020

Potenza · Power 10W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)

LED INCLUDED  
NOT REPLACEABLE

LED 10W 447lm ≠ FIXT 124lm 2700K  
CRI80 100/240V [i]

Finiture Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors

○ F016N21K001  
● F016N21K006  
● F016N21K033  
● F016N21K030  
● F016N21K018  
● F016N21K012

Materiali · Materials

alluminio, vetro, acciaio · aluminum, glass, stain-less steel

Peso · Weight 5,70 Kg DIMMER INCLUDED

CE I P 65

p. 415

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**CAULE FLOOR 2 - OUTDOOR**

Patricia Urquiola, 2020

Potenza · Power 10W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)

LED INCLUDED  
NOT REPLACEABLE

LED 10W 447lm ≠ FIXT 282lm 2700K  
CRI80 100/240V [i]

Finiture Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors

○ F016M22K001  
● F016M22K006  
● F016M22K033  
● F016M22K030  
● F016M22K018  
● F016M22K012

Materiali · Materials

alluminio, vetro, acciaio · aluminum, glass, stain-less steel

Peso · Weight 5,80 Kg DIMMER INCLUDED

CE I P 65

p. 415

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**CAULE FLOOR 2 NEST - OUTDOOR**

Patricia Urquiola, 2020

Potenza · Power 10W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)

LED INCLUDED  
NOT REPLACEABLE

LED 10W 447lm ≠ FIXT 124lm 2700K  
CRI80 100/240V [i]

Finiture Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors

○ F016N22K001  
● F016N22K006  
● F016N22K033  
● F016N22K030  
● F016N22K018  
● F016N22K012

Materiali · Materials

alluminio, vetro, acciaio · aluminum, glass, stain-less steel

Peso · Weight 5,80 Kg DIMMER INCLUDED

CE I P 65

p. 415

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**CAULE FLOOR 3**

Patricia Urquiola, 2020

Potenza · Power 10W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)

LED INCLUDED  
NOT REPLACEABLE

LED 10W 447lm ≠ FIXT 282lm 2700K  
CRI80 100/240V [i]

Finiture Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors

○ F016M23K001  
● F016M23K006  
● F016M23K033  
● F016M23K030  
● F016M23K018  
● F016M23K012

Materiali · Materials

alluminio, vetro, acciaio · aluminum, glass, stain-less steel

Peso · Weight 6 Kg DIMMER INCLUDED

CE I P 65

p. 415

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**CAULE FLOOR 3 NEST**

Patricia Urquiola, 2020

Potenza · Power 10W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)

LED INCLUDED  
NOT REPLACEABLE

LED 10W 447lm ≠ FIXT 124lm 2700K  
CRI80 100/240V [i]

Finiture Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors

○ F016N23K001  
● F016N23K006  
● F016N23K033  
● F016N23K030  
● F016N23K018  
● F016N23K012

Materiali · Materials

alluminio, vetro, acciaio · aluminum, glass, stain-less steel

Peso · Weight 6 Kg DIMMER INCLUDED

CE I P 65

p. 415

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**CAULE FLOOR 4**

Patricia Urquiola, 2020

Potenza · Power 10W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)

LED INCLUDED  
NOT REPLACEABLE

LED 10W 447lm ≠ FIXT 282lm 2700K  
CRI80 100/240V [i]

Finiture Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors

○ F016M24K001  
● F016M24K006  
● F016M24K033  
● F016M24K030  
● F016M24K018  
● F016M24K012

Materiali · Materials

alluminio, vetro, acciaio · aluminum, glass, stain-less steel

Peso · Weight 6,80 Kg DIMMER INCLUDED

CE I P 65

p. 415

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**CAULE FLOOR 5**

Patricia Urquiola, 2020

Potenza · Power 10W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)

LED INCLUDED  
NOT REPLACEABLE

LED 10W 447lm ≠ FIXT 282lm 2700K  
CRI80 100/240V [i]

Finiture Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors

○ F016M25K001  
● F016M25K006  
● F016M25K033  
● F016M25K030  
● F016M25K018  
● F016M25K012

Materiali · Materials

alluminio, vetro, acciaio · aluminum, glass, stain-less steel

Peso · Weight 7,20 Kg DIMMER INCLUDED

CE I P 65

p. 415

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**CHASEN**

Patricia Urquiola, 2007

Potenza · Power 120W

Tensione · Voltage 230V

Fonte luminosa (disponibile) · Light source (available)

LED INCLUDED  
NOT REPLACEABLE

LED 120W E27 PAR38 872lm [i]

Finiture Finishes

bianco · white  
nero · black

Colori Colors

○ F1636009  
● F1636030

Materiali · Materials

acciaio inox, alluminio, vetro · stainless steel, aluminum, glass

Peso · Weight 6,5 Kg

CE I P 20

p. 316

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**CHIARA F**  
Mario Bellini, 1969 -2020  
Potenza · Power 15W  
Tensione · Voltage 220-240V


Finiture Finishes: stainless steel with black edge  
Colori Colors: F1590056

Fonte luminosa (disponibile) · Light source (available)  
LED 15W E27 2000lm [i]

Materiali · Materials: acciaio inox, tpu · stainless steel, tpu

Peso · Weight 10,5 Kg DIMMER INCLUDED

CE IP20



**CHIARA T**  
Mario Bellini, 2020  
Potenza · Power 1 x MAX 10W LED  
Tensione · Voltage 220 -240V

Finiture Finishes: dark grey with olive green edge-  
aluminum with anthracite edge  
pink gold with oxide red edge  
Colori Colors: F1595023, F1595004, F1595034

Fonte luminosa (disponibile) · Light source (available)  
LED 10W E14 800lm [e] o · or  
LED 10W E14 900lm [e] o · or  
LED 8W E14 900lm [e] o · or  
LED 8W E14 700lm [e]

Materiali · Materials: alluminio, tpu · aluminum, tpu

Peso · Weight 1,3 Kg DIMMER INCLUDED

CE IP20



**CHRYSALIS**  
Marcel Wanders, 2011  
Potenza · Power 1 x MAX 65W + 1 x 80W  
Tensione · Voltage 230-240V


Finiture Finishes: bianco · white  
Colori Colors: F1670009

Fonte luminosa (disponibile) · Light source (available)  
60W GY 6 12V HSGS 1650lm [i] +  
80W G5 T5 6450lm [i]

Materiali · Materials: Cocoon, vetro, acciaio · Cocoon, glass, steel

Peso · Weight 13,5 Kg SWITCH INCLUDED

CE IP20



**CLARA**  
Piero Lissoni, 2014  
Potenza · Power 57W  
Tensione · Voltage 220-240V

Finiture Finishes: bianco · white  
cromo · chrome  
rame · copper  
trasparente · transparent  
fumè · fumée  
Colori Colors: F1570009, F1571057, F1571015, F1571000, F1571030A

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
TOP LED 57W 3141lm 2700K CRI>90 [i] DIMMABLE

Materiali · Materials: policarbonato · polycarbonate

Peso · Weight 3 Kg

CE IP40

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**CLESSIDRA OUTDOOR/INDOOR**  
Antonio Citterio, 2011  
Potenza · Power 10W  
Tensione · Voltage 100-240V


Finiture Finishes: grigio · grey  
deep brown  
Colori Colors: F1583006 20°-20° OUTDOOR, F1583018 20°-20° OUTDOOR, F1584006 40°-40° OUTDOOR, F1584018 40°-40° OUTDOOR

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
2 LED 10W 637lm 3000K CR180 [i]

Materiali · Materials: alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg

CE IP55



**CLESSIDRA INDOOR**  
Antonio Citterio, 2011  
Potenza · Power 10W  
Tensione · Voltage 100-240V


Finiture Finishes: bianco · white  
cromo · chrome  
Colori Colors: F1583009 20°-20°, F1583057 20°-20°, F1584009 40°-40°, F1584057 40°-40°

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
2 LED 10W 637lm 3000K CR180 [i]

Materiali · Materials: alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg

CE IP55



**COORDINATES C1**  
Michael Anastassiades, 2020  
Potenza · Power 45W  
Tensione · Voltage 100 - 240V


Finiture Finishes: champagne anodizzato · anodized champagne  
Colori Colors: F1852044

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
STRIP LED 45W 2270lm 2700K CR195 [i]

Materiali · Materials: alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 3,8 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20



**COORDINATES C1 CL III**  
Michael Anastassiades, 2020  
Potenza · Power 38W  
Tensione · Voltage 48V

Finiture Finishes: champagne anodizzato · anodized champagne  
Colori Colors: F1832044

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
STRIP LED 38W 2270lm 2700K CR195 [i]


Materiali · Materials: alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,3 Kg

ALIMENTATORE / POWER SUPPLY RF29208  
DIMMER LED / LED DIMMER RF26994

CE IP20

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**COORDINATES C1 LONG**  
 Michael Anastassiades, 2020  
 Potenza · Power 52W  
 Tensione · Voltage 100 - 240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE STRIP LED 52W 2670lm 2700K CRI95 [i]


Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso · *extruded aluminum, platinum silicone extruded opal*

Peso · Weight 4 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes champagne anodizzato · *anodized champagne* Colori Colors F1864044

CE IP20

p. 354



**COORDINATES C1 LONG CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 45W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE STRIP LED 45W 2670lm 2700K CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso · *extruded aluminum, platinum silicone extruded opal*

Peso · Weight 1,5 Kg


Finiture Finishes champagne anodizzato · *anodized champagne* Colori Colors F1830044

ALIMENTATORE / POWER SUPPLY RF29208

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 354



**COORDINATES C2**  
 Michael Anastassiades, 2020  
 Potenza · Power 69W  
 Tensione · Voltage 100 - 240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE STRIP LED 69W 3660lm 2700K CRI95 [i]


Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso · *extruded aluminum, platinum silicone extruded opal*

Peso · Weight 4,6 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes champagne anodizzato · *anodized champagne* Colori Colors F1858044

CE IP20

p. 354



**COORDINATES C2 CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 61W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE STRIP LED 61W 3660lm 2700K CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso · *extruded aluminum, platinum silicone extruded opal*

Peso · Weight 2,1 Kg

Finiture Finishes champagne anodizzato · *anodized champagne* Colori Colors F1836044


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 354

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**COORDINATES C2 LONG**  
 Michael Anastassiades, 2020  
 Potenza · Power 83W  
 Tensione · Voltage 100 - 240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE STRIP LED 83W 4470lm 2700K CRI95 [i]


Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso · *extruded aluminum, platinum silicone extruded opal*

Peso · Weight 5,1 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes champagne anodizzato · *anodized champagne* Colori Colors F1866044

CE IP20

p. 354



**COORDINATES C2 LONG CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 75W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE STRIP LED 75W 4470lm 2700K CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso · *extruded aluminum, platinum silicone extruded opal*

Peso · Weight 2,6 Kg


Finiture Finishes champagne anodizzato · *anodized champagne* Colori Colors F1834044

ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 354



**COORDINATES C4**  
 Michael Anastassiades, 2020  
 Potenza · Power 157W  
 Tensione · Voltage 100 - 240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE STRIP LED 157W 8830lm 2700K CRI95 [i]


Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso · *extruded aluminum, platinum silicone extruded opal*

Peso · Weight 8,1 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes champagne anodizzato · *anodized champagne* Colori Colors F1856044

CE IP20

p. 354



**COORDINATES C4 CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 147W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE STRIP LED 147W 8830lm 2700K CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso · *extruded aluminum, platinum silicone extruded opal*

Peso · Weight 5,1 Kg

Finiture Finishes champagne anodizzato · *anodized champagne* Colori Colors F1840044

ALIMENTATORE / POWER SUPPLY RF29209


DIMMER LED / LED DIMMER RF26994

CE IP20

p. 354

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*





**COORDINATES C4 LONG**  
 Michael Anastassiades, 2020  
 Potenza · Power 185W  
 Tensione · Voltage 100 - 240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 185W 10450lm 2700K  
 CRI95 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*


Peso · Weight 9,0 Kg

Finiture Finishes champagne anodizzato ·  
*anodized champagne* Colori Colors F1868044

DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 354



**COORDINATES C4 LONG CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 174W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 174W 10450lm 2700K  
 CRI95 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 6,0 Kg

Finiture Finishes champagne anodizzato ·  
*anodized champagne* Colori Colors F1838044

ALIMENTATORE / POWER SUPPLY RF27617

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 354



**COORDINATES F**  
 Michael Anastassiades, 2020  
 Potenza · Power 61W  
 Tensione · Voltage 100 - 240/48V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 61W 3240lm 2700K  
 CRI95 [i] DIMMABLE

LED INCLUDED  
 NOT REPLACEABLE

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 11,8 Kg

Finiture Finishes champagne anodizzato ·  
*anodized champagne* Colori Colors F1801044

DIMMER INCLUDED

CE IP20

p. 156



**COORDINATES MODULE C**  
 Michael Anastassiades, 2020  
 Potenza · Power 180W  
 Tensione · Voltage 120 - 240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 183W 10230lm 2700K  
 CRI90 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*


Peso · Weight 8,9 Kg

Finiture Finishes champagne anodizzato ·  
*anodized champagne* Colori Colors F1883044

DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 354



**COORDINATES MODULE C CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 170W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 170W 10230lm 2700K  
 CRI90 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 5,9 Kg


Finiture Finishes champagne anodizzato ·  
*anodized champagne* Colori Colors F1886044

ALIMENTATORE / POWER SUPPLY RF27617

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 354



**COORDINATES MODULE S**  
 Michael Anastassiades, 2020  
 Potenza · Power 180W  
 Tensione · Voltage 120 - 240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 183W 10230lm 2700K  
 CRI90 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*


Peso · Weight 8,7 Kg

Finiture Finishes champagne anodizzato ·  
*anodized champagne* Colori Colors F1880044

DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 236



**COORDINATES MODULE S CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 170W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 170W 10230lm 2700K  
 CRI90 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 5,9 Kg

Finiture Finishes champagne anodizzato ·  
*anodized champagne* Colori Colors F1889044

ALIMENTATORE / POWER SUPPLY RF27617

DIMMER LED / LED DIMMER RF26994

CE IP20

p. 236



**COORDINATES S1**  
 Michael Anastassiades, 2020  
 Potenza · Power 37W  
 Tensione · Voltage 120 - 277V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 37W 1920lm 2700K CRI95  
 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 2,1 Kg

Finiture Finishes champagne anodizzato ·  
*anodized champagne* Colori Colors F1860044

DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 236

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*


[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

### COORDINATES S1 CL III

Michael Anastassiades, 2020

Potenza · Power 32W

Tensione · Voltage 48V



LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
STRIP LED 32W 1920lm 2700K  
CRI95 [i]

Materiali · Materials  
alluminio estruso, silicone platinico opale estruso ·  
extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,1 Kg

Finiture  
Finishes

champagne anodizzato ·  
anodized champagne

Colori  
Colors

F1842044

ALIMENTATORE / POWER SUPPLY  
RF29208

DIMMER LED / LED DIMMER  
RF26994




p. 236

### COORDINATES S2

Michael Anastassiades, 2020

Potenza · Power 32W

Tensione · Voltage 120 - 277V



LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
STRIP LED 32W 2960lm 2700K  
CRI95 [i]

Materiali · Materials  
alluminio estruso, silicone platinico opale estruso ·  
extruded aluminum, platinic silicone extruded opal

Peso · Weight 2,7 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture  
Finishes

champagne anodizzato ·  
anodized champagne

Colori  
Colors

F1862044



p. 236

### COORDINATES S2 CLIII

Michael Anastassiades, 2020

Potenza · Power 50W

Tensione · Voltage 48V



LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
STRIP LED 55W 2960lm 2700K  
CRI95 [i]

Materiali · Materials  
alluminio estruso, silicone platinico opale estruso ·  
extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,7 Kg

Finiture  
Finishes

champagne anodizzato ·  
anodized champagne

Colori  
Colors

F1844044

ALIMENTATORE / POWER SUPPLY  
RF29208

DIMMER LED / LED DIMMER  
RF26994




p. 236

### COORDINATES S3

Michael Anastassiades, 2020

Potenza · Power 71W

Tensione · Voltage 120 - 277V



LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
STRIP LED 71W 3850lm 2700K  
CRI95 [i]

Materiali · Materials  
alluminio estruso, silicone platinico opale estruso ·  
extruded aluminum, platinic silicone extruded opal

Peso · Weight 3,2 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture  
Finishes

champagne anodizzato ·  
anodized champagne

Colori  
Colors

F1850044




p. 236

### COORDINATES S3 CL III

Michael Anastassiades, 2020

Potenza · Power 64W

Tensione · Voltage 48V



LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
STRIP LED 64W 3850lm 2700K  
CRI95 [i]

Materiali · Materials  
alluminio estruso, silicone platinico opale estruso ·  
extruded aluminum, platinic silicone extruded opal

Peso · Weight 2,2 Kg

Finiture  
Finishes

champagne anodizzato ·  
anodized champagne

Colori  
Colors

F1846044

ALIMENTATORE / POWER SUPPLY  
RF29209

DIMMER LED / LED DIMMER  
RF26994




p. 236

### COORDINATES S4

Michael Anastassiades, 2020

Potenza · Power 161W

Tensione · Voltage 120 - 240V



LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
STRIP LED 161W 8830lm 2700K  
CRI95 [i]

Materiali · Materials  
alluminio estruso, silicone platinico opale estruso ·  
extruded aluminum, platinic silicone extruded opal

Peso · Weight 7,9 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture  
Finishes

champagne anodizzato ·  
anodized champagne

Colori  
Colors

F1854044




p. 236

### COORDINATES S4 CLIII

Michael Anastassiades, 2020

Potenza · Power 161W

Tensione · Voltage 48V



LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
STRIP LED 161W 8830lm 2700K  
CRI95 [i]

Materiali · Materials  
alluminio estruso, silicone platinico opale estruso ·  
extruded aluminum, platinic silicone extruded opal

Peso · Weight 5,1 Kg

Finiture  
Finishes

champagne anodizzato ·  
anodized champagne

Colori  
Colors

F1848044

ALIMENTATORE / POWER SUPPLY  
RF29209

DIMMER LED / LED DIMMER  
RF26994



p. 236

### COORDINATES WALL 1

Michael Anastassiades, 2020

Potenza · Power 15W

Tensione · Voltage 230V



LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
LED module 15W 962lm 2700K  
CRI90 [i]

Materiali · Materials  
alluminio estruso, silicone platinico opale estruso ·  
extruded aluminum, platinic silicone extruded opal

Peso · Weight 0,80 Kg

Finiture  
Finishes


champagne anodizzato ·  
anodized champagne

Colori  
Colors

F1810044



p. 350



**COORDINATES WALL 2**

Michael Anastassiades, 2020  
 Potenza · Power 24W  
 Tensione · Voltage 230V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED module 24W 1403lm 2700K  
 CRI90 [i]


Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 1 Kg

Finiture  
 Finishes champagne anodizzato ·  
 anodized champagne  
 Colori  
 Colors F1811044



p. 350



**COPYCAT**

Michael Anastassiades, 2015  
 Potenza · Power 16W  
 Tensione · Voltage 100-240V/24V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 COB LED 16W 900lm total 2700K  
 CRI83 [i] DIMMABLE

Materiali · Materials  
 alluminio, vetro soffiato · aluminum, blown glass

Peso · Weight 3,6 Kg

DIMMER INCLUDED

Finiture  
 Finishes oro 24K · 24K gold  
 rame · copper  
 nero · black  
 alluminio · aluminum  
 Colori  
 Colors F1952044  
 F1952015  
 F1952030  
 F1952050



p. 103



**DIABOLO**

Achille Castiglioni, 1998 - 2020  
 Potenza · Power max 70W - 21W LED  
 Tensione · Voltage 220-240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 21W E27 2452lm total [e] o · or  
 LED E27 2200lm total [e]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,9 Kg

Finiture  
 Finishes beaver brown  
 cherry red  
 bianco · white  
 Colori  
 Colors F2121026  
 F2121035  
 F2121009



p. 250



**FANTASMA PICCOLO**

Tobia Scarpa, 1961  
 Potenza · Power 3 x MAX 60W  
 Tensione · Voltage 220-240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials  
 Cocoon, acciaio · Cocoon, steel

Peso · Weight 10 Kg


DIMMER INCLUDED

Finiture  
 Finishes bianco · white  
 Colori  
 Colors F2101009



p. 196

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**FLAUTA H225 RIGA/INDOOR**

Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 0,8 Kg

DIMMER INCLUDED  
 PUSH/DALI

Finiture  
 Finishes nero-black  
 bianco · white  
 anodized blue steel  
 anodized copper  
 anodized ruby red  
 Colori  
 Colors F2340030  
 F2340009  
 F2340023  
 F2340015  
 F2340035



p. 360



**FLAUTA H225 SPIGA/INDOOR**

Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg

DIMMER INCLUDED  
 PUSH/DALI

Finiture  
 Finishes nero-black  
 bianco · white  
 anodized blue steel  
 anodized copper  
 anodized ruby red  
 Colori  
 Colors F2341030  
 F2341009  
 F2341023  
 F2341015  
 F2341035



p. 360



**FLAUTA H500 RIGA/INDOOR**

Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg

DIMMER INCLUDED  
 PUSH/DALI

Finiture  
 Finishes nero-black  
 bianco · white  
 anodized blue steel  
 anodized copper  
 anodized ruby red  
 Colori  
 Colors F2342030  
 F2342009  
 F2342023  
 F2342015  
 F2342035



p. 360



**FLAUTA H500 SPIGA/INDOOR**

Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg

DIMMER INCLUDED  
 PUSH/DALI

Finiture  
 Finishes nero-black  
 bianco · white  
 anodized blue steel  
 anodized copper  
 anodized ruby red  
 Colori  
 Colors F2343030  
 F2343009  
 F2343023  
 F2343015  
 F2343035



p. 360

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**FLAUTA H1000 RIGA/INDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero-black, bianco-white, anodized blue steel, anodized copper, anodized ruby red  
 Colori Colors: F2344030, F2344009, F2344023, F2344015, F2344035

CE, IP40, RoHS

p. 360



**FLAUTA H1000 SPIGA/INDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 2 LED 12W 493lm 2700K CRI95 [i]


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero-black, bianco-white, anodized blue steel, anodized copper, anodized ruby red  
 Colori Colors: F2345030, F2345009, F2345023, F2345015, F2345035

CE, IP40, RoHS

p. 360



**FLAUTA H225 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [i]


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero-black, bianco-white, antracite-anthracite, grigio-grey, deep brown, forest green  
 Colori Colors: F019A21D030, F019A21D001, F019A21D033, F019A21D006, F019A21D018, F019A21D012

CE, IP65, RoHS

p. 421



**FLAUTA H225 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [i]


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero-black, bianco-white, antracite-anthracite, grigio-grey, deep brown, forest green  
 Colori Colors: F019A31D030, F019A31D001, F019A31D033, F019A31D006, F019A31D018, F019A31D012

CE, IP65, RoHS

p. 421



**FLAUTA H225 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero-black, bianco-white, antracite-anthracite, grigio-grey, deep brown, forest green  
 Colori Colors: F019A41D030, F019A41D001, F019A41D033, F019A41D006, F019A41D018, F019A41D012

CE, IP65, RoHS

p. 421



**FLAUTA H225 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero-black, bianco-white, antracite-anthracite, grigio-grey, deep brown, forest green  
 Colori Colors: F019B21D030, F019B21D001, F019B21D033, F019B21D006, F019B21D018, F019B21D012

CE, IP65, RoHS

p. 421



**FLAUTA H225 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero-black, bianco-white, antracite-anthracite, grigio-grey, deep brown, forest green  
 Colori Colors: F019B31D030, F019B31D001, F019B31D033, F019B31D006, F019B31D018, F019B31D012

CE, IP65, RoHS

p. 421



**FLAUTA H225 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero-black, bianco-white, antracite-anthracite, grigio-grey, deep brown, forest green  
 Colori Colors: F019B41D030, F019B41D001, F019B41D033, F019B41D006, F019B41D018, F019B41D012

CE, IP65, RoHS

p. 421

[e] fonte luminosa esclusa - *excluded light source* - [i] fonte luminosa inclusa - *included light source* - \* fonte luminosa non dimmerabile - *not dimmable light source*

[e] fonte luminosa esclusa - *excluded light source* - [i] fonte luminosa inclusa - *included light source* - \* fonte luminosa non dimmerabile - *not dimmable light source*



**FLAUTA H500 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm  
 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero · black, bianco · white, antracite · anthracite, grigio · grey, deep brown, forest green  
 Colori Colors: F019A22D030, F019A22D001, F019A22D033, F019A22D006, F019A22D018, F019A22D012

CE IP65

p. 421



**FLAUTA H500 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm  
 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero · black, bianco · white, antracite · anthracite, grigio · grey, deep brown, forest green  
 Colori Colors: F019B32D030, F019B32D001, F019B32D033, F019B32D006, F019B32D018, F019B32D012

CE IP65

p. 421



**FLAUTA H500 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm  
 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero · black, bianco · white, antracite · anthracite, grigio · grey, deep brown, forest green  
 Colori Colors: F019A32D030, F019A32D001, F019A32D033, F019A32D006, F019A32D018, F019A32D012

CE IP65

p. 421



**FLAUTA H500 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm  
 4000K CRI80 [i]


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero · black, bianco · white, antracite · anthracite, grigio · grey, deep brown, forest green  
 Colori Colors: F019B42D030, F019B42D001, F019B42D033, F019B42D006, F019B42D018, F019B42D012

CE IP65

p. 421



**FLAUTA H500 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm  
 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero · black, bianco · white, antracite · anthracite, grigio · grey, deep brown, forest green  
 Colori Colors: F019A42D030, F019A42D001, F019A42D033, F019A42D006, F019A42D018, F019A42D012

CE IP65

p. 421



**FLAUTA H1000 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm  
 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero · black, white · white, antracite · anthracite, grigio · grey, deep brown, forest green  
 Colori Colors: F019A23D030, F019A23D001, F019A23D033, F019A23D006, F019A23D018, F019A23D012

CE IP65

p. 421



**FLAUTA H500 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm  
 2700K CRI80 [i]


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero · black, bianco · white, antracite · anthracite, grigio · grey, deep brown, forest green  
 Colori Colors: F019B22D030, F019B22D001, F019B22D033, F019B22D006, F019B22D018, F019B22D012

CE IP65

p. 421



**FLAUTA H1000 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm  
 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

Finiture Finishes: nero · black, bianco · white, antracite · anthracite, grigio · grey, deep brown, forest green  
 Colori Colors: F019A33D030, F019A33D001, F019A33D033, F019A33D006, F019A33D018, F019A33D012

CE IP65

p. 421

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**FLAUTA H1000 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg

DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A43D030  
 ○ F019A43D001  
 ● F019A43D033  
 ● F019A43D006  
 ● F019A43D018  
 ● F019A43D012

ø 45 mm  
 1000 mm  
 ø 73 mm

p. 421

**FLAUTA H1000 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg

DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 black · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B23D030  
 ○ F019B23D001  
 ● F019B23D033  
 ● F019B23D006  
 ● F019B23D018  
 ● F019B23D012

ø 45 mm  
 1000 mm  
 ø 73 mm

p. 421

**FLAUTA H1000 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg

DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B33D030  
 ○ F019B33D001  
 ● F019B33D033  
 ● F019B33D006  
 ● F019B33D018  
 ● F019B33D012

ø 45 mm  
 1000 mm  
 ø 73 mm

p. 421

**FLAUTA H1000 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg

DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B43D030  
 ○ F019B43D001  
 ● F019B43D033  
 ● F019B43D006  
 ● F019B43D018  
 ● F019B43D012

ø 45 mm  
 1000 mm  
 ø 73 mm

p. 421

**FOGLIO**  
 Tobia Scarpa, 1966  
 Potenza · Power 2 x MAX 100W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 LED 10W E27 965lm [e]

Materiali · Materials  
 acciaio · steel

Peso · Weight 3,7 Kg

CE IP20

Finiture Finishes  
 bianco · white  
 nero · black  
 cromo · chrome  
 black nickel  
 oro 22K · gold 22K

Colori Colors  
 ○ F2400009  
 ● F2400030  
 || F2400057  
 ● F2400063  
 || F2400044

370 mm  
 210 mm  
 97 mm

p. 404

**FORT KNOX WALL LED MINI**  
 Philippe Starck, 2008  
 Potenza · Power 25W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 25W 1985lm 3000K CRI90 [i] NO DIMMABLE

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 0,6 Kg

CE IP20

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2125.40  
 ● 09.2125.14  
 || 09.2125.05

ved. Listino Architettuale see Architectural pricelist

150 mm  
 25 mm  
 150 mm

p. 382

**FORT KNOX WALL LED MINI**  
 Philippe Starck, 2008  
 Potenza · Power 25W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 25W 2133lm 4000K CRI90 [i] NO DIMMABLE

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 0,6 Kg

CE IP20

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2127.40  
 ● 09.2127.14  
 || 09.2127.05

150 mm  
 25 mm  
 150 mm

p. 382

**FORT KNOX WALL LED**  
 Philippe Starck, 2008  
 Potenza · Power 32W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 32W 2896lm 3000K CRI90 [i] DIMMABLE 1-10V

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 1,4 Kg

CE IP20

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2110.40A  
 ● 09.2110.14A  
 || 09.2110.05A


200 mm  
 25 mm  
 200 mm

p. 382

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**FORT KNOX WALL LED**

Philippe Starck, 2008  
 Potenza · Power 32W  
 Tensione · Voltage 220-240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 Power LED 32W 2896lm 3000K  
 CRI90 [i] DIMMABLE DALI

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum


Peso · Weight 1,4 Kg

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · pol-  
 ished aluminum

Colori  
 Colors  
 ○ 09.2110.40ADA  
 ● 09.2110.14ADA  
 || 09.2110.05ADA



p. 382



**FORT KNOX WALL LED**

Philippe Starck, 2008  
 Potenza · Power 32W  
 Tensione · Voltage 220-240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 Power LED 32W 32566lm 4000K  
 CRI90 [i] DIMMABLE DALI

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum


Peso · Weight 1,4 Kg

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · pol-  
 ished aluminum

Colori  
 Colors  
 ○ 09.2112.40ADA  
 ● 09.2112.14ADA  
 || 09.2110.05ADA



p. 382



**FORT KNOX WALL LED**

Philippe Starck, 2008  
 Potenza · Power 32W  
 Tensione · Voltage 220-240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 Power LED 32W 32566lm 4000K  
 CRI90 [i] DIMMABLE 1-10V

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 1,4 Kg

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · pol-  
 ished aluminum

Colori  
 Colors  
 ○ 09.2112.40A  
 ● 09.2112.14A  
 || 09.2110.05A



p. 382



**FRISBI**

Achille Castiglioni, 1978  
 Potenza · Power 1 x MAX 105W  
 Tensione · Voltage 220-250V

A++  
 → E  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED 8W E27 740lm [e]

Materiali · Materials  
 polimetilmetacrilato, acciaio ·  
 polymethylmethacrylate, steel

Peso · Weight 2,7 Kg

Finiture  
 Finishes  
 cromo · chrome

Colori  
 Colors  
 ● F2500000



p. 306

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**FUCSIA 1**

Achille Castiglioni, 1996  
 Potenza · Power MAX 40W  
 Tensione · Voltage 220-250V

A+ → E  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED 4W E14 360lm [e]

Materiali · Materials  
 vetro, acciaio · glass, steel


Peso · Weight 1 Kg

Finiture  
 Finishes  
 vetro · glass

Colori  
 Colors  
 ● F2410000



p. 300



**GAKU WIRELESS**

Nendo, 2018  
 Potenza · Power 2W

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED Array 2W 116lm 2700K  
 CRI 90 [i] DIMMABLE  
 WIRELESS CHARGING

Materiali · Materials  
 legno d'acero, policarbonato · ash wood,  
 polycarbonate


Peso · Weight 2,5 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black

Colori  
 Colors  
 ○ F2520009  
 ● F2520030



p. 80



**GAKU WIRE**

Nendo, 2018  
 Potenza · Power 5W

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED Array 5,5W 100lm 2700K  
 CRI 90 [i] DIMMABLE

Materiali · Materials  
 legno d'acero, policarbonato · ash wood,  
 polycarbonate


Peso · Weight 2,4 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black

Colori  
 Colors  
 ○ F2521009  
 ● F2521030



p. 80



**GAKU ACCESSORIES BOWL**

Materiali · Materials  
 policarbonato · polycarbonate

Materiali · Materials  
 policarbonato · polycarbonate

Peso · Weight 1 Kg

Finiture  
 Finishes  
 bianco · white  
 nero · black

Colori  
 Colors  
 ○ F2522009  
 ● F2522030



p. 80

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

### GAKU ACCESSORIES VASE



Finiture  
Finishes  
bianco · white  
nero · black


Colori  
Colors  
○ F2523009  
● F2523030

Materiali · Materials  
polycarbonato · polycarbonate

p. 80



### GAKU ACCESSORIES KEY BOWL



Finiture  
Finishes  
bianco · white  
nero · black

Colori  
Colors  
○ F2524009  
● F2524030

Materiali · Materials  
polycarbonato · polycarbonate

p. 80



### GAKU ACCESSORIES BOOKEND



Finiture  
Finishes  
bianco · white  
nero · black

Colori  
Colors  
○ F2525009  
● F2525030

Materiali · Materials  
polycarbonato · polycarbonate

p. 80



### GAKU ACCESSORIES MIRROR



Finiture  
Finishes  
bianco · white  
nero · black

Colori  
Colors  
○ F2526009  
● F2526030

Materiali · Materials  
polycarbonato · polycarbonate

p. 80



### GATTO



Achille and Pier Giacomo Castiglioni, 1960  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V

☞ A+ → E Fonte luminosa (disponibile) ·  
Light source (available)  
LED 10W E27 965lm [e]

Materiali · Materials  
cocoon, acciaio · cocoon, steel

Peso · Weight 2,3 Kg DIMMER INCLUDED

Finiture  
Finishes  
bianco · white

Colori  
Colors  
○ F2601009



p. 112

### GATTO PICCOLO



Achille and Pier Giacomo Castiglioni, 1960  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V

☞ A+ → E Fonte luminosa (disponibile) ·  
Light source (available)  
LED 8W E14 900lm [e] o · or  
LED 8W E14 700lm [e] o · or  
LED 10W E14 800lm [e] o · or  
LED 10W E14 900lm [e]

Materiali · Materials  
cocoon, acciaio · cocoon, steel

Peso · Weight 0,9 Kg DIMMER INCLUDED


Finiture  
Finishes  
bianco · white

Colori  
Colors  
○ F2701009



p. 112

### GLO-BALL BASIC ZERO



Jasper Morrison, 2009  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V

☞ A+ → E Fonte luminosa (disponibile) ·  
Light source (available)  
LED 8W E14 900lm [e] o · or  
LED 8W E14 700lm [e] o · or  
LED 10W E14 800lm [e] o · or  
LED 10W E14 900lm [e]

Materiali · Materials  
vetro · glass

Peso · Weight 1 Kg DIMMER INCLUDED


Finiture  
Finishes  
bianco · white

Colori  
Colors  
○ F3330009



p. 132

### GLO-BALL BASIC ZERO SWITCH



Jasper Morrison, 2009  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V

☞ A+ → E Fonte luminosa (disponibile) ·  
Light source (available)  
LED 8W E14 900lm [e] o · or  
LED 8W E14 700lm [e] o · or  
LED 10W E14 800lm [e] o · or  
LED 10W E14 900lm [e]

Materiali · Materials  
vetro · glass

Peso · Weight 1 Kg

Finiture  
Finishes  
bianco · white

Colori  
Colors  
○ F3331009 SWITCH



p. 132

**GLO-BALL BASIC 1**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 2,6 Kg DIMMER INCLUDED

Finiture Finishes bianco · white  
 Colori Colors ○ F3021000

CE IP20

p. 132

**GLO-BALL BASIC 2**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e] o · or  
 LED 18W E27 2000lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 5,3 Kg DIMMER INCLUDED

Finiture Finishes bianco · white  
 Colori Colors ○ F3026000

CE IP20

p. 132

**GLO-BALL WALL MINI**  
 Jasper Morrison, 2002  
 Potenza · Power MAX 25W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED 3W G9 290lm 2[e] o · or  
 LED 2W G9 240lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 5,3 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F4190009 MIRROR  
 ○ F4194009 CW

C/W CE IP44 MIRROR MOUNTING IP44 IP40

p. 386

**GLO-BALL C/W ZERO**  
 Jasper Morrison, 2009  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED 8W E14 900lm [e] o · or  
 LED 8W E14 700lm [e] o · or  
 LED 10W E14 800lm [e] o · or  
 LED 10W E14 900lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 1 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F3335009

CE IP40

p. 386

**GLO-BALL C1**  
 Jasper Morrison, 1999  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 2,5 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F3023000

CE IP40

p. 386

**GLO-BALL C2**  
 Jasper Morrison, 1999  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e] o · or  
 LED 18W E27 2000lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 5,1 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F3028000

CE IP40

p. 386

**GLO-BALL W**  
 Jasper Morrison, 1999  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 1,8 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F3022000

CE IP40

p. 386

**GLO-BALL F1**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 vetro, acciaio · glass, steel

Peso · Weight 12 Kg DIMMER INCLUDED

Finiture Finishes argento · silver  
 nero opaco · matt black  
 Colori Colors ● F3031020  
 ● F3031031

CE IP20

p. 194

[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**GLO-BALL F2**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 vetro, acciaio · glass, steel

Peso · Weight 12,5 Kg DIMMER INCLUDED

Finiture Finishes: argento · silver, nero opaco · matt black  
 Colori Colors: F3032020, F3032031

CE IP20

p. 194



**GLO-BALL F3**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e] o · or  
 LED 18W E27 2000lm [e]

Materiali · Materials  
 vetro, acciaio · glass, steel

Peso · Weight 18,9 Kg DIMMER INCLUDED

Finiture Finishes: argento · silver, nero opaco · matt black  
 Colori Colors: F3030000, F3030031

CE IP20

p. 194



**MINI GLO-BALL S**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 25W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED 3W G9 290lm [e] o · or  
 LED 2W G9 240lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 0,7 Kg

Finiture Finishes: bianco · white  
 Colori Colors: F4195009

CE IP20

p. 326



**GLO-BALL S1**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 vetro · glass


Peso · Weight 2,7 Kg

Finiture Finishes: bianco · white  
 Colori Colors: F3005061

CE IP20

p. 326

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**GLO-BALL S2**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e] o · or  
 LED 18W E27 2000lm [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 5,6 Kg

Finiture Finishes: bianco · white  
 Colori Colors: F3010061

CE IP20

p. 326



**MINI GLO-BALL T**  
 Jasper Morrison, 2003  
 Potenza · Power MAX 25W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 3W G9 290lm 2700K\* [e] o · or  
 1 LED 2W G9 240lm 2700K\*

Materiali · Materials  
 vetro · glass

Peso · Weight 0,4 Kg SWITCH INCLUDED

Finiture Finishes: bianco · white  
 Colori Colors: F4191009

CE IP20

p. 132



**GLO-BALL T1**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 vetro, acciaio · glass, steel

Peso · Weight 7 Kg DIMMER INCLUDED

Finiture Finishes: argento · silver, nero opaco · matt black  
 Colori Colors: F3020000, F3020031

CE IP20

p. 132



**GOLDMAN**  
 Ron Gilad, 2013  
 Potenza · Power 8W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 42 LED 8W 248lm total 2700K CRI 85 + CHARGER USB 5VDC 1,5A [I]  
 DIMMABLE

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 0,9 Kg DIMMER INCLUDED

Finiture Finishes: ottone/verde · brass/green, nero/fumè · black/fumée  
 Colori Colors: F3440044, F3440030

CE IP20

p. 116

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**GUNS - BEDSIDE GUN**  
Philippe Starck, 2005  
Potenza · Power MAX 75W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 10W E27 965lm [e]

Materiali · Materials  
alluminio, carta plastificata · aluminum, plasticized paper

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes oro 18K · 18K gold Colori Colors F2953000

CE IP20

p. 134



**GUNS - LOUNGE GUN**  
Philippe Starck, 2005  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 21W E27 2452lm [e]

Materiali · Materials  
alluminio, carta plastificata · aluminum, plasticized paper

Peso · Weight 19,5 Kg DIMMER INCLUDED

Finiture Finishes oro 18K · 18K gold Colori Colors F2955000

CE IP20

p. 188



**GUNS - TABLE GUN**  
Philippe Starck, 2005  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 10W E27 965lm [e]


Materiali · Materials  
alluminio, carta plastificata · aluminum, plasticized paper

Peso · Weight 6,2 Kg DIMMER INCLUDED

Finiture Finishes oro 18K · 18K gold Colori Colors F2954000

CE IP20

p. 134



**IC C/W1**  
Michael Anastassiades, 2014  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 8W E14 900lm [e] o · or  
LED 8W E14 700lm [e] o · or  
LED 10W E14 800lm [e] o · or  
LED 10W E14 900lm [e]

Materiali · Materials  
acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 2 Kg

Finiture Finishes cromo · chrome ottone · brass nero · black rosso burgundy · red burgundy Colori Colors F3178057 F3178059 F3178030 F3178035

CE IP20

p. 366



**IC C/W1 OUTDOOR/INDOOR**  
Michael Anastassiades, 2020  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 8W E14 900lm [e] o · or  
LED 8W E14 800lm [e]


Materiali · Materials  
acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 2,2 Kg

Finiture Finishes acciaio inox spazzolato · brushed stainless steel finitura ottone · brass finish nero · black deep brown rosso burgundy · red burgundy Colori Colors F012H00C005 F012H00C059 F012H00C030 F012H00C018 F012H00C037

CE IP65

p. 426



**IC C/W1 DOUBLE**  
Michael Anastassiades, 2020  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 8W E14 900lm [e] o · or  
LED 8W E14 700lm [e] o · or  
LED 10W E14 800lm [e] o · or  
LED 10W E14 900lm [e]

Materiali · Materials  
acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 2,7 Kg

Finiture Finishes cromo · chrome ottone · brass nero · black rosso burgundy · red burgundy Colori Colors F3157057 F3157059 F3157030 F3157035

CE IP20

p. 365



**IC C/W2**  
Michael Anastassiades, 2014  
Potenza · Power MAX 205W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 15W E27 2000lm [e] o · or  
LED 18W E27 2000lm [e]

Materiali · Materials  
acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 3,7 Kg

Finiture Finishes cromo · chrome ottone · brass nero · black rosso burgundy · red burgundy Colori Colors F3179057 F3179059 F3179030 F3179035

CE IP20

p. 366



**IC C/W2 OUTDOOR/INDOOR**  
Michael Anastassiades, 2020  
Potenza · Power MAX 205W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 15W E27 2000lm [e]

Materiali · Materials  
acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 3,8 Kg

Finiture Finishes acciaio inox spazzolato · brushed stainless steel finitura ottone · brass finish nero · black deep brown rosso burgundy · red burgundy Colori Colors F012J00C005 F012J00C059 F012J00C030 F012J00C018 F012J00C037

CE IP65

p. 426

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**IC C/W2 DOUBLE**  
 Michael Anastassiades, 2020  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e] o · or  
 LED 18W E27 2000lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 4,3 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3159057, F3159059, F3159030, F3159035

CE, LP 20, 65

p. 365



**IC F1**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED 8W E14 900lm [e] o · or  
 LED 8W E14 700lm [e] o · or  
 LED 10W E14 800lm [e] o · or  
 LED 10W E14 900lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 5 Kg DIMMER INCLUDED

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3173057, F3173059, F3173030, F3173035

CE, LP 20, 65

p. 178



**IC F1 OUTDOOR/INDOOR**  
 Michael Anastassiades, 2019  
 Potenza · Power 8W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED 8W E14 900lm [e] o · or  
 LED 8W E14 700lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 5 Kg DIMMER INCLUDED

Finiture Finishes: acciaio inox · stainless steel (occhio di pernice marble), ottone · brass (grey lava marble), deep brown (travertino imperiale marble), nero · black (black lava marble), rosso burgundy · red burgundy (black lava marble)  
 Colori Colors: F012A04C005, F012A03C059, F012A01C018, F012A02C030, F012A02C037

CE, LP 65

p. 427



**IC F2**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e] o · or  
 LED 18W E27 2000lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 10 Kg DIMMER INCLUDED

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3174057, F3174059, F3174030, F3174035

CE, LP 20, 65

p. 178



**IC F2 OUTDOOR/INDOOR**  
 Michael Anastassiades, 2019  
 Potenza · Power 17W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 10 Kg DIMMER INCLUDED

Finiture Finishes: acciaio inox · stainless steel (occhio di pernice marble), ottone · brass (grey lava marble), deep brown (travertino imperiale marble), nero · black (black lava marble), rosso burgundy · red burgundy (black lava marble)  
 Colori Colors: F012B04C005, F012B03C059, F012B01C018, F012B02C030, F012B02C037

CE, LP 65

p. 427



**IC S1**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED 8W E14 900lm [e] o · or  
 LED 8W E14 700lm [e] o · or  
 LED 10W E14 800lm [e] o · or  
 LED 10W E14 900lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 2,2 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3175057, F3175059, F3175030, F3175035

CE, LP 20, 65

p. 288



**IC S2**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 2000lm [e] o · or  
 LED 18W E27 2000lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 3,9 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3176057, F3176059, F3176030, F3176035

CE, LP 20, 65

p. 288



**IC T1 HIGH**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED 8W E14 900lm [e] o · or  
 LED 8W E14 700lm [e] o · or  
 LED 10W E14 800lm [e] o · or  
 LED 10W E14 900lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 1,7 Kg DIMMER INCLUDED


Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3170057, F3170059, F3170030, F3170035

CE, LP 20, 65

p. 99

[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**IC T1 LOW**

Michael Anastassiades, 2014  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED 8W E14 900lm [e] o · or  
 LED 8W E14 700lm [e] ] o · or  
 LED 10W E14 900lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 1,6 Kg DIMMER INCLUDED

- |                               |               |
|-------------------------------|---------------|
| Finiture Finishes             | Colori Colors |
| cromo · chrome                | ○ F3171057    |
| ottone · brass                | ● F3171059    |
| nero · black                  | ● F3171030    |
| rosso burgundy · red burgundy | ● F3171035    |



p. 99



**IC T2**


Michael Anastassiades, 2014  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED 15W E27 2000lm [e] o · or  
 LED 18W E27 2000lm [e]

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 3,6 Kg DIMMER INCLUDED

- |                               |               |
|-------------------------------|---------------|
| Finiture Finishes             | Colori Colors |
| cromo · chrome                | ○ F3172057    |
| ottone · brass                | ● F3172059    |
| nero · black                  | ● F3172030    |
| rosso burgundy · red burgundy | ● F3172035    |



p. 99



**IN VITRO CEILING**

Philippe Starck, 2020  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 13W 1378lm ≠ FIXT 799lm 2700K  
 CRI80 220/240V [i] NO DIMMABLE

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,80 Kg DIMMER INCLUDED

- |                        |               |
|------------------------|---------------|
| Finiture Finishes      | Colori Colors |
| bianco · white         | ○ F018C25A001 |
| nero · black           | ● F018C25A030 |
| antracite · anthracite | ● F018C25A033 |
| deep brown             | ● F018C25A018 |
| forest green           | ● F018C25A012 |
| pale green             | ● F018C25A013 |
| terracotta             | ● F018C25A025 |



p. 344 - 416



**IN VITRO CEILING**

Philippe Starck, 2020  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 13W 1378lm ≠ FIXT 799lm 2700K  
 CRI80 220/240V [i] DIMMABLE 1-10V

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,80 Kg DIMMER INCLUDED


- |                        |               |
|------------------------|---------------|
| Finiture Finishes      | Colori Colors |
| bianco · white         | ○ F018C25B001 |
| nero · black           | ● F018C25B030 |
| antracite · anthracite | ● F018C25B033 |
| deep brown             | ● F018C25B018 |
| forest green           | ● F018C25B012 |
| pale green             | ● F018C25B013 |
| terracotta             | ● F018C25B025 |



p. 344 - 416

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**IN VITRO CEILING**

Philippe Starck, 2020  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 13W 1378lm ≠ FIXT 799lm 2700K  
 CRI80 220/240V [i] DIMMABLE DALI


Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,80 Kg DIMMER INCLUDED

- |                        |               |
|------------------------|---------------|
| Finiture Finishes      | Colori Colors |
| bianco · white         | ○ F018C25D001 |
| nero · black           | ● F018C25D030 |
| antracite · anthracite | ● F018C25D033 |
| deep brown             | ● F018C25D018 |
| forest green           | ● F018C25D012 |
| pale green             | ● F018C25D013 |
| terracotta             | ● F018C25D025 |



p. 344 - 416



**IN VITRO WALL**

Philippe Starck, 2020  
 Potenza · Power 11W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 11W 1150lm ≠ FIXT 667lm 2700K  
 CRI80 220/240V [i] NO DIMMABLE

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,20 Kg DIMMER INCLUDED

- |                        |               |
|------------------------|---------------|
| Finiture Finishes      | Colori Colors |
| bianco · white         | ○ F018B25A001 |
| nero · black           | ● F018B25A030 |
| antracite · anthracite | ● F018B25A033 |
| deep brown             | ● F018B25A018 |
| forest green           | ● F018B25A012 |
| pale green             | ● F018B25A013 |
| terracotta             | ● F018B25A025 |



p. 344 - 416



**IN VITRO WALL**

Philippe Starck, 2020  
 Potenza · Power 11W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 11W 1150lm ≠ FIXT 667lm 2700K  
 CRI80 220/240V [i] DIMMABLE 1-10V

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,20 Kg DIMMER INCLUDED

- |                        |               |
|------------------------|---------------|
| Finiture Finishes      | Colori Colors |
| bianco · white         | ○ F018B25B001 |
| nero · black           | ● F018B25B030 |
| antracite · anthracite | ● F018B25B033 |
| deep brown             | ● F018B25B018 |
| forest green           | ● F018B25B012 |
| pale green             | ● F018B25B013 |
| terracotta             | ● F018B25B025 |



p. 344 - 416



**IN VITRO WALL**

Philippe Starck, 2020  
 Potenza · Power 11W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 11W 1150lm ≠ FIXT 667lm 2700K  
 CRI80 220/240V [i] DIMMABLE DALI

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,20 Kg DIMMER INCLUDED

- |                        |               |
|------------------------|---------------|
| Finiture Finishes      | Colori Colors |
| bianco · white         | ○ F018B25D001 |
| nero · black           | ● F018B25D030 |
| antracite · anthracite | ● F018B25D033 |
| deep brown             | ● F018B25D018 |
| forest green           | ● F018B25D012 |
| pale green             | ● F018B25D013 |
| terracotta             | ● F018B25D025 |



p. 344 - 416

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**IN VITRO SUSPENSION**

Philippe Starck, 2020

Potenza · Power 13W

Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
LED 13W 1378lm ≠ FIXT 799lm 2700K  
CRI80 220/240V [i] NO DIMMABLE

Finiture Finishes

bianco · white  
nero · black  
antracite · anthracite  
deep brown  
forest green  
pale green  
terracotta

Colori Colors

○ F018D25A001  
● F018D25A030  
● F018D25A033  
● F018D25A018  
● F018D25A012  
● F018D25A013  
● F018D25A025

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,60 Kg DIMMER INCLUDED

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 231 - 416

**IN VITRO SUSPENSION**

Philippe Starck, 2020

Potenza · Power 13W

Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
LED 13W 1378lm ≠ FIXT 799lm 2700K  
CRI80 220/240V [i] DIMMABLE 1-10V

Finiture Finishes

bianco · white  
nero · black  
antracite · anthracite  
deep brown  
forest green  
pale green  
terracotta

Colori Colors

○ F018D25B001  
● F018D25B030  
● F018D25B033  
● F018D25B018  
● F018D25B012  
● F018D25B013  
● F018D25B025

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,60 Kg DIMMER INCLUDED

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 231 - 416

**IN VITRO SUSPENSION**

Philippe Starck, 2020

Potenza · Power 13W

Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
LED 13W 1378lm ≠ FIXT 799lm 2700K  
CRI80 220/240V [i] DIMMABLE DALI

Finiture Finishes

bianco · white  
nero · black  
antracite · anthracite  
deep brown  
forest green  
pale green  
terracotta

Colori Colors

○ F018D25D001  
● F018D25D030  
● F018D25D033  
● F018D25D018  
● F018D25D012  
● F018D25D013  
● F018D25D025

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,60 Kg DIMMER INCLUDED

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 231 - 416

**IN VITRO UNPLUGGED**

Philippe Starck, 2020

Potenza · Power 2W

Tensione · Voltage IN 5V



Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
LED EDGE LIGHTING 2W 200lm  
2700K CRI 90 [i] DIMMABLE  
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Finiture Finishes

bianco · white  
nero · black  
antracite · anthracite  
deep brown  
forest green  
pale green  
terracotta

Colori Colors

○ F018E21K001  
● F018E21K030  
● F018E21K033  
● F018E21K018  
● F018E21K012  
● F018E21K013  
● F018E21K025

Materiali · Materials  
alluminio, vetro, silicone · aluminum, glass, silicone

Peso · Weight 1,10 Kg DIMMER INCLUDED

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 56 - 416

**IN VITRO UNPLUGGED**

Philippe Starck, 2020

Potenza · Power 2W

Tensione · Voltage IN 5V



Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
LED EDGE LIGHTING 2W 200lm  
3000K CRI 90 [i] DIMMABLE  
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Finiture Finishes

bianco · white  
nero · black  
antracite · anthracite  
deep brown  
forest green  
pale green  
terracotta

Colori Colors

○ F018E31K001  
● F018E31K030  
● F018E31K033  
● F018E31K018  
● F018E31K012  
● F018E31K013  
● F018E31K025

Materiali · Materials  
alluminio, vetro, silicone · aluminum, glass, silicone

Peso · Weight 1,10 Kg DIMMER INCLUDED

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com


p. 56 - 416

**IPNOS OUTDOOR**

Nicoletta Rossi and Guido Bianchi, 2014

Potenza · Power 15W

Tensione · Voltage 100-240V/24



Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
196 TOP LED 15W 665lm 3500K CRI 85 [i]

Finiture Finishes

nero · black  
naturale · natural  
bronzo · bronze  
trasparente · transparent

Colori Colors

● F3150030  
● F3150054  
● F3150046  
○ F3125000 TOP PLATE OPTIONAL

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,8 Kg DIMMER INCLUDED

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com


p. 435

**INFRA-STRUCTURE EPISODE 2\_C2**

Vincent Van Duysen, 2020

Potenza · Power 25,5W

Tensione · Voltage 48V



Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
TOP LED 25,5W 2366lm 2700K CRI90

Finiture Finishes

nero opaco · matte black  
bianco opaco · matte white

Colori Colors

● 03.8461.14  
○ 03.8461.40

Materiali · Materials  
alluminio estruso policarbonato opale estruso · extruded aluminum, opal polycarbonate extruded

Peso · Weight 2,5 Kg REMOTE DRIVER INCLUDED

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com


p. 254

**INFRA-STRUCTURE EPISODE 2\_C3**

Vincent Van Duysen, 2020

Potenza · Power 50W

Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
TOP LED 40W 3195lm + 20W 1820  
2700K CRI90

Finiture Finishes

nero opaco · matte black  
bianco opaco · matte white

Colori Colors

● 03.8462.14  
○ 03.8462.40

Materiali · Materials  
alluminio estruso e tornito in lastra, policarbonato opale estruso · extruded and spin-formed aluminum, opal polycarbonate extruded


Peso · Weight 7 Kg REMOTE DRIVER INCLUDED

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 254

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**INFRA-STRUCTURE EPISODE 2\_C4**

Vincent Van Duysen, 2020  
 Potenza · Power 105,5W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 TOP LED 40W 3195lm + 40W 3195lm +  
 25,5W 2366 2700K CRI90


Materiali · Materials  
 alluminio estruso e tornito in lastra, policarbonato opale estruso ·  
 extruded and spin-formed aluminum, opal polycarbonate extruded

Peso · Weight 12,5 Kg REMOTE DRIVER INCLUDED

Finiture Finishes  
 nero opaco · matte black ● 03.8463.14  
 bianco opaco · matte white ○ 03.8463.40

Colori Colors

p. 254



**INFRA-STRUCTURE EPISODE 2\_C6**

Vincent Van Duysen, 2020  
 Potenza · Power 50W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 TOP LED 30W 1325lm + TOP LED 20W  
 1820lm 2700K CRI90


Materiali · Materials  
 alluminio estruso e tornito in lastra, policarbonato opale estruso ·  
 extruded and spin-formed aluminum, opal polycarbonate extruded

Peso · Weight 5 Kg REMOTE DRIVER INCLUDED

Finiture Finishes  
 nero opaco · matte black ● 03.8466.14  
 bianco opaco · matte white ○ 03.8466.40

Colori Colors

p. 254



**INFRA-STRUCTURE EPISODE 2\_C7**

Vincent Van Duysen, 2020  
 Potenza · Power 85,5W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 TOP LED 2x30W 1325lm + TOP LED  
 30W 2366lm 2700K CRI90

Materiali · Materials  
 alluminio estruso e tornito in lastra, policarbonato opale estruso ·  
 extruded and spin-formed aluminum, opal polycarbonate extruded

Peso · Weight 10,5 Kg REMOTE DRIVER INCLUDED

Finiture Finishes  
 nero opaco · matte black ● 03.8467.14  
 bianco opaco · matte white ○ 03.8467.40

Colori Colors

p. 254



**KAP SURFACE - ROUND**

Flos Architectural, 2011  
 Potenza · Power 9,2W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED ARRAY 9,2W 935lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,45 Kg DIMMER INCLUDED

Finiture Finishes

E / I\*  
 NON DIMMABLE  
 bianco/bianco · white/white ○ 03.6000.B1  
 nero/bianco · black/white ● 03.6000.14  
 deep brown/bianco · deep brown/white ● 03.6000.18

MAINS DIMMABLE  
 bianco/bianco · white/white ○ 03.5900.B1  
 nero/bianco · black/white ● 03.5900.14  
 deep brown/bianco · deep brown/white ● 03.5900.18

DALI/PUSH VERSION  
 bianco/bianco · white/white ○ 03.6000.B1.DA  
 nero/bianco · black/white ● 03.6000.14.DA  
 deep brown/bianco · deep brown/white ● 03.6000.18.DA

Colori Colors

p. 346

\* E =Exterior colour - I = Interior colour

CE LP 20



**KAP SURFACE - ROUND**

Flos Architectural, 2011  
 Potenza · Power 9,2W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED ARRAY 9,2W 935lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,45 Kg DIMMER INCLUDED

Finiture Finishes

E / I\*  
 NON DIMMABLE  
 bianco/oro opaco · white/matt gold ○ 03.6001.B1  
 nero/oro opaco · black/matt gold ● 03.6001.14  
 deep brown/oro opaco · deep brown/matt gold ● 03.6001.18

MAINS DIMMABLE  
 bianco/oro opaco · white/matt gold ○ 03.5901.B1  
 nero/oro opaco · black/matt gold ● 03.5901.14  
 deep brown/oro opaco · deep brown/matt gold ● 03.5901.18

DALI/PUSH VERSION  
 bianco/oro opaco · white/matt gold ○ 03.6001.B1.DA  
 nero/oro opaco · black/matt gold ● 03.6001.14.DA  
 deep brown/oro opaco · deep brown/matt gold ● 03.6001.18.DA

Colori Colors

p. 346

\* E =Exterior colour - I = Interior colour

CE LP 20



**KAP SURFACE - ROUND**

Flos Architectural, 2011  
 Potenza · Power 9,2W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED ARRAY 9,2W 935lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,45 Kg DIMMER INCLUDED

Finiture Finishes

E / I\*  
 NON DIMMABLE  
 bianco/rame · white/copper ○ 03.6002.B1  
 nero/rame · black/copper ● 03.6002.14  
 deep brown/rame · deep brown/copper ● 03.6002.18

MAINS DIMMABLE  
 bianco/rame · white/copper ○ 03.5902.B1  
 nero/rame · black/copper ● 03.5902.14  
 deep brown/rame · deep brown/copper ● 03.5902.18

DALI/PUSH VERSION  
 bianco/rame · white/copper ○ 03.6002.B1.DA  
 nero/rame · black/copper ● 03.6002.14.DA  
 deep brown/rame · deep brown/copper ● 03.6002.18.DA

Colori Colors

p. 346

\* E =Exterior colour - I = Interior colour

CE LP 20



**KAP SURFACE - ROUND**

Flos Architectural, 2011  
 Potenza · Power 9,2W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED ARRAY 9,2W 935lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,45 Kg DIMMER INCLUDED

Finiture Finishes

E / I\*  
 NON DIMMABLE  
 bianco/nero · white/black ○ 03.6003.B1  
 nero/nero · black/black ● 03.6003.14  
 deep brown/nero · deep brown/black ● 03.6003.18

MAINS DIMMABLE  
 bianco/nero · white/black ○ 03.5903.B1  
 nero/nero · black/black ● 03.5903.14  
 deep brown/nero · deep brown/black ● 03.5903.18


DALI/PUSH VERSION  
 bianco/nero · white/black ○ 03.6003.B1.DA  
 nero/nero · black/black ● 03.6003.14.DA  
 deep brown/nero · deep brown/black ● 03.6003.18.DA

Colori Colors

p. 346

\* E =Exterior colour - I = Interior colour

CE LP 20



**KAP SURFACE - SQUARE**

Flos Architectural, 2011  
 Potenza · Power 9,2W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED ARRAY 9,2W 935lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,45 Kg DIMMER INCLUDED

Finiture Finishes

E / I\*  
 NON DIMMABLE  
 bianco/bianco · white/white ○ 03.6010.B1  
 nero/bianco · black/white ● 03.6010.14  
 deep brown/bianco · deep brown/white ● 03.6010.18

MAINS DIMMABLE  
 bianco/bianco · white/white ○ 03.5910.B1  
 nero/bianco · black/white ● 03.5910.14  
 deep brown/bianco · deep brown/white ● 03.5910.18

DALI/PUSH VERSION  
 bianco/bianco · white/white ○ 03.6010.B1.DA  
 nero/bianco · black/white ● 03.6010.14.DA  
 deep brown/bianco · deep brown/white ● 03.6010.18.DA

Colori Colors


p. 346

\* E =Exterior colour - I = Interior colour

CE LP 20

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**KAP SURFACE - SQUARE**

Flos Architectural, 2011  
 Potenza · Power 9,2W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED ARRAY 9,2W 935lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,45 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
E / I*	NON DIMMABLE
bianco/oro opaco · white/matt gold	○ ● 03.6011.B1
nero/oro opaco · black/matt gold	● ● 03.6011.14
deep brown/oro opaco · deep brown/matt gold	● ● 03.6011.18
	MAINS DIMMABLE
bianco/oro opaco · white/matt gold	○ ● 03.5911.B1
nero/oro opaco · black/matt gold	● ● 03.5911.14
deep brown/oro opaco · deep brown/matt gold	● ● 03.5911.18
	DALI/PUSH VERSION
bianco/oro opaco · white/matt gold	○ ● 03.6011.B1.DA
nero/oro opaco · black/matt gold	● ● 03.6011.14.DA
deep brown/oro opaco · deep brown/matt gold	● ● 03.6011.18.DA

p. 346

CE LP 20 \* E = Exterior colour - I = Interior colour



**KAP SURFACE - SQUARE**

Flos Architectural, 2011  
 Potenza · Power 9,2W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED ARRAY 9,2W 935lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,45 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
E / I*	NON DIMMABLE
bianco/rame · white/copper	○ ● 03.6012.B1
nero/rame · black/copper	● ● 03.6012.14
deep brown/rame · deep brown/copper	● ● 03.6012.18
	MAINS DIMMABLE
bianco/rame · white/copper	○ ● 03.5912.B1
nero/rame · black/copper	● ● 03.5912.14
deep brown/rame · deep brown/copper	● ● 03.5912.18
	DALI/PUSH VERSION
bianco/rame · white/copper	○ ● 03.6012.B1.DA
nero/rame · black/copper	● ● 03.6012.14.DA
deep brown/rame · deep brown/copper	● ● 03.6012.18.DA

p. 346

CE LP 20 \* E = Exterior colour - I = Interior colour



**KAP SURFACE - SQUARE**

Flos Architectural, 2011  
 Potenza · Power 9,2W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED ARRAY 9,2W 935lm 2700K  
 CRI90 [i]


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,45 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
E / I*	NON DIMMABLE
bianco/nero · white/black	○ ● 03.6013.B1
nero/nero · black/black	● ● 03.6013.14
deep brown/nero · deep brown/black	● ● 03.6013.18
	MAINS DIMMABLE
bianco/nero · white/black	○ ● 03.5913.B1
nero/nero · black/black	● ● 03.5913.14
deep brown/nero · deep brown/black	● ● 03.5913.18
	DALI/PUSH VERSION
bianco/nero · white/black	○ ● 03.6013.B1.DA
nero/nero · black/black	● ● 03.6013.14.DA
deep brown/nero · deep brown/black	● ● 03.6013.18.DA

p. 346

CE LP 20 \* E = Exterior colour - I = Interior colour



**MINIKELVIN LED**

Antonio Citterio, 2011  
 Potenza · Power 4W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 36 TOP LED 4W 97lm 3000K total  
 CRI80 [i] DIMMING


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
cromo · chrome	F4180057

p. 126

CE LP 20



**KELVIN EDGE BASE**

Antonio Citterio, 2015  
 Potenza · Power 7W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 EDGE LIGHTING 7W 306lm  
 2700/3200K CRI 90 [i] DIMMABLE K  
 SELECTION


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 3 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
bianco · white	○ F3452009
nero · black	● F3452030
titanio · titanium	● F3452033
cromo · chrome	F3452057

CE LP 20

p. 128



**KELVIN EDGE MORSETTO · CLAMP**

Antonio Citterio, 2015  
 Potenza · Power 7W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 EDGE LIGHTING 7W 306lm  
 2700/3200K CRI 90 [i] DIMMABLE K  
 SELECTION


Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,7 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
bianco · white	○ F3460009
nero · black	● F3460030
titanio · titanium	● F3460033
cromo · chrome	F3460057

CE LP 20

p. 128



**KELVIN EDGE SUPP. SCRIVANIA · DESK SUPP.**

Antonio Citterio, 2015  
 Potenza · Power 7W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 EDGE LIGHTING 7W 306lm  
 2700/3200K CRI 90 [i] DIMMABLE K  
 SELECTION

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 0,6 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
bianco · white	○ F3458009 CV, VC
bianco · white	○ F3456009 CN, HC
nero · black	● F3458030 CV, VC
nero · black	● F3456030 CN, HC
titanio · titanium	● F3458033 CV, VC
titanio · titanium	● F3456033 CN, HC
cromo · chrome	F3458057 CV, VC
cromo · chrome	F3456057 CN, HC

CE LP 20

CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable

p. 128



**KELVIN EDGE ATTACCO A PARETE · WALL**

Antonio Citterio, 2015  
 Potenza · Power 7W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 EDGE LIGHTING 7W 306lm  
 2700/3200K CRI 90 [i] DIMMABLE K  
 SELECTION

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,6 Kg DIMMER INCLUDED


Finiture Finishes	Colori Colors
bianco · white	○ F3454009
nero · black	● F3454030
titanio · titanium	● F3454033
cromo · chrome	F3454057

CE LP 20

p. 128

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**KELVIN LED BASE**  
Antonio Citterio assistant Toan Nguyen, 2009  
Potenza · Power 8W  
Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
30 TOP LED 7,5W 568lm total 3000K CRI 95 [i] DIMMABLE GREEN MODE

Finiture Finishes  
bianco · white  
nero · black  
antracite · anthracite  
cromo · chrome


Colori Colors  
○ F3311009  
● F3311030  
● F3311033  
|| F3311057

Materiali · Materials  
alluminio · aluminum

Peso · Weight 4,8 Kg DIMMER INCLUDED

CE IP20

p. 127



**KELVIN LED MORSETTO · CLAMP**  
Antonio Citterio assistant Toan Nguyen, 2009  
Potenza · Power 8W  
Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
30 TOP LED 7,5W 568lm total 3000K CRI 95 [i] DIMMABLE GREEN MODE

Finiture Finishes  
bianco · white  
nero · black  
antracite · anthracite  
cromo · chrome


Colori Colors  
○ F3301009  
● F3301030  
● F3301033  
|| F3313057

Materiali · Materials  
alluminio · aluminum

Peso · Weight 1,6 Kg DIMMER INCLUDED

CE IP20

p. 127



**KELVIN LED SUPP. SCRIVANIA · DESK SUPP.**  
Antonio Citterio assistant Toan Nguyen, 2009  
Potenza · Power 8W  
Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
30 TOP LED 7,5W 568lm total 3000K CRI 95 [i] DIMMABLE GREEN MODE

Finiture Finishes  
bianco · white  
bianco · white  
nero · black  
nero · black  
antracite · anthracite  
antracite · anthracite  
cromo · chrome  
cromo · chrome

Colori Colors  
○ F3308009 CV · VC  
○ F3309009 CN · HC  
● F3308030 CV · VC  
● F3309030 CN · HC  
● F3308033 CV · VC  
● F3309033 CN · HC  
|| F3308057 CV · VC  
|| F3309057 CN · HC


Materiali · Materials  
alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED

CE IP20

CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable

p. 127



**KELVIN LED ATTACCO A PARETE · WALL**  
Antonio Citterio assistant Toan Nguyen, 2009  
Potenza · Power 8W  
Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
30 TOP LED 7,5W 568lm total 3000K CRI 95 [i] DIMMABLE GREEN MODE

Finiture Finishes  
bianco · white  
nero · black  
antracite · anthracite  
cromo · chrome

Colori Colors  
○ F3302009  
● F3302030  
● F3302033  
|| F3314057

Materiali · Materials  
alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED

CE IP20

p. 127



**KELVIN LED F**  
Antonio Citterio, 2011  
Potenza · Power 8W  
Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
30 TOP LED 8W 568lm total 2700K CRI 95 [i]

Finiture Finishes  
bianco · white  
nero · black  
antracite · anthracite


Colori Colors  
○ F3305009  
● F3305030  
● F3305033

Materiali · Materials  
alluminio · aluminum

Peso · Weight 3,8 Kg DIMMER INCLUDED

CE IP20

p. 205



**KTRIBE F1**  
Philippe Starck, 2007  
Potenza · Power MAX 100W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 8,5W E27 740lm [e] o · or LED 10W E27 965lm [e]

Finiture Finishes  
trasparente · transparent  
argento alluminizzato · aluminized silver  
bronzo alluminizzato · aluminized bronze  
tessuto · fabric  
fumè · fumée


Colori Colors  
○ F6265000  
● F6265004  
● F6265046  
● F6265007  
● F6265030

Materiali · Materials  
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric

Peso · Weight 4,3 Kg DIMMER INCLUDED

CE IP20

p. 200



**KTRIBE F2**  
Philippe Starck, 2007  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 21W E27 2452lm [e]

Finiture Finishes  
trasparente · transparent  
argento alluminizzato · aluminized silver  
bronzo alluminizzato · aluminized bronze  
tessuto · fabric  
fumè · fumée


Colori Colors  
○ F6305000  
● F6305004  
● F6305046  
● F6305007  
● F6305030

Materiali · Materials  
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric

Peso · Weight 6,7 Kg DIMMER INCLUDED

CE IP20

p. 200



**KTRIBE F3**  
Philippe Starck, 2007  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 21W E27 2452lm [e]

Finiture Finishes  
trasparente · transparent  
argento alluminizzato · aluminized silver  
bronzo alluminizzato · aluminized bronze  
tessuto · fabric  
fumè · fumée

Colori Colors  
○ F6301000  
● F6301004  
● F6301046  
● F6301007  
● F6301030

Materiali · Materials  
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric

Peso · Weight 14,0 Kg DIMMER INCLUDED


CE IP20

p. 200

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**KTRIBE F3 OUTDOOR/INDOOR**

Philippe Starck, 2007  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V


☹️ A+ → E Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 21W E27 2450lm [e]

Materiali · Materials  
 alluminio, policarbonato, PVC ·  
 aluminum, polycarbonate, PVC

Peso · Weight 23,0 Kg DIMMER INCLUDED

Finiture Finishes  
 panama green wall  
 Colori Colors  
 ● F6268022  
 ● F6268041

p. 438



**KTRIBE S1**

Philippe Starck, 2005  
 Potenza · Power MAX 75W  
 Tensione · Voltage 220-250V

☹️ A+ → E Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 3W G9 290lm [e] o · or  
 LED 2W G9 240lm [e]

Materiali · Materials  
 policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 1 Kg

Finiture Finishes  
 argento alluminizzato ·  
 aluminized silver  
 fumè · fumée  
 Colori Colors  
 ● F6256000  
 ● F6256030

p. 339



**KTRIBE S2**

Philippe Starck, 2005  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V

☹️ A+ → E Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 21W E27 2452lm [e]

Materiali · Materials  
 policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 2,5 Kg

Finiture Finishes  
 trasparente · transparent  
 argento alluminizzato ·  
 aluminized silver  
 bronzo alluminizzato ·  
 aluminized bronze  
 fumè · fumée  
 Colori Colors  
 ● F6257000A  
 ● F6257000  
 ● F6257046  
 ● F6257030

p. 339



**KTRIBE S3**

Philippe Starck, 2005  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-250V

☹️ A+ → E Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 21W E27 2452lm [e]

Materiali · Materials  
 policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 4,5 Kg

Finiture Finishes  
 trasparente · transparent  
 argento alluminizzato ·  
 aluminized silver  
 bronzo alluminizzato ·  
 aluminized bronze  
 fumè · fumée  
 Colori Colors  
 ● F6258000A  
 ● F6258000  
 ● F6258046  
 ● F6258030

p. 339



[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**KTRIBE T1**

Philippe Starck, 2007  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-240V

☹️ A+ → E Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials  
 alluminio, metacrilato, policarbonato · aluminum,  
 methacrylate, polycarbonate

Peso · Weight 3,1 Kg DIMMER INCLUDED

Finiture Finishes  
 trasparente · transparent  
 fumè · fumée  
 Colori Colors  
 ● F6263000  
 ● F6263030

p. 122



**KTRIBE T1 GLASS**

Philippe Starck, 2007  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-240V

☹️ A+ → E Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials  
 alluminio, vetro, policarbonato · aluminum, glass,  
 polycarbonate

Peso · Weight 4,6 Kg DIMMER INCLUDED

Finiture Finishes  
 trasparente · transparent  
 Colori Colors  
 ● F6281000

p. 122



**KTRIBE T2**

Philippe Starck, 2007  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V



☹️ A+ → E Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 alluminio, policarbonato, PMMA, tessuto ·  
 aluminum, polycarbonate, PMMA, fabric

Peso · Weight 5,9 Kg DIMMER INCLUDED

Finiture Finishes  
 trasparente · transparent  
 argento alluminizzato ·  
 aluminized silver  
 bronzo alluminizzato ·  
 aluminized bronze  
 tessuto · fabric  
 fumè · fumée  
 Colori Colors  
 ● F6303000  
 ● F6303004  
 ● F6303046  
 ● F6303007  
 ● F6303030

p. 122



**KTRIBE W**

Philippe Starck, 2007  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-250V

☹️ A+ → E Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials  
 alluminio, policarbonato, PMMA, tessuto ·  
 aluminum, polycarbonate, PMMA, fabric


Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes  
 trasparente · transparent  
 argento alluminizzato ·  
 aluminized silver  
 bronzo alluminizzato ·  
 aluminized bronze  
 tessuto · fabric  
 fumè · fumée  
 Colori Colors  
 ● F6307000  
 ● F6307004  
 ● F6307046  
 ● F6307007  
 ● F6307030

p. 400



[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**LAMPADINA**  
Achille Castiglioni, 1972  
Potenza · Power MAX 5W  
Tensione · Voltage 230V

Fonte luminosa (disponibile) · Light source (available)  
LED 2W E27 200lm [i]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 0,3 Kg SWITCH INCLUDED

Finiture Finishes  
nero · black  
arancio · orange  
bianco · white  
verde · green  
turchese · turquoise  
viola · violet

Colori Colors  
● F3300000  
○ F3299075  
○ F3299009  
● F3299039  
● F3299074  
● F3299042

p. 104



**LA PLUS BELLE**  
Philippe Starck, 2019  
Potenza · Power 57W  
Tensione · Voltage 120 - 277V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
560 TOP LED 58W 5300lm 2700K CRI 95

Materiali · Materials  
alluminio · aluminum

Peso · Weight 32,8 Kg DIMMER INCLUDED

Finiture Finishes  
bronzo lucido · polished bronze  
rame spazzolato · brushed cooper  
oro spazzolato · brushed gold  
brill · brill

Colori Colors  
● F3680046  
● F3680015  
● F3680044  
|| F3680064

p. 368



**LAST ORDER CLEAR**  
Michael Anastassiades, 2020  
Potenza · Power 2,5W  
Tensione · Voltage IN 5V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 2,5W 200lm 2700K CRI90  
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Materiali · Materials  
cristallo, ottone, policarbonato · chrystal, brass, polycarbonate

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes  
ottone lucido · polished brass (INDOOR)  
rame satinato · satin copper (INDOOR)  
verde opaco · matt green (OUTDOOR)  
acciaio lucido · polished inox (OUTDOOR)

Colori Colors  
● F3693059  
● F3693015  
● F3693039  
● F3693056

p. 62 - 424



**LAST ORDER FLUTED**  
Michael Anastassiades, 2020  
Potenza · Power 2,5W  
Tensione · Voltage IN 5V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 2,5W 200lm 2700K CRI90  
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT


Materiali · Materials  
cristallo, ottone, policarbonato · chrystal, brass, polycarbonate

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes  
ottone lucido · polished brass (INDOOR)  
rame satinato · satin copper (INDOOR)  
verde opaco · matt green (OUTDOOR)  
acciaio lucido · polished inox (OUTDOOR)

Colori Colors  
● F3694059  
● F3694015  
● F3694039  
● F3694056

p. 62 - 424



**LUMINATOR**  
Achille and Pier Giacomo Castiglioni, 1954  
Potenza · Power MAX 205W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 12W E27 1000lm [e] o · or  
LED 8W E27 660lm [e]


Materiali · Materials  
metallo · metal

Peso · Weight 4,1 Kg SWITCH INCLUDED

Finiture Finishes  
antracite · anthracite

Colori Colors  
● F3770033

p. 213



**MAYDAY**  
Konstantin Grcic, 2000  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 10W E27 965lm [e]

Materiali · Materials  
polipropilene · polypropylene


Peso · Weight 0,7 Kg SWITCH INCLUDED

Finiture Finishes  
nero · black  
arancio · orange

Colori Colors  
● F3780030  
● F3780002

p. 74

cadauna · unit price  
imballo per colore 2 pezzi ·  
packed 2 pieces



**MILE WALL 1 WASHER UP**  
Antonio Citterio, 2020  
Potenza · Power 4,5W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 4,5W 431lm ≠ FIXT 240lm 2700K CRI80 220/240V [i]

Materiali · Materials  
alluminio pressofuso, policarbonato · die cast aluminum, polycarbonate


Peso · Weight 0,5 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
primer

Colori Colors  
○ F015B21A001  
● F015B21A006  
● F015B21A033  
● F015B21A030  
● F015B21A018  
● F015B21A012  
● F015B21A000

p. 418

per gamma completa e accessori  
consultare flos.com · for full range  
and accessories consult flos.com



**MILE WALL 1 WASHER DOWN**  
Antonio Citterio, 2020  
Potenza · Power 4,5W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 4,5W 431lm ≠ FIXT 240lm 2700K CRI80 220/240V [i]

Materiali · Materials  
alluminio pressofuso, policarbonato · die cast aluminum, polycarbonate

Peso · Weight 0,5 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
primer


Colori Colors  
○ F015B22A001  
● F015B22A006  
● F015B22A033  
● F015B22A030  
● F015B22A018  
● F015B22A012  
● F015B22A000

p. 418

per gamma completa e accessori  
consultare flos.com · for full range  
and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**MILE WALL 1 WASHER UP & DOWN**

Antonio Citterio, 2020

Potenza · Power 7,5W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED 7,5W 2x431lm ≠ FIXT 2x240lm  
 2700K CRI80 220/240V [i]

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,5 Kg

Finiture  
Finishes


bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer

Colori  
Colors

○ F015B23A001  
 ● F015B23A006  
 ● F015B23A033  
 ● F015B23A030  
 ● F015B23A018  
 ● F015B23A012  
 ● F015B23A000

p. 418

per gamma completa e accessori  
 consultare flos.com · for full range  
 and accessories consult flos.com

**MILE WALL 2 WASHER UP**

Antonio Citterio, 2020

Potenza · Power 7,5W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED 7,5W 846lm ≠ FIXT 472lm 2700K  
 CRI80 220/240V [i] NO DIMMABLE

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

Finiture  
Finishes


bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer

Colori  
Colors

○ F015E21A001  
 ● F015E21A006  
 ● F015E21A033  
 ● F015E21A030  
 ● F015E21A018  
 ● F015E21A012  
 ● F015E21A000

p. 418

per gamma completa e accessori  
 consultare flos.com · for full range  
 and accessories consult flos.com

**MILE WALL 2 WASHER UP**

Antonio Citterio, 2020

Potenza · Power 7,5W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED 7,5W 846lm ≠ FIXT 472lm 2700K  
 CRI80 220/240V [i] DIMMABLE 1-10V

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

Finiture  
Finishes


bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer

Colori  
Colors

○ F015E21B001  
 ● F015E21B006  
 ● F015E21B033  
 ● F015E21B030  
 ● F015E21B018  
 ● F015E21B012  
 ● F015E21B000

p. 418

per gamma completa e accessori  
 consultare flos.com · for full range  
 and accessories consult flos.com

**MILE WALL 2 WASHER UP**

Antonio Citterio, 2020

Potenza · Power 7,5W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED 7,5W 846lm ≠ FIXT 472lm 2700K  
 CRI80 220/240V [i] DIMMABLE DALI

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

Finiture  
Finishes


bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer

Colori  
Colors

○ F015E21D001  
 ● F015E21D006  
 ● F015E21D033  
 ● F015E21D030  
 ● F015E21D018  
 ● F015E21D012  
 ● F015E21D000

p. 418

per gamma completa e accessori  
 consultare flos.com · for full range  
 and accessories consult flos.com

**MILE WALL 2 WASHER DOWN**

Antonio Citterio, 2020

Potenza · Power 7,5W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED 7,5W 846lm ≠ FIXT 472lm 2700K  
 CRI80 220/240V [i] NO DIMMABLE

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

Finiture  
Finishes


bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer

Colori  
Colors

○ F015E22A001  
 ● F015E22A006  
 ● F015E22A033  
 ● F015E22A030  
 ● F015E22A018  
 ● F015E22A012  
 ● F015E22A000

p. 418

per gamma completa e accessori  
 consultare flos.com · for full range  
 and accessories consult flos.com

**MILE WALL 2 WASHER DOWN**

Antonio Citterio, 2020

Potenza · Power 7,5W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED 7,5W 846lm ≠ FIXT 472lm 2700K  
 CRI80 220/240V [i] DIMMABLE 1-10V

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

Finiture  
Finishes


bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer

Colori  
Colors

○ F015E22B001  
 ● F015E22B006  
 ● F015E22B033  
 ● F015E22B030  
 ● F015E22B018  
 ● F015E22B012  
 ● F015E22B000

p. 418

per gamma completa e accessori  
 consultare flos.com · for full range  
 and accessories consult flos.com

**MILE WALL 2 WASHER DOWN**

Antonio Citterio, 2020

Potenza · Power 7,5W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED 7,5W 846lm ≠ FIXT 472lm 2700K  
 CRI80 220/240V [i] DIMMABLE DALI

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

Finiture  
Finishes


bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer

Colori  
Colors

○ F015E22D001  
 ● F015E22D006  
 ● F015E22D033  
 ● F015E22D030  
 ● F015E22D018  
 ● F015E22D012  
 ● F015E22D000

p. 418

per gamma completa e accessori  
 consultare flos.com · for full range  
 and accessories consult flos.com

**MILE WALL 1 WASHER UP & DOWN**

Antonio Citterio, 2020

Potenza · Power 13,5W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
 LED INCLUDED  
 NOT REPLACEABLE  
 LED 13,5W 2x846lm ≠ FIXT 2x472lm  
 2700K CRI80 220/240V [i]  
 NO DIMMABLE

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

Finiture  
Finishes

bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer


Colori  
Colors

○ F015E23A001  
 ● F015E23A006  
 ● F015E23A033  
 ● F015E23A030  
 ● F015E23A018  
 ● F015E23A012  
 ● F015E23A000

p. 418

per gamma completa e accessori  
 consultare flos.com · for full range  
 and accessories consult flos.com





**MILE WALL 1 WASHER UP & DOWN**

Antonio Citterio, 2020  
 Potenza · Power 13,5W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED 13,5W 2x846lm ≠ FIXT 2x472lm  
 2700K CRI80 220/240V [i]  
 DIMMABLE 1-10V


Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

- Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer
- Colori Colors  
 ○ F015E23B001  
 ● F015E23B006  
 ● F015E23B033  
 ● F015E23B030  
 ● F015E23B018  
 ● F015E23B012  
 ● F015E23B000



p. 418



**MILE WALL 1 WASHER UP & DOWN**

Antonio Citterio, 2020  
 Potenza · Power 13,5W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED 13,5W 2x846lm ≠ FIXT 2x472lm  
 2700K CRI80 220/240V [i]  
 DIMMABLE DALI

Materiali · Materials  
 alluminio pressofuso, policarbonato · die cast  
 aluminum, polycarbonate

Peso · Weight 0,8 Kg

- Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green  
 primer
- Colori Colors  
 ○ F015E23D001  
 ● F015E23D006  
 ● F015E23D033  
 ● F015E23D030  
 ● F015E23D018  
 ● F015E23D012  
 ● F015E23D000



p. 418

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**MISS K**

Philippe Starck, 2003  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED 10W E27 965lm [e] o · or  
 LED 10W E27 965lm [e]

Materiali · Materials  
 PMMA, policarbonato, tessuto · PMMA,  
 polycarbonate, fabric

Peso · Weight 1,2 Kg DIMMER INCLUDED

- Finiture Finishes  
 argento · silver  
 nero · black  
 tessuto · fabric
- Colori Colors  
 ● F6255000  
 ● F6255030  
 ● F6255007



p. 144



**MISS SISSI**

Philippe Starck, 1991  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED 2,7W E14 150lm [e]

Materiali · Materials  
 policarbonato · polycarbonate

Peso · Weight 1,5 Kg SWITCH INCLUDED


- Finiture Finishes  
 bianco · white
- Colori Colors  
 ○ F6250009



p. 139

cadauna · unit price  
 imballo per colore 2 pezzi ·  
 packed 2 pieces

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**MY WAY 110X100 OUTDOOR/INDOOR**

Piero Lissoni, 2017  
 Potenza · Power 5W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 MID-POWER LED 5W 421lm ≠ FIXT  
 188lm 2700K CRI80 100-240V [i]


Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,52 Kg

- Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green
- Colori Colors  
 ○ F4350001  
 ● F4350006  
 ● F4350033  
 ● F4350030  
 ● F4350018  
 ● F4350012



p. 430



**MY WAY 110X100 OUTDOOR/INDOOR**

Piero Lissoni, 2017  
 Potenza · Power 5W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 MID-POWER LED 5W 490lm ≠ FIXT  
 211lm 3000K CRI80 100-240V [i]


Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,52 Kg

- Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green
- Colori Colors  
 ○ F4351001  
 ● F4351006  
 ● F4351033  
 ● F4351030  
 ● F4351018  
 ● F4351012



p. 430



**MY WAY 110X100 OUTDOOR/INDOOR**

Piero Lissoni, 2017  
 Potenza · Power 5W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 MID-POWER LED 5W 514lm ≠ FIXT  
 221lm 4000K CRI80 100-240V [i]


Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,52 Kg

- Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green
- Colori Colors  
 ○ F4352001  
 ● F4352006  
 ● F4352033  
 ● F4352030  
 ● F4352018  
 ● F4352012



p. 430



**MY WAY 110X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 MID-POWER LED 13W 1357lm ≠ FIXT  
 657lm 2700K CRI80 220-240V [i]

Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,95 Kg

- Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green
- Colori Colors  
 ○ F4353001  
 ● F4353006  
 ● F4353033  
 ● F4353030  
 ● F4353018  
 ● F4353012




p. 430

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



58 mm

**MY WAY 110X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE MID-POWER LED 13W 1577lm ≠ FIXT  
763lm 3000K CRI80 220-240V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,95 Kg

Finiture  
Finishes


bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori  
Colors

○ F4354001  
● F4354006  
● F4354033  
● F4354030  
● F4354018  
● F4354012

p. 430

58 mm

**MY WAY 110X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE MID-POWER LED 13W 1656lm ≠ FIXT  
801lm 4000K CRI80 220-240V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,95 Kg

Finiture  
Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori  
Colors

○ F4355001  
● F4355006  
● F4355033  
● F4355030  
● F4355018  
● F4355012

p. 430

58 mm

**MY WAY 210X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE MID-POWER LED 13W 1357lm ≠ FIXT  
669lm 2700K CRI80 220-240V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,44 Kg

Finiture  
Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori  
Colors

○ F4356001  
● F4356006  
● F4356033  
● F4356030  
● F4356018  
● F4356012

p. 430

58 mm

**MY WAY 210X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE MID-POWER LED 13W 1577lm ≠ FIXT  
777lm 3000K CRI80 220-240V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,44 Kg

Finiture  
Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori  
Colors

○ F4357001  
● F4357006  
● F4357033  
● F4357030  
● F4357018  
● F4357012

p. 430

per gamma completa e accessori  
consultare flos.com · for full range  
and accessories consult flos.com

58 mm

**MY WAY 210X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE MID-POWER LED 13W 1656lm ≠ FIXT  
817lm 4000K CRI80 220-240V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,44 Kg

Finiture  
Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori  
Colors

○ F4358001  
● F4358006  
● F4358033  
● F4358030  
● F4358018  
● F4358012

p. 430

5000 mm  
1200 mm**NEBULA**

Joris Laarman, 2007

Potenza · Power 8 x MAX 70W + 4 x MAX 70W

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE A+ → E  
LED 10W E27 965lm [e] (up) + LED 10W  
E27 965lm [e] (up) o · or  
LED 8W E27 525lm [e] (down)

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 38 Kg


Finiture  
Finishes

bianco · white

Colori  
Colors

○ F4550009

p. 314

per gamma completa e accessori  
consultare flos.com · for full range  
and accessories consult flos.com4mt  
820mm  
330mm  
450mm  
Ø365**NOCTAMBULE SUSPENSION**

Konstantin Grcic, 2019

Potenza · Power 36W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE 2 STRIP LED 9W + 1 COB LED 18W  
973lm 2700K CRI 90

Materiali · Materials  
vetro soffiato · blown glass

Peso · Weight 10,7 Kg

DIMMER INCLUDED  
1-10/PUSH/DALIFiniture  
Finishes

nero · black

Colori  
Colors

● F0268000

p. 275

per gamma completa e accessori  
consultare flos.com · for full range  
and accessories consult flos.com

58 mm

**MY WAY 210X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE MID-POWER LED 13W 1577lm ≠ FIXT  
777lm 3000K CRI80 220-240V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,44 Kg


Finiture  
Finishes

bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori  
Colors

○ F4357001  
● F4357006  
● F4357033  
● F4357030  
● F4357018  
● F4357012

p. 430

per gamma completa e accessori  
consultare flos.com · for full range  
and accessories consult flos.com4mt  
1270mm  
330mm  
450mm  
Ø365**NOCTAMBULE SUSPENSION**

Konstantin Grcic, 2019

Potenza · Power 45W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE 3 STRIP LED x 9W + 1 COB LED 18W  
1259lm 2700K CRI 90

Materiali · Materials  
vetro soffiato · blown glass

Peso · Weight 14,7 Kg

DIMMER INCLUDED  
1-10/PUSH/DALIFiniture  
Finishes

nero · black

Colori  
Colors

● F0270000

p. 275

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 54W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 4 STRIP LED x 9W + 1 COB LED 18W  
 1545lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0271000

3 Low Cylinders & Cone

Peso · Weight 18,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 275

**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 63W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 5 STRIP LED x 9W + 1 COB LED 18W  
 1831lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0272000

4 Low Cylinders & Cone

Peso · Weight 22,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 275

**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 2 STRIP LED x 9W + 1 COB LED 18W  
 1007lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0263000

1 Low Cylinder & Bowl

Peso · Weight 11,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 275

**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 3 STRIP LED x 9W + 1 COB LED 18W  
 1293lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0273000

2 Low Cylinders & Bowl

Peso · Weight 15,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 275

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 54W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 4 STRIP LED x 9W + 1 COB LED 18W  
 1579lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0274000

3 Low Cylinders & Bowl

Peso · Weight 19,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 275

**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 63W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 5 STRIP LED x 9W + 1 COB LED 18W  
 1865lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0275000

4 Low Cylinders & Bowl

Peso · Weight 23,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 275

**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 4 STRIP LED x 9W 1166lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0276000

3 Low Cylinders

Peso · Weight 14,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 275

**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 5 STRIP LED x 9W 1452lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0277000


4 Low Cylinders

Peso · Weight 18,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE IP20

p. 275

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 54W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 6 STRIP LED x 9W 1738lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass


Finiture Finishes  
 nero · black

Colori Colors  
 ● F0278000

5 Low Cylinders  
 Peso · Weight 22,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE  

p. 275



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 63W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 7 STRIP LED x 9W 2024lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0279000

6 Low Cylinders  
 Peso · Weight 26,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE  

p. 275



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 4 STRIP LED x 9W 1202lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0264000

3 High Cylinders  
 Peso · Weight 16,2 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE  

p. 275



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE


Fonte luminosa (disponibile) ·  
*Light source (available)*  
 5 STRIP LED x 9W 1500lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black


Colori Colors  
 ● F0280000

4 High Cylinders  
 Peso · Weight 20,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE  

p. 275

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 54W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 6 STRIP LED x 9W 1798lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0281000

5 High Cylinders  
 Peso · Weight 25,2 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE  

p. 275



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 63W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 7 STRIP LED x 9W 6930lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0282000

6 High Cylinders  
 Peso · Weight 29,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

CE  

p. 275



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 18W  
 Tensione · Voltage 100-240/48V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 2 STRIP LED x 9W 485lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0288000

1 Low Cylinder Small Base  
 Peso · Weight 10 Kg DIMMER INCLUDED

CE  

p. 168



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 27W  
 Tensione · Voltage 100-240/48V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 3 STRIP LED x 9W 771lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture Finishes  
 nero · black

Colori Colors  
 ● F0289000

2 Low Cylinders Small Base  
 Peso · Weight 14 Kg DIMMER INCLUDED

CE  

p. 168

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE 4 STRIP LED x 9W 1057lm 2700K CRI 90

Finiture Finishes: nero · black  
 Colori Colors: ● F0290000

Materiali · Materials: vetro soffiato · blown glass

3 Low Cylinders Small Base  
 Peso · Weight 18 Kg DIMMER INCLUDED

CE IP20

p. 168



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE 5 STRIP LED x 9W 1343lm 2700K CRI 90

Finiture Finishes: nero · black  
 Colori Colors: ● F0291000

Materiali · Materials: vetro soffiato · blown glass

4 Low Cylinders Small Base  
 Peso · Weight 22 Kg DIMMER INCLUDED

CE IP20

p. 168



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 18W  
 Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE 2 STRIP LED x 9W 497lm 2700K CRI 90

Finiture Finishes: nero · black  
 Colori Colors: ● F0285000

Materiali · Materials: vetro soffiato · blown glass

1 High Cylinder Small Base  
 Peso · Weight 10,5 Kg DIMMER INCLUDED

CE IP20

p. 168



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 27W  
 Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE 3 STRIP LED x 9W 795lm 2700K CRI 90

Finiture Finishes: nero · black  
 Colori Colors: ● F0286000

Materiali · Materials: vetro soffiato · blown glass

2 High Cylinders Small Base  
 Peso · Weight 15 Kg DIMMER INCLUDED

CE IP20

p. 168



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE 4 STRIP LED x 9W 1093lm 2700K CRI 90

Finiture Finishes: nero · black  
 Colori Colors: ● F0287000

Materiali · Materials: vetro soffiato · blown glass

3 High Cylinders Small Base  
 Peso · Weight 19,5 Kg DIMMER INCLUDED

CE IP20

p. 168



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE 2 STRIP LED x 9W + 1 COB LED 18W 876lm 2700K CRI 90

Finiture Finishes: nero · black  
 Colori Colors: ● F0265000

Materiali · Materials: vetro soffiato · blown glass

1 High Cylinder & Cone Small Base  
 Peso · Weight 14,5 Kg DIMMER INCLUDED

CE IP20

p. 168



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE 3 STRIP LED x 9W + 1 COB LED 18W 1174lm 2700K CRI 90

Finiture Finishes: nero · black  
 Colori Colors: ● F0269000

Materiali · Materials: vetro soffiato · blown glass

2 High Cylinders & Cone Small Base  
 Peso · Weight 19 Kg DIMMER INCLUDED

CE IP20

p. 168



**NOCTAMBULE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE 5 STRIP LED x 9W 1378lm 2700K CRI 90

Finiture Finishes: nero · black  
 Colori Colors: ● F0292000

Materiali · Materials: vetro soffiato · blown glass

4 High Cylinders Big Base  
 Peso · Weight 28,5 Kg DIMMER INCLUDED

CE IP20

p. 168

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**NOCTAMBULE FLOOR**  
Konstantin Grcic, 2019  
Potenza · Power 54W  
Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) - *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
4 STRIP LED x 9W + 1 COB LED 18W  
1459lm 2700K CRI 90

Finiture Finishes: nero · black  
Colori Colors: ● F0267000

Materiali · Materials: vetro soffiato · blown glass

Peso · Weight 28 Kg DIMMER INCLUDED

CE  

p. 168



**NOCTAMBULE FLOOR**  
Konstantin Grcic, 2019  
Potenza · Power 54W  
Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) - *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
4 STRIP LED x 9W + 1 COB LED 18W  
1493lm 2700K CRI 90

Finiture Finishes: nero · black  
Colori Colors: ● F0266000

Materiali · Materials: vetro soffiato · blown glass

Peso · Weight 29 Kg DIMMER INCLUDED

CE  

p. 168



**OBLIQUE**  
Vincent van Duysen, 2020  
Potenza · Power 8W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) - *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
TOP LED x 8W 750lm 2700K · CRI 90  
USB CONNECT INTEGRATED

Finiture Finishes: antracite opaco · matt anthracite, marrone opaco · matt brown, grigio lucido · glossy grey, ruggine opaco · matt rust, salvia lucido · glossy sage, bianco opaco · matt white  
Colori Colors: ● 09.8300.DR, ● 09.8300.DW, ● 09.8300.AH, ● 09.8300.DX, ● 09.8300.DV, ○ 09.8300.DY

Materiali · Materials: alluminio estruso, metacrilato · die cast aluminum, methacrylate

Peso · Weight 0,75 Kg DIMMER INCLUDED

CE  

p. 68



**OBLIQUE QI**  
Vincent van Duysen, 2020  
Potenza · Power 8W  
Tensione · Voltage 48V

Fonte luminosa (disponibile) - *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
TOP LED x 8W 750lm 2700K · CRI 90  
USB CONNECT INTEGRATED

Finiture Finishes: antracite opaco · matt anthracite, marrone opaco · matt brown, grigio lucido · glossy grey, ruggine opaco · matt rust, salvia lucido · glossy sage, bianco opaco · matt white  
Colori Colors: ● 09.8310.DR, ● 09.8310.DW, ● 09.8310.AH, ● 09.8310.DX, ● 09.8310.DV, ○ 09.8310.DY

Materiali · Materials: alluminio estruso, metacrilato · die cast aluminum, methacrylate

Peso · Weight 0,75 Kg DIMMER INCLUDED

CE  

p. 68

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**OK**  
Konstantin Grcic, 2014  
Potenza · Power 18W  
Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) - *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
Edge Lighting Technology 18W  
1550lm 2700K CRI85 [i] DIMMABLE


Finiture Finishes: bianco · white, nero · black, giallo · yellow, cromo · chrome  
Colori Colors: ○ F4640009, ● F4640030, ● F4640019, [i] F4640057

Materiali · Materials: alluminio, acciaio, PA · aluminum, steel, PA

Peso · Weight 2,9 Kg DIMMER INCLUDED

CE  

p. 296





**ONTHEROCKS HL**  
Antonio Citterio assistant Toan Nguyen, 2003  
Potenza · Power MAX 200W  
Tensione · Voltage 220V-250V

Fonte luminosa (disponibile) - *Light source (available)*  
A+ → E  
MAX 160W R7s HDG 3100lm [e]

Finiture Finishes: trasparente · transparent  
Colori Colors: [i] F4651000

Materiali · Materials: vetro · glass

Peso · Weight 2,5 Kg

CE  

p. 389



**OVERLAP S1**  
Michael Anastassiades, 2018  
Potenza · Power MAX 105W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) - *Light source (available)*  
A+ → E  
LED 15W E27 2000lm [e]

Finiture Finishes: bianco · white  
Colori Colors: ○ F4633009

Materiali · Materials: cocoon, acciaio · cocoon, steel

Peso · Weight 5,6 Kg

CE  

p. 272



**OVERLAP S2**  
Michael Anastassiades, 2018  
Potenza · Power Max 105  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) - *Light source (available)*  
A+ → E  
LED 15W E27 2000lm [e]

Finiture Finishes: bianco · white  
Colori Colors: ○ F4634009


Materiali · Materials: cocoon, acciaio · cocoon, steel

Peso · Weight 8,8 Kg

CE  

p. 272

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**PARENTESI**  
Achille Castiglioni and Pio Manzù, 1971  
Potenza · Power MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 8W E27 660lm [e] o · or LED 12W E27 1000lm [e]


Materiali · Materials  
acciaio, elastomero · steel, elastomer

Peso · Weight 3,6 Kg SWITCH INCLUDED

Finiture Finishes: bianco · white, nero · black, rosso · red, nichel · nickel  
Colori Colors: F5400009, F5400030, F5400035, F5400058

CE, IP20, RoHS

p. 328



**PARENTESI COMPL. ELEMENT**  
Achille Castiglioni and Pio Manzù, 1971  
Potenza · Power MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 8W E27 660lm [e] o · or LED 12W E27 1000lm [e]

Materiali · Materials  
elastomero · elastomer

Peso · Weight 0,5 Kg SWITCH INCLUDED

Finiture Finishes: bianco · white, nero · black, rosso · red, nichel · nickel  
Colori Colors: F5500009, F5500030, F5500035, F5500058

CE, IP20, RoHS

p. 328



**PARENTESI D**  
Achille Castiglioni and Pio Manzù, 1971  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 8W E27 660lm [e] o · or LED 12W E27 1000lm [e]

Materiali · Materials  
acciaio, elastomero · steel, elastomer

Peso · Weight 3,6 Kg DIMMER INCLUDED

Finiture Finishes: bianco · white, nero · black, rosso · red, nichel · nickel  
Colori Colors: F5600009, F5600030, F5600035, F5600058

CE, IP20, RoHS

p. 328



**PARENTESI D COMPL. ELEMENT**  
Achille Castiglioni and Pio Manzù, 1971  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 8W E27 660lm [e] o · or LED 12W E27 1000lm [e]

Materiali · Materials  
elastomero · elastomer


Peso · Weight 0,5 Kg

Finiture Finishes: bianco · white, nero · black, rosso · red, nichel · nickel  
Colori Colors: F5700009, F5700030, F5700035, F5700058

CE, IP20, RoHS

p. 328

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**POCHETTE LED**  
Rodolfo Dordoni, 2003  
Potenza · Power 20W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE 144 LED 20W 2700K 1707lm CRI90 [i]


Materiali · Materials  
zama · zamak

Peso · Weight 1,6 Kg DIMMER INCLUDED 1-10/TRIAC

Finiture Finishes: grigio · grey, bianco · white, cromo · chrome  
Colori Colors: F9704020, F9704009, F9704057

CE, IP20, RoHS

p. 398



**POCHETTE UP/DOWN LED**  
Rodolfo Dordoni, 2003  
Potenza · Power MAX 21,5W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE 144 LED 20W 2700K 1707lm CRI90 [i] + 36 LED 1,5W 2700K 37lm CRI90 [i]

Materiali · Materials  
zama · zamak

Peso · Weight 1,7 Kg DIMMER INCLUDED 1-10/TRIAC

Finiture Finishes: grigio · grey, bianco · white, cromo · chrome  
Colori Colors: F9705020, F9705009, F9705057

CE, IP20, RoHS

p. 398



**RAY F1**  
Rodolfo Dordoni, 2007  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 10W E27 965lm [e]

Materiali · Materials  
acciaio, alluminio, vetro · steel, aluminum, glass

Peso · Weight 5,0 Kg (alum.) - 8,0 Kg (glass) DIMMER INCLUDED

Finiture Finishes: nero · black, bianco · white, vetro · glass  
Colori Colors: F5916030, F5916009, F5915020

CE, IP20, RoHS

p. 190



**RAY F2**  
Rodolfo Dordoni, 2007  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 21W E27 2452lm [e]

Materiali · Materials  
acciaio, alluminio, vetro · steel, aluminum, glass

Peso · Weight 6,2 Kg (alum.) - 9,2 Kg (glass) DIMMER INCLUDED

Finiture Finishes: nero · black, bianco · white, vetro · glass  
Colori Colors: F5921030, F5921009, F5920020

CE, IP20, RoHS

p. 190

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**RAY S**  
Rodolfo Dordoni, 2007  
Potenza · Power MAX 250W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 21W E27 2452lm [e]

Materiali · Materials  
acciaio, alluminio, vetro · steel, aluminum, glass

Peso · Weight  
3,8 Kg (alluminio · aluminum) - 6,8 Kg (vetro · glass)

Finiture Finishes  
nero · black  
bianco · white  
vetro · glass

Colori Colors  
● F5931030  
○ F5931009  
■ F5930020

CE I P 20

p. 302



**RAY T**  
Rodolfo Dordoni, 2007  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 10W E27 965lm [e]

Materiali · Materials  
acciaio, alluminio, vetro · steel, aluminum, glass

Peso · Weight DIMMER INCLUDED  
4,2 Kg (alum.) - 6,5 Kg (glass)

Finiture Finishes  
nero · black  
bianco · white  
vetro · glass

Colori Colors  
● F5911030  
○ F5911009  
■ F5910020

CE I P 20

p. 120



**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

Finiture Finishes  
rame lucido · polished copper  
bronzo spazzolato · brushed bronze  
oro spazzolato · brushed gold  
acciaio spazzolato · brushed steel

Colori Colors  
● F5960015  
● F5960046  
● F5960044  
● F5960056

Installation in concrete with recessed box

CE I P 65

p. 432

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

Finiture Finishes  
rame lucido · polished copper  
bronzo spazzolato · brushed bronze  
oro spazzolato · brushed gold  
acciaio spazzolato · brushed steel

Colori Colors  
● F5980015  
● F5980046  
● F5980044  
● F5980056


Installation in plasterboard wall (min 5mm - max 20 mm)

CE I P 65

p. 432

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

Finiture Finishes  
rame lucido · polished copper  
bronzo spazzolato · brushed bronze  
oro spazzolato · brushed gold  
acciaio spazzolato · brushed steel

Colori Colors  
● F5970015  
● F5970046  
● F5970044  
● F5970056

Installation in concrete without recessed box

CE I P 65

p. 432

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

Finiture Finishes  
rame lucido · polished copper  
bronzo spazzolato · brushed bronze  
oro spazzolato · brushed gold  
acciaio spazzolato · brushed steel


Colori Colors  
● F5961015  
● F5961046  
● F5961044  
● F5961056

Installation in concrete with recessed box

CE I P 65

p. 432

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

Finiture Finishes  
rame lucido · polished copper  
bronzo spazzolato · brushed bronze  
oro spazzolato · brushed gold  
acciaio spazzolato · brushed steel

Colori Colors  
● F5981015  
● F5981046  
● F5981044  
● F5981056

Installation in plasterboard wall (min 5mm - max 20 mm)

CE I P 65

p. 432

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [i]

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

Finiture Finishes  
rame lucido · polished copper  
bronzo spazzolato · brushed bronze  
oro spazzolato · brushed gold  
acciaio spazzolato · brushed steel

Colori Colors  
● F5971015  
● F5971046  
● F5971044  
● F5971056

Installation in concrete without recessed box

CE I P 65

p. 432

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**ROMEO BABE S**  
Philippe Starck, 1997  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 33W HSGS G9 460lm [e]

Materiali · Materials  
vetro · glass

Peso · Weight 0,4 Kg

Finiture Finishes vetro · glass  
Colori Colors F6124000

CE IP20

p. 308



**ROMEO BABE W**  
Philippe Starck, 1996  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 33W HSGS G9 460lm [e]

Materiali · Materials  
vetro, acciaio inox · glass, stainless steel

Peso · Weight 0,5 Kg

Finiture Finishes vetro · glass  
Colori Colors F6260000A

CE IP20

p. 401



**ROMEO BABE SOFT S**  
Philippe Starck, 1997  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 33W HSGS G9 460lm [e]

Materiali · Materials  
tessuto, vetro · fabric, glass

Peso · Weight 0,4 Kg

Finiture Finishes tessuto · fabric  
Colori Colors F6124007

CE IP20

p. 308



**ROMEO BABE SOFT W**  
Philippe Starck, 1997  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 33W HSGS G9 460lm [e]

Materiali · Materials  
tessuto, vetro · fabric, glass

Peso · Weight 0,4 Kg

Finiture Finishes tessuto · fabric  
Colori Colors F6260007A

CE IP20

p. 401

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**ROMEO MOON F**  
Philippe Starck, 1996  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 10W E27 965lm [e]


Materiali · Materials  
vetro, acciaio, alluminio · glass, steel, aluminum

Peso · Weight 23,8 Kg DIMMER INCLUDED

Finiture Finishes vetro · glass  
Colori Colors F6109000

CE IP20

p. 208



**ROMEO MOON S1**  
Philippe Starck, 1996  
Potenza · Power MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 10W E27 965lm [e]

Materiali · Materials  
vetro · glass

Peso · Weight 4,5 Kg

Finiture Finishes vetro · glass  
Colori Colors F6105000

CE IP20

p. 309



**ROMEO MOON S2**  
Philippe Starck, 1996  
Potenza · Power MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 10W E27 965lm [e]

Materiali · Materials  
vetro · glass

Peso · Weight 7,6 Kg

Finiture Finishes vetro · glass  
Colori Colors F0003000

CE IP20

p. 309



**ROMEO MOON T1**  
Philippe Starck, 1998  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 10W E27 965lm [e]

Materiali · Materials  
vetro, acciaio, alluminio · glass, steel, aluminum

Peso · Weight 7,7 Kg DIMMER INCLUDED


Finiture Finishes vetro · glass  
Colori Colors F6107000

CE IP20

p. 123

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**ROMEO OUTDOOR/INDOOR C3 710MM**

Philippe Starck, 2007  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V

Finiture Finishes  
 panama · panama ● F6468022  
 green wall · green wall ● F6468041

☹ A+ → E Fonte luminosa (disponibile) · Light source (available)  
 LED 21W E27 2450lm [e]

Materiali · Materials  
 alluminio, policarbonato, PVC · aluminum, polycarbonate, PVC

Peso · Weight 7,3 Kg



p. 441



**ROMEO OUTDOOR/INDOOR C3 910MM**

Philippe Starck, 2007  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V

Finiture Finishes  
 panama · panama ● F6469022  
 green wall · green wall ● F6469041


☹ A+ → E Fonte luminosa (disponibile) · Light source (available)  
 LED 21W E27 2450lm [e]

Materiali · Materials  
 alluminio, policarbonato, PVC · aluminum, polycarbonate, PVC

Peso · Weight 7,5 Kg



p. 441



**ROMEO SOFT F**

Philippe Starck, 1998  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V

Finiture Finishes  
 tessuto · fabric ● F6109007

☹ A+ → E Fonte luminosa (disponibile) · Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials  
 tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum

Peso · Weight 16,8 Kg DIMMER INCLUDED



p. 208



**ROMEO SOFT T1**

Philippe Starck, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V

Finiture Finishes  
 tessuto · fabric ● F6107007


☹ A+ → E Fonte luminosa (disponibile) · Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials  
 tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum

Peso · Weight 5,3 Kg DIMMER INCLUDED



p. 123



**ROSY ANGELIS**

Philippe Starck, 1994  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V

Finiture Finishes  
 grigio · grey ● F6160020

☹ A+ → E Fonte luminosa (disponibile) · Light source (available)  
 1 LED 10W E27 965lm DIMMABLE

Materiali · Materials  
 tessuto, alluminio · fabric, aluminum

Peso · Weight 1,6 Kg DIMMER INCLUDED



p. 207



**SAWARU**

Nendo, 2018  
 Potenza · Power 45W

Finiture Finishes  
 bianco · white ○ F6640009  
 nero · black ● F6640030  
 oro · gold ● F6640044

☹ LED INCLUDED NOT REPLACEABLE  
 Fonte luminosa (disponibile) · Light source (available)  
 LED Array 45W -2 channels: warm 835-1236lm; cold 1239-1783m; 1800-4000K CRI 90 [i] DIMMABLE

Materiali · Materials  
 alluminio estruso · extruded aluminum

Peso · Weight 4 Kg DIMMER INCLUDED



p. 165



**SERENA**

Patricia Urquiola, 2015  
 Potenza · Power 13W  
 Tensione · Voltage 100-240V/24V

Finiture Finishes  
 rame · copper ● F6582015  
 alluminio · aluminum || F6582054  
 nero · black ● F6582030


☹ LED INCLUDED NOT REPLACEABLE  
 Fonte luminosa (disponibile) · Light source (available)  
 1 LED 13W 643lm 2700K CRI 90 [i] DIMMABLE

Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,25 Kg DIMMER INCLUDED



p. 84



**SKYGARDEN SMALL**

Marcel Wanders, 2021  
 Potenza · Power MAX 10W  
 Tensione · Voltage 220-250V

Finiture Finishes  
 oro · gold ● F6405044  
 ruggine · rusty brown ● F6405047  
 bianco · white ○ F6405009  
 nero · black ● F6405030  
 nero opaco · matt black ● F6405031

☹ A+ → E Fonte luminosa (disponibile) · Light source (available)  
 LED retrofit 8W E14 T28 800lm [i]

Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 5 Kg




p. 227

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**SKYGARDEN 1**  
 Marcel Wanders, 2007  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V



300 mm  
2700 mm  
ø 600 mm

Finiture Finishes  
 oro · gold  
 ruggine · rusty brown  
 bianco · white  
 nero · black  
 nero opaco · matt black

Colori Colors  
 F0001044  
 F0001047  
 F0001009  
 F0001030  
 F0001031

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 1515lm [e] o · or  
 LED 20W E27 2300lm [e]

A+ → E

Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 13 Kg

CE I P 20

p. 304

**SKYGARDEN 2**  
 Marcel Wanders, 2007  
 Potenza · Power MAX 230W  
 Tensione · Voltage 220-250V



450 mm  
2700 mm  
ø 900 mm

Finiture Finishes  
 oro · gold  
 ruggine · rusty brown  
 bianco · white  
 nero · black  
 nero opaco · matt black

Colori Colors  
 F0002044  
 F0002047  
 F0002009  
 F0002030  
 F0002031

Fonte luminosa (disponibile) · Light source (available)  
 LED 15W E27 1515lm [e] o · or  
 LED 20W E27 2300lm [e]

A+ → E

Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 29 Kg

CE I P 20

p. 304

**SKYGARDEN RECESSED**  
 Marcel Wanders, 2009  
 Potenza · Power MAX 60W  
 Tensione · Voltage 230-240V



250 mm  
ø 300 mm  
410 mm (square)  
ø 300 mm

Finiture Finishes  
 bianco · white

Colori Colors  
 F6430009

Fonte luminosa (disponibile) · Light source (available)  
 60W GY 6.35 12V HSGS 1650lm  
 Trasformatore incluso · Included Transformer

A+ → E


Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 4,0 Kg

CE I P 20

p. 397

**SKYGARDEN RECESSED**  
 Marcel Wanders, 2009  
 Potenza · Power MAX 40W  
 Tensione · Voltage 220-250V



250 mm  
ø 300 mm  
410 mm (square)  
ø 300 mm

Finiture Finishes  
 bianco · white

Colori Colors  
 F6433009

Fonte luminosa (disponibile) · Light source (available)  
 LED 3W G9 290lm [e] o · or  
 LED 2W G9 240lm [e]

A+ → E

Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel


Peso · Weight 4,0 Kg

CE I P 20

p. 397

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**SMITHFIELD C**  
 Jasper Morrison, 2009  
 Potenza · Power 4xMAX 70W  
 Tensione · Voltage 220-250V



215 mm  
ø 600 mm

Finiture Finishes  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud  
 verde · green  
 rosso · red

Colori Colors  
 F1370030  
 F1370031  
 F1370009  
 F1370021  
 F1370039  
 F1370035

Fonte luminosa (disponibile) · Light source (available)  
 LED retrofit 10W E27 965lm o-or  
 LED retrofit 15W E27 2000lm o-or  
 LED retrofit 18W E27 2000lm [e]

A+ → E

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 4,5 Kg

CE I P 20

p. 378

**SMITHFIELD C PRO**  
 Jasper Morrison, 2009  
 Potenza · Power 45W  
 Tensione · Voltage 220-240V



215 mm  
ø 600 mm

Finiture Finishes  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud  
 verde · green  
 rosso · red  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud  
 verde · green  
 rosso · red

Colori Colors  
 F1366030  
 F1366031  
 F1366009  
 F1366021  
 F1366039  
 F1366035  
 F1368030 DALI  
 F1368031 DALI  
 F1368009 DALI  
 F1368021 DALI  
 F1368039 DALI  
 F1368035 DALI

Fonte luminosa (disponibile) · Light source (available)  
 LED module 45W 2700K 2623lm  
 CRI95 [I]

LED INCLUDED NOT REPLACEABLE

A+ → E

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate


Peso · Weight 5,8 Kg

DIMMER INCLUDED PUSH OR DALI

CE I P 20 PENDING

p. 378

**SMITHFIELD S**  
 Jasper Morrison, 2009  
 Potenza · Power 4xMAX 70W  
 Tensione · Voltage 220-250V



215 mm  
2700 mm  
ø 600 mm

Finiture Finishes  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud  
 verde · green  
 rosso · red

Colori Colors  
 F1371030  
 F1371031  
 F1371009  
 F1371021  
 F1371039  
 F1371035

Fonte luminosa (disponibile) · Light source (available)  
 LED retrofit 10W E27 965lm o-or  
 LED retrofit 15W E27 2000lm o-or  
 LED retrofit 18W E27 2000lm [e]

A+ → E

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 4,5 Kg

CE I P 20

p. 331

**SMITHFIELD S PRO**  
 Jasper Morrison, 2009  
 Potenza · Power 45W  
 Tensione · Voltage 220-240V



215 mm  
2700 mm  
ø 600 mm

Finiture Finishes  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud  
 verde · green  
 rosso · red  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud  
 verde · green  
 rosso · red

Colori Colors  
 F1367030  
 F1367031  
 F1367009  
 F1367021  
 F1367039  
 F1367035  
 F1369030 DALI  
 F1369031 DALI  
 F1369009 DALI  
 F1369021 DALI  
 F1369039 DALI  
 F1369035 DALI

Fonte luminosa (disponibile) · Light source (available)  
 LED module 45W 2700K 2623lm  
 CRI95 [I]

LED INCLUDED NOT REPLACEABLE

A+ → E

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5,8 Kg

DIMMER INCLUDED PUSH OR DALI

CE I P 20 PENDING

p. 331

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**SNOOPY**  
Achille and Pier Giacomo Castiglioni, 1967  
Potenza · Power MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 10W E27 965lm [e]

Materiali · Materials  
marmo, metallo · marble, metal

Peso · Weight 7,9 Kg DIMMER INCLUDED

CE IP20

Finiture Finishes  
nero · black  
verde · green  
arancio · orange

Colori Colors  
● F6380030  
● F6380039  
● F6380075

p. 118



**SPLÜGEN BRÄU**  
Achille and Pier Giacomo Castiglioni, 1961  
Potenza · Power MAX 70W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
LED 10W E27 965lm [e]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 1,5 Kg

CE IP20

Finiture Finishes  
alluminio · aluminum

Colori Colors  
|| F6500000

p. 298



**SPUN LIGHT F**  
Sebastian Wrong, 2003  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 21W E27 2452lm [e]

Materiali · Materials  
metallo, alluminio · metal, aluminum

Peso · Weight 9,3 Kg DIMMER INCLUDED

CE IP20

Finiture Finishes  
bianco · white  
nero · black  
mud

Colori Colors  
○ F6612009  
● F6612030  
● F6612021

p. 204



**SPUN LIGHT T1**  
Sebastian Wrong, 2003  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 21W E27 2452lm [e]

Materiali · Materials  
metallo, alluminio · metal, aluminum

Peso · Weight 4,3 Kg DIMMER INCLUDED

CE IP20

Finiture Finishes  
bianco · white  
nero · black  
mud

Colori Colors  
○ F6610009  
● F6610030  
● F6610021

p. 140

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**SPUN LIGHT T2**  
Sebastian Wrong, 2003  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED 21W E27 2452lm [e]

Materiali · Materials  
metallo, alluminio · metal, aluminum

Peso · Weight 5,6 Kg DIMMER INCLUDED

CE IP20

Finiture Finishes  
bianco · white  
nero · black  
mud

Colori Colors  
○ F6611009  
● F6611030  
● F6611021

p. 140



**STRING LIGHT TESTA A CONO · CONE HEAD**  
Michael Anastassiades, 2014  
Potenza · Power 21W  
Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 LED ARRAY 21W 2700K 1033lm  
CRI93 [I] DIMMABLE - BLUETOOTH CONTROL

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED

CE IP20

Finiture Finishes  
nero · black  
nero · black

Colori Colors  
● F6481030 CAVO 12 mt.  
● F6491030 CAVO 22 mt.

p. 283



**STRING LIGHT TESTA A SFERA · SPHERE HEAD**  
Michael Anastassiades, 2014  
Potenza · Power 21W  
Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 LED ARRAY 21W 2700K 1345lm  
CRI93 [I] DIMMABLE - BLUETOOTH CONTROL

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.) DIMMER INCLUDED

CE IP20

Finiture Finishes  
nero · black  
nero · black

Colori Colors  
● F6480030 CAVO 12 mt.  
● F6490030 CAVO 22 mt.

p. 283



**STRING LIGHT ACCESSORI · ACCESSORIES**  
Tensione · Voltage 100-240V/48V

Descrizione · Description  
Rosone da parete o soffitto per l'installazione di massimo 2 teste con tre possibili vie di uscita · Wallrose. Feed up 2 heads maximum; 3 wayout for cables. Wall or ceiling installation

Materiali · Materials  
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.) DIMMER INCLUDED

CE IP20

Finiture Finishes  
nero · black

Colori Colors  
F6482030

p. 283

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**STRING LIGHT**  
**ACCESSORI · ACCESSORIES**

Tensione · Voltage 100-240V/48V

Descrizione · Description  
"Floor Switch" per l'installazione di massimo due teste con due possibili vie di uscita per il cavo. Alloggio interno per arrotolare 10 metri di cavo · Floor Switch. Feed up two heads maximum; Two wayout for cables. Space to wrap 10 meters cable

Finiture Finishes	Colori Colors
nero · black	F6484030

p. 283

CE IP20




**STRING LIGHT**  
**ACCESSORI · ACCESSORIES**

Descrizione · Description  
Cavo di connessione supplementare per comporre configurazioni personalizzate · Extra connection cable to compose personal configurations

Finiture Finishes	Colori Colors
nero · black	F6485030

p. 283



**STYLOS**  
Achille Castiglioni, 1984

Potenza · Power 1 x MAX 120W + 1 x MAX 100W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E MAX 120W E27 PAR 38 872lm [i] + LED 21W E27 2452lm [i]  
Doppia accensione · Double switch

Materiali · Materials  
polimetilmetacrilato, acciaio · polymethylmethacrylate, steel

Peso · Weight 9,6 Kg

Finiture Finishes	Colori Colors
argento · silver	F6310004

p. 186

CE IP20



**SUPERARCHIMOON**  
Philippe Starck, 2000

Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 21W E27 2452lm [e]

Materiali · Materials  
tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum

Peso · Weight 91 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
tessuto · fabric	F6366020

p. 210

CE IP20



**SUPERARCHIMOON OUTDOOR/INDOOR**  
Philippe Starck, 2007

Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 21W E27 2450lm [e]


Materiali · Materials  
alluminio, policarbonato, PVC · aluminum, polycarbonate, PVC

Peso · Weight 161,70 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
panama green wall	F6367022 F6367041

p. 442

CE IP65



**SUPER LINE UP&DOWN INDIRECT**  
Flos Architectural, 2018

Potenza · Power 58W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
TOP LED 58W 4488lm UP - 2160lm  
DOWN 3000K CRI90 220/240V [i]

Materiali · Materials  
alluminio estruso, PMMA · extruded aluminum, PMMA

Peso · Weight 1,45 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
bianco · white nero · black grigio · grey	03.9502.40 03.9502.14 03.9502.02

p. 234

CE IP20



**SUPER LINE UP&DOWN DIRECT**  
Flos Architectural, 2018

Potenza · Power 58W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
TOP LED 58W 2268lm UP- 4488lm  
DOWN 3000K CRI90 220/240V [i]

Materiali · Materials  
alluminio estruso, PMMA · extruded aluminum, PMMA

Peso · Weight 1,45 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
bianco · white nero · black grigio · grey	03.9500.40 03.9500.14 03.9500.02

p. 234

CE IP20



**SUPER LINE DOWN**  
Flos Architectural, 2018

Potenza · Power 38,5W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
TOP LED 38,5W 4488lm 3000K  
CRI90 220/240V [i]

Materiali · Materials  
alluminio estruso, PMMA · extruded aluminum, PMMA

Peso · Weight 1,45 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors
bianco · white nero · black grigio · grey	03.9510.40 03.9510.14 03.9510.02


p. 234

CE IP20

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**SUPERLOON**

Jasper Morrison, 2015  
 Potenza · Power 45W  
 Tensione · Voltage 100-240V/48V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 EDGE LIGHTING 45W 2716lm  
 2200/2800K CRI80 [i] DIM TO WARM

Materiali · Materials  
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 11 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 cromo · chrome

Colori  
 Colors  
 ○ F6630009  
 ● F6630030  
 ▮ F6630057

p. 175



**TAB F**

E. Barber & J. Osgerby, 2011  
 Potenza · Power 9W  
 Tensione · Voltage 100-240V/24V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 14 LED 9W 347lm 2700K CRI90 [i]

Materiali · Materials  
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 2 Kg SWITCH INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 dark green  
 blue matt

Colori  
 Colors  
 ○ F6564009  
 ● F6564030  
 ● F6564031  
 ● F6564014

p. 192



**TAB T**

E. Barber & J. Osgerby, 2011  
 Potenza · Power 9W  
 Tensione · Voltage 100-240V/24V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 14 LED 9W 347lm 2700K CRI90 [i]  
 DIMMABLE

Materiali · Materials  
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 0,8 Kg SWITCH INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 dark green  
 blue matt

Colori  
 Colors  
 ○ F6563009  
 ● F6563030  
 ● F6563031  
 ● F6563014

p. 114



**TACCIA**

Achille and Pier Giacomo Castiglioni, 1962  
 Potenza · Power 28W  
 Tensione · Voltage 100-240V/48V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 COB LED 28W 2700K CRI93 [i]  
 DIMMABLE


Materiali · Materials  
 vetro, alluminio · glass, aluminum

Peso · Weight 10,7 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 argento · silver  
 nero · black  
 bronzo · bronze

Colori  
 Colors  
 ● F6602004  
 ● F6602030  
 ● F6602046

p. 108



**TACCIA (PMMA)**

Achille and Pier Giacomo Castiglioni, 1962  
 Potenza · Power 28W  
 Tensione · Voltage 100-240V/48V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 COB LED 28W 2700K CRI93 [i]  
 DIMMABLE

Materiali · Materials  
 PMMA, alluminio · PMMA, aluminum

Peso · Weight 7,6 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 argento · silver  
 nero · black  
 bronzo · bronze

Colori  
 Colors  
 ● F6607004  
 ● F6607030  
 ● F6607046

p. 108



**TACCIA SMALL**

Achille and Pier Giacomo Castiglioni, 1962  
 Potenza · Power 16W  
 Tensione · Voltage 100-240V/24V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 COB LED 16W 2700K CRI92 [i]  
 DIMMABLE


Materiali · Materials  
 vetro, alluminio · glass, aluminum

Peso · Weight 4,25 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 argento · silver  
 nero · black  
 bronzo · bronze

Colori  
 Colors  
 ● F6604004  
 ● F6604030  
 ● F6604046

p. 108



**TARAXACUM 1**

Achille and Pier Giacomo Castiglioni, 1960  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-250V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 15W E27 2000lm [e]


Materiali · Materials  
 cocoon, acciaio · cocoon, steel

Peso · Weight 2,1 Kg

Finiture  
 Finishes  
 bianco · white

Colori  
 Colors  
 ○ F7401009

p. 310



**TARAXACUM 2**

Achille and Pier Giacomo Castiglioni, 1960  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-250V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 15W E27 2000lm [e]

Materiali · Materials  
 cocoon, acciaio · cocoon, steel

Peso · Weight 2,8 Kg

Finiture  
 Finishes  
 bianco · white


Colori  
 Colors  
 ○ F7402009

p. 310



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**TARAXACUM 88 C/W**

Achille Castiglioni, 1988  
 Potenza · Power 15 x MAX 40W  
 Tensione · Voltage 220-250V

Finiture Finishes alluminio · aluminum  
 Colori Colors || F7420000

Fonte luminosa (disponibile) · Light source (available)  
 LED 3W E27 170lm [e]  
 (SINGLE PACK) O · OR (KIT X 15 LAMP)

Materiali · Materials alluminio · aluminum

p. 392

Peso · Weight 2,3 Kg



**TARAXACUM 88 S1**

Achille Castiglioni, 1988  
 Potenza · Power 60 x MAX 40W  
 Tensione · Voltage 220-250V

Finiture Finishes alluminio · aluminum  
 Colori Colors || F7430000

Fonte luminosa (disponibile) · Light source (available)  
 LED 3W E27 170lm [e]  
 (SINGLE PACK) O · OR (KIT X 15 LAMP)

Materiali · Materials alluminio · aluminum

p. 290

Peso · Weight 10,6 Kg



**TARAXACUM 88 S2**

Achille Castiglioni, 1988  
 Potenza · Power 120 x MAX 40W  
 Tensione · Voltage 220-250V

Finiture Finishes alluminio · aluminum  
 Colori Colors || F7440000

Fonte luminosa (disponibile) · Light source (available)  
 LED 3W E27 170lm [e]  
 (SINGLE PACK) O · OR (KIT X 15 LAMP)


Materiali · Materials alluminio · aluminum

p. 290

Peso · Weight 14,2 Kg



Prodotto su richiesta  
 Made on demand



**TATOU F**

Patricia Urquiola, 2012  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-240V

Finiture Finishes bianco · white, nero · black, grigio ocra · ochre-grey  
 Colori Colors ○ F7764009, ● F7764030, ● F7764048

Fonte luminosa (disponibile) · Light source (available)  
 LED 21W E27 2452lm [e]

Materiali · Materials policarbonato, acciaio · polycarbonate, steel

p. 180

Peso · Weight 16,4 Kg DIMMER INCLUDED



**TATOU S1**

Patricia Urquiola, 2012  
 Potenza · Power MAX 70W  
 Tensione · Voltage 220-250V

Finiture Finishes bianco · white, nero · black, grigio ocra · ochre-grey  
 Colori Colors ○ F7762009, ● F7762030, ● F7762048

Fonte luminosa (disponibile) · Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials policarbonato · polycarbonate

p. 295

Peso · Weight 1,2 Kg



**TATOU S2**

Patricia Urquiola, 2012  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-250V

Finiture Finishes bianco · white, nero · black, grigio ocra · ochre-grey  
 Colori Colors ○ F7766009, ● F7766030, ● F7766048

Fonte luminosa (disponibile) · Light source (available)  
 LED 21W E27 2452lm [e]

Materiali · Materials policarbonato · polycarbonate

p. 295

Peso · Weight 4,7 Kg



**TATOU T1**

Patricia Urquiola, 2012  
 Potenza · Power MAX 70W  
 Tensione · Voltage 220-240V

Finiture Finishes bianco · white, nero · black, grigio ocra · ochre-grey  
 Colori Colors ○ F7761009, ● F7761030, ● F7761048

Fonte luminosa (disponibile) · Light source (available)  
 LED 10W E27 965lm [e]

Materiali · Materials policarbonato · polycarbonate

p. 125

Peso · Weight 2,7 Kg DIMMER INCLUDED



**THIN LED**

Fios Architectural, 2011  
 Potenza · Power 20W  
 Tensione · Voltage 24V

Finiture Finishes bianco · white, alluminio anodizzato · anodized aluminum, bronzo anodizzato · anodized bronze  
 Colori Colors ○ 09.0045.30B, ● 09.0045.29B, ● 09.0045.BZB

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 TOP LED 20W 1822lm 3000K 24V CRI90 [I]

Materiali · Materials alluminio, alluminio anodizzato · aluminum, anodized aluminum


p. 348

Peso · Weight 0,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**TIGHT LIGHT**  
Piero Lissoni, 2011  
Potenza · Power 20W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
48 TOP LED 2x10W 1989lm total  
3000K CRI80 [i]

Materiali · Materials  
PMMA, alluminio · PMMA, aluminum

Peso · Weight 1,1 Kg

Finiture Finishes bianco · white  
Colori Colors ○ F0011009

CE I P 20

p. 388



**TILEE**  
Marcello Ziliani, 2005  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
LED 3W G9 290lm [e] o · or  
LED 2W G9 240lm [e]

Materiali · Materials  
vetro, zama · glass, zamak

Peso · Weight 0,8 Kg

Finiture Finishes bianco · white  
Colori Colors ○ F7460009

CE I P 20



**TOIO LIMITED EDITION 2018**  
Achille and Pier Giacomo Castiglioni, 1962  
Potenza · Power MAX 300W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → D  
LED 23W PRO PAR 56 1600lm [e]  
o · or  
LED 23W PRO PAR GX16 1500lm [i]


Materiali · Materials  
acciaio · steel

Peso · Weight 8,2 Kg DIMMER INCLUDED

Finiture Finishes nero opaco · matt black  
Colori Colors ● F7610030

CE I P 20

p. 203



**TOIO**  
Achille and Pier Giacomo Castiglioni, 1962  
Potenza · Power MAX 300W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → D  
300W aluPAR 56 MFL [i]

Materiali · Materials  
acciaio · steel

Peso · Weight 8,2 Kg DIMMER INCLUDED

Finiture Finishes bianco · white  
nero · black  
rosso · red  
Colori Colors ○ F7600009  
● F7600030  
● F7600035

CE I P 20

p. 202

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**TOIO LED**  
Achille and Pier Giacomo Castiglioni, 1962  
Potenza · Power MAX 25W LED  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+  
LED 23W PRO PAR 56 1600lm [e]  
o · or  
LED 23W PRO PAR GX16 1500lm [i]

Materiali · Materials  
acciaio · steel

Peso · Weight 8,2 Kg DIMMER INCLUDED

Finiture Finishes bianco · white  
nero · black  
rosso · red  
Colori Colors ○ F7630009  
● F7630030  
● F7630035

CE I P 20

p. 202



**WAN C/W**  
Johanna Grawunder, 2005  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
33W HSGS G9 460lm [e]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 0,4 Kg

Finiture Finishes bianco · white  
nero · black  
Colori Colors ○ F9550009  
● F9550030

CE I P 20

p. 396



**WAN S**  
Johanna Grawunder, 2006  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
33W HSGS G9 460lm [e]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 0,6 Kg

Finiture Finishes bianco · white  
nero · black  
Colori Colors ○ F9560009  
● F9560030

CE I P 20

p. 303



**WIRELINE**  
Formafantasma, 2021  
Potenza · Power 45W  
Tensione · Voltage 100-277V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED module 45W 2793lm 2700K  
CRI90 [i] DIMMABLE

Materiali · Materials  
vetro, acciaio inox, gomma, PC · glass stainless steel, rubber, PC


Peso · Weight 7,50 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes rosa · pink  
forest green  
Colori Colors ○ F9520034  
● F9520039

CE I P 20

p. 218

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**WIRERING**  
Formafantasma, 2018  
Potenza · Power 16W  
Tensione · Voltage 24V

LED INCLUDED  
NOT REPLACEABLE  
DIMMABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
180 LED 16W 2700K 712lm CRI90 [i]

Materiali · Materials  
alluminio - gomma - PC · aluminum - rubber - PC

Peso · Weight 0,945 Kg DIMMER INCLUDED

Finiture Finishes  
bianco/bianco · white/white  
bianco/grigio · white/grey  
bianco/nero · white/black  
bianco/rosa · white/pink  
bianco/oro · white/gold  
grigio/bianco · grey/white  
grigio/grigio · grey/grey  
grigio/nero · grey/black  
grigio/rosa · grey/pink  
grigio/oro · grey/gold  
rosa/bianco · pink/white  
rosa/grigio · pink/grey  
rosa/nero · pink/black  
rosa/rosa · pink/pink  
rosa/oro · pink/gold

Colori Colors  
● F9512009  
● F9512020  
● F9512030  
● F9512034  
● F9512044  
● F9513009  
● F9513020  
● F9513030  
● F9513034  
● F9513044  
● F9514009  
● F9514020  
● F9514030  
● F9514034  
● F9514044

p. 374



**VISCONTEA**  
Achille and Pier Giacomo Castiglioni, 1960  
Potenza · Power MAX 100W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
LED 15W E27 2000lm [e]

Materiali · Materials  
cocoon, acciaio · cocoon, steel

Peso · Weight 1,7 Kg

Finiture Finishes  
bianco · white

Colori Colors  
○ F8001009

p. 312



**ZEPPELIN 1**  
Marcel Wanders, 2005  
Potenza · Power MAX 250W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
LED 21W E27 2452lm [e]


Materiali · Materials  
cocoon, acciaio, cristallo · cocoon, steel, crystal

Peso · Weight 15 Kg

Finiture Finishes  
bianco · white

Colori Colors  
○ F9800009

p. 336



**ZEPPELIN 2**  
Marcel Wanders, 2005  
Potenza · Power 3 x MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
LED 21W E27 2452lm [e]

Materiali · Materials  
cocoon, acciaio, cristallo · cocoon, steel, crystal

Peso · Weight 30 Kg

Finiture Finishes  
bianco · white

Colori Colors  
○ F9805009

p. 336

Prodotto su richiesta  
Made on demand



**ABAJOUR'HUI SMALL**  
Flos Soft Architecture

Fonte luminosa (disponibile) ·  
*Light source (available)*  
MAX 75W E27 QT-32 [e]

Materiali · Materials  
installazione su cartongesso · plaster installation

Peso · Weight 8,25 Kg

Finiture Finishes  
cartongesso · plaster

Colori Colors  
○ SA.5001.1

p. 406



**ABAJOUR'HUI LARGE**  
Flos Soft Architecture

Fonte luminosa (disponibile) ·  
*Light source (available)*  
MAX 150W E27 QT-32 [e]

Materiali · Materials  
installazione su cartongesso · plaster installation

Peso · Weight 16,25 Kg

Finiture Finishes  
cartongesso · plaster

Colori Colors  
○ SA.5000.1

p. 406



**SOFT SPUN SMALL FL**  
Flos Soft Architecture

Fonte luminosa (disponibile) ·  
*Light source (available)*  
18W 2G11 [e] Ballast elettronico · Electronic Ballast

Materiali · Materials  
installazione su cartongesso · plaster installation

Peso · Weight 8,5 Kg

Finiture Finishes  
cartongesso · plaster

Colori Colors  
○ SA.5004.1

p. 408



**SOFT SPUN SMALL HL**  
Flos Soft Architecture

Fonte luminosa (disponibile) ·  
*Light source (available)*  
MAX 120W R7s QT-DE-12 [e]

Materiali · Materials  
installazione su cartongesso · plaster installation

Peso · Weight 8,5 Kg

Finiture Finishes  
cartongesso · plaster


Colori Colors  
○ SA.5005.1

p. 408

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**SOFT SPUN SMALL LED**

Flos Soft Architecture

Finiture  
Finishes cartongesso · plaster  
Colori  
Colors ○ SA.5006.1D


LED INCLUDED  
NOT REPLACEABLE

Fonte luminosa (disponibile) -  
Light source (available)  
1 LED WHITE 35W 1800lm 3000K  
CRI90 [i] Driver elettronico · Electronic Driver

Materiali · Materials  
installazione su cartongesso · plaster installation

p. 408

Peso · Weight 8,5 Kg



**SOFT SPUN LARGE FL**

Flos Soft Architecture

Finiture  
Finishes cartongesso · plaster  
Colori  
Colors ○ SA.5008.1


LED INCLUDED  
NOT REPLACEABLE

Fonte luminosa (disponibile) -  
Light source (available)  
24W 2G11 TC-L (diff.) [e]  
Ballast elettr. · Elect. Ballast  
+ LED 1.4W 80lm 2700K CRI>90 (base)  
[i] Driver elettronico · Electronic Driver

Materiali · Materials  
installazione su cartongesso · plaster installation

p. 408

Peso · Weight 17 Kg



**SOFT SPUN LARGE HL**

Flos Soft Architecture

Finiture  
Finishes cartongesso · plaster  
Colori  
Colors ○ SA.5009.1


LED INCLUDED  
NOT REPLACEABLE

Fonte luminosa (disponibile) -  
Light source (available)  
1 x MAX 160W R7s QT-DE (diff.) [e] + 1  
LED 1.4W 80lm 2700K CRI>90 (base)  
[i] Driver elettronico · Electronic Driver

Materiali · Materials  
installazione su cartongesso · plaster installation

p. 408

Peso · Weight 17 Kg



**SOFT SPUN LARGE LED**

Flos Soft Architecture

Finiture  
Finishes cartongesso · plaster  
Colori  
Colors ○ SA.5007.1D

LED INCLUDED  
NOT REPLACEABLE

Fonte luminosa (disponibile) -  
Light source (available)  
1 LED WHITE 35W 1800lm 3000K  
CRI90 (diff.) [i] Driver elettr. · Elect. Driver  
+ 1 LED WHITE 1,4W 80lm 2700K  
CRI>90 (base) [i] Driver elettr. · Elect. Driver

Materiali · Materials  
installazione su cartongesso · plaster installation

p. 408

Peso · Weight 17 Kg





[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source


[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

## CLASSIFICAZIONE E MARCHI DI CERTIFICAZIONE · CLASSIFICATION & HOMOLOGATIONS


Classi di isolamento delle lampade · *Luminaires classification*


	Classe I: lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore sistema di sicurezza che consiste nel collegamento dei componenti conduttivi accessibili a un conduttore di sicurezza (messa a terra) facente parte dell'impianto elettrico fisso · <i>Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)</i>
---	--


	Classe II: Lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore misura di sicurezza che consiste in un doppio isolamento rinforzato senza dispositivi per la messa a terra · <i>Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)</i>
---	---

	Classe III: Lampada la cui protezione contro la scarica elettrica si basa su un sistema a bassissima tensione, che non viene mai superata. Una lampada di Classe III non deve mai essere fornita con la messa a terra · <i>Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing</i>
---	--

Omologazioni · *Homologations*


	Tutte le lampade prodotte e presentate in questo programma sono state realizzate in conformità con la Norma Europea EN 60 598 e sono pertanto conformi ai requisiti definiti nella Direttiva CEE 73/23 (Direttiva di Bassa Tensione). La loro realizzazione garantisce anche la conformità alla Direttiva 89/336 per quanto concerne la Compatibilità Elettromagnetica. Tutti i prodotti rientranti nel campo di applicazione delle suddette Direttive riportano la marcatura CE, che ne attesta la conformità ai relativi requisiti · <i>All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements</i>
---	--


	La presenza del marchio ENEC sul prodotto conferma l'adempimento della Normativa Europea e garantisce l'affidabilità del sistema organizzativo e produttivo responsabile della fabbricazione del prodotto, attraverso un ente di certificazione accreditato. Il marchio ENEC conferma il nostro impegno ed è la migliore garanzia in tema di sicurezza e qualità di tutti i nostri prodotti · <i>The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products</i>
---	--


	L'Associazione Spagnola di Normalizzazione e Certificazione AENOR certifica che il Sistema di garanzia di qualità adottato dalla Antares Iluminación S. A. soddisfa i requisiti della Norma Europea EN ISO 9001: Sistema di Qualità. · <i>The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.</i>
---	---




## GRADO DI PROTEZIONE · DEGREE OF PROTECTION


	Indice di protezione contro la penetrazione di corpi solidi e di liquidi · <i>Protection degree offered by the fixture to the ingress of solids and liquids</i>
---	---

	1a cifra, protezione contro la penetrazione dei corpi solidi: 0 Nessuna protezione - 1 Protezione contro i corpi solidi di dimensioni superiori a 50mm - 2 Protezione contro i corpi solidi di dimensioni superiori a 12mm - 3 Protezione contro i corpi solidi di dimensioni superiori a 2,5mm - 4 Protezione contro i corpi solidi di dimensioni superiori a 1mm - 5 Protezione contro la polvere - 6 Totalmente protetto contro la polvere · <i>1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust</i>
---	--

	2a cifra, protezione contro l'infiltrazione di acqua: 0 Nessuna protezione - 1 Protezione contro la caduta in verticale di gocce d'acqua - 2 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 15° - 3 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 60° - 4 Protezione contro gli spruzzi d'acqua - 5 Protezione contro i getti d'acqua - 6 Protezione contro le ondate d'acqua - 7 Protezione contro l'immersione - 8 Protezione contro l'immersione prolungata · <i>2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falling vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersion - 8 Protected against long term immersion</i>
---	---

Simbologia · *Pictography*

	Apparecchio idoneo per essere installato su superfci normalmente infiammabili · <i>Luminaire with built-in power packs or transformers, suitable for mounting directly onto normally inflammable surfaces</i>
---	---

	Distanza minima dagli oggetti illuminati · <i>Minimum distance from illuminated objects</i>
---	---

In conformità con quanto previsto dal Regolamento 874/2012/EU, integrazione della Direttiva 2010/30/UE e relativo all'etichettatura indicante il consumo d'energia delle lampade elettriche e la compatibilità degli apparecchi di illuminazione con le diverse fonti luminose (integrate o con questi compatibili), Flos S.p.A. ha inserito le etichette richieste, in formato elettronico, sul proprio sito ([www.flos.com](http://www.flos.com)) nell'area relativa ai prodotti. Le modalità per scaricare le etichette, nelle diverse lingue previste a livello comunitario, sono le seguenti: • Selezionare la collezione/il prodotto di interesse (per esempio <http://www.flos.com/decorative/en/products/floor/Arco>) • Cliccare "Vedi scheda tecnica" • Cliccare "Print Energy Label" • Selezionare la lingua e stampare l'etichetta · *In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/UE concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website ([www.flos.com](http://www.flos.com)) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/product you are interested in (for ex: <http://www.flos.com/decorative/en/products/floor/Arco>) • Click on "see specs sheet" • Click on "Print Energy Label" • Select the language and print the label*

# WHERE TO FIND US

La nostra rete internazionale di distributori, flagship store e showroom  
Our international network of distributors, flagship stores and showrooms

## ITALY

Flos Spa  
Via Angelo Faini, 2  
25073 Bovezzo (Brescia)  
Tel +39 0302438.1  
info@flos.com

## SPAIN

Antares Iluminación S.A.U.  
Calle Mallorca, 1  
Polígono Industrial Reva 46394 Ribarroja (Valencia)  
Tel +34 96 166 95 20  
Fax +34 96 166 82 86  
flos.architectural@flos.com

## ITALY

Ares srl  
Via dell'Artigianato, 24  
20881 Bernareggio (Monza)  
Tel +39 0396900892  
flos.outdoor@flos.com

## DISTRIBUTION

**BELGIUM & LUXEMBOURG**  
Flos Belux  
M +32 474 739 080  
flosbelux@flos.com

**FRANCE**  
Flos France  
20-22, Passage Dauphine  
75006 Paris  
Tel +33 (0) 1 40 64 17 44  
flos.france@flos.com

**GERMANY**  
Flos Gmbh  
Obermünsterstraße 18  
93047 Regensburg  
Tel +49-941-630837-00  
info@flos-gmbh.de

**UNITED KINGDOM**  
Atrium Ltd.  
28 Leonard Street  
EC2A 4BY London  
Tel +44 (0) 20 7681 9933  
Fax +44 (0) 20 7681 9943  
flos@atrium.ltd.uk

**UNITED KINGDOM**  
International Projects UK  
Division  
Tel +44 (0) 20 7681 9933  
flos.international@flos.com

**DENMARK**  
Flos Scandinavia A/S  
Sydhavnsgade 28  
DK-2450 København SV  
Tel +45 (0) 3388 60 00  
Fax +45 (0) 3388 60 10  
info@flos.dk

**NORWAY**  
Drammensveien 120  
0277 Oslo - Norway  
Tel +47 (0) 2212 86 00  
Fax +47 (0) 2212 86 08  
info@flos.no

**THE NETHERLANDS**  
Flos BV  
Cruquiusweg 109S  
1019 AG Amsterdam  
Tel +31 (0) 20 560 50 60  
Fax +31 (0) 20 560 50 70  
flosnetherlands@flos.com

**U. S. A.**  
Flos USA Inc.  
110 York Street - 5th Floor  
Brooklyn, NY 11201  
Tel +1 (718) 875-3472  
Fax +1 (718) 875-3473  
info@flosusa.com

**JAPAN**  
Flos Co., Ltd.  
PMC Building 9F  
1-23-5 Higashiazabu Minato-Ku Tokyo 104-0044  
Tel +81 (0) 3 3582 1468  
Fax +81 (0) 3 3582 097  
flosjapan@flosjapan.com

**FAR EAST**  
Flos Representative Office  
1, Commonwealth Lane  
#08-12, 149544 Singapore  
Tel +65 (0) 6372 1495  
Fax +65 (0) 6372 7607  
flosasia@flos.com

**CHINA**  
Flos Illumination (Shanghai)  
Co. Ltd. Unit 101, Floor 1,  
Building B9 No. 800 of Chang  
De road Jing An District,  
Shanghai, 200040, China  
Tel: 86 021 62176187  
floschina@flos.com

**SWEDEN**  
Flos Scandinavia A/S  
Karlplan Lützengatan 1  
S-115-20  
Tel +46 (0) 8 660 4405  
Fax +46 (0) 8 660 7005  
info@flos.se

**AUSTRIA - GERMANY  
SWITZERLAND**  
Flos Gmbh  
Obermünsterstraße 18  
93047 Regensburg, Germany  
Tel +49 941 630837 00  
Fax +49 941 630837 60  
info@flos-gmbh.de

**LATIN AMERICA**  
Flos LatAm  
M +52 55 6960 1772  
flos.latinoamerica@flos.com

**INDIA**  
Flos Representative Office  
1, Commonwealth Lane  
#08-12, 149544 Singapore  
Tel +65 (0) 6372 1495  
Fax +65 (0) 6372 7607  
flosindia@flos.com

**MIDDLE EAST**  
Flos Middle East  
Dubai Design District  
Dubai, United Arab Emirates  
Tel +971 54 3567356  
flosme@flos.com

**HONG KONG**  
M +852 9307 3713  
flosasia@flos.com

## FLAGSHIP STORES

**MILANO**  
Corso Monforte, 9  
20122- Milano  
Tel +39 02 37011080  
Fax +39 02 780833  
flosmilano@flos.com

**ROMA**  
Via del Babuino, 85  
00187 - Roma  
Tel +39 06 3207631  
Fax +39 06 3207690  
flosroma@flos.com

**PARIS**  
15, rue de Bourgogne  
75007 - Paris  
Tel +33 (0) 1 53 85 49 93  
Fax +33 (0) 1 53 85 49 99  
shop@flos.fr

**LYON**  
17 rue Jarente  
69002 - Lyon  
Tel +33 478621301  
Fax +33 478622119  
lyon@flos.fr

**NEW YORK**  
152 Greene Street  
NY 10012  
Tel +1 212 941 4760  
Fax +1 212 941 4763  
info@flosusa.com

**STOCKHOLM**  
Karlplan Lützengatan 1 S-115-20  
Tel +46 (0) 8 660 4405  
Fax +46 (0) 8 660 7005  
info@flos.se

## SHOWROOMS

**MILANO**  
Corso Monforte, 15  
20122 Milano  
Tel +39 02 79 84 57  
Fax +39 02 89 78 56 41  
contract.milano@flos.com

**COPENAGHEN**  
Sydhavnsgade 28  
DK-2450 København SV  
Tel +45 (0) 3388 60 00  
Fax +45 (0) 3388 60 10  
info@flos.dk

**OSLO**  
Drammensveien 120  
0277 Oslo - Norway  
Tel +47 (0) 2212 86 00  
Fax +47 (0) 2212 86 08  
info@flos.no

**AMSTERDAM**  
Cruquiusweg 109S  
1019 AG Amsterdam  
The Netherlands  
Tel +31 (0) 20 560 50 60  
Fax +31 (0) 20 560 50 70  
info@flosmail.nl

**TOKYO**  
PMC Building 9F  
1-23-5 Higashiazabu Minato-Ku  
Tokyo 104-0044  
Tel +81 (0) 3 35 82 14 68  
Fax +81 (0) 3 55 75 70 87  
info@flosjapan.com

**PARIS**  
20-22, Passage Dauphine  
75006 Paris  
Tel +33 (0) 1 40 64 17 44  
flos.france@flos.com

# CREDITS

## EDITION

January 2021 © 2021 All rights reserved

## ART DIRECTION

Stefanie Barth & Carina Frey

## DESIGN

Guido Tamino

## STILL LIFE PHOTOGRAPHY

Frank Hülsbömer

## IN PLACE PHOTOGRAPHY

Bastian Achard, Florian Boehm, Germano Borrelli, Beppe Brancato, Santi Caleca, Marco Cappelletti, Studio Casali, Monica Castiglioni, Jackie Chan, Cesare Colombo, Ramak Fazel, Alecio Ferrari, Francesca Ferrari, Luciano Ferri, Vincenzo Flore, Alessandro Furchino Capria, Stefano Galuzzi, Giovanni Gastel, Zoë Ghertner, Stefania Giorgi, Frank Hülsbömer, Andrew Jacobs, Philippe Jarrigeon, Heidi Lerkenfeldt, Nico K. Tucci, Jean Baptiste Mondino, Maria Mulas, Ugo Mulas, Maki Ochoa, Giuseppe Pino, Timm Rautert, Jesper Ray - House of Pictures, Tommaso Sartori, Scheltens & Abbenes, Delfino Sisto Legnani, Luciano Svegliado, Tecma Solutions, Federico Torra, Leo Torri, Jan Verlinde

## PRODUCT PHOTOS

Piero Fasanotto

## ACKNOWLEDGEMENTS

Fondazione Achille Castiglioni, Studio la Città - Verona, Alberto Garutti, La Mutina



Flos si riserva il diritto di apportare ai propri modelli, senza alcun preavviso, qualsiasi modifica ritenesse opportuna.  
Flos reserves the right to introduce any changes to its own models, without prior notice.

ALL ABOUT LIGHT

FLOS